

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| 1-1 | Bricks | | | | | | | | | | | | | |
| a) | 254mm x 127mm x 76mm (10" x 5" x 3") | 1300 Nos. | 1000 Nos. | 320.54 | 157.88 | 314.65 | 793.08 | 233.54 | 109.12 | 81.85 | 55.77 | 51.42 | 50.46 | 24.23 |
| b) | 229mm x 114mm x 76 mm (9" x 4.5" x 3") | 1600 Nos. | 1000 Nos. | 260.44 | 128.28 | 255.66 | 644.38 | 189.75 | 88.66 | 66.50 | 45.31 | 41.78 | 41.00 | 19.69 |
| c) | 203mm x 101mm x 101mm (8" x 4" x 4") | 1500 Nos. | 1000 Nos. | 277.80 | 136.83 | 272.70 | 687.33 | 202.40 | 94.57 | 70.93 | 48.33 | 44.57 | 43.73 | 21.00 |
| 1-2 | Tiles | | | | | | | | | | | | | |
| a) | 305mm x 152mm x 51mm (12" x 6" x 2") | 1350 Nos. | 1000 Nos. | 308.67 | 152.04 | 303.00 | 763.70 | 224.89 | 105.07 | 78.81 | 53.70 | 49.52 | 48.59 | 23.33 |
| b) | 305mm x 152mm x 32mm (12" x 6" x 1.25") | 2150 Nos. | 1000 Nos. | 193.81 | 95.47 | 190.26 | 479.53 | 141.21 | 65.98 | 49.49 | 33.72 | 31.09 | 30.51 | 14.65 |
| c) | 229mm x 114mm x 38mm (9" x 4.5" x 1.5") | 3200 Nos. | 1000 Nos. | 130.22 | 64.14 | 127.83 | 322.19 | 94.88 | 44.33 | 33.25 | 22.66 | 20.89 | 20.50 | 9.84 |
| 1-3 | Cement concrete tiles 203mm x 203mm x 19mm (8" x 5" x 0.75") | 2850 Nos. | 1000 Nos. | 146.21 | 72.02 | 143.53 | 361.75 | 106.53 | 49.77 | 37.33 | 25.44 | 23.46 | 23.02 | 11.05 |
| 1-4 | Cement concrete blocks, limestone and kankar lime (unslaked) sandstone, hard stone and marble. | | | | | | | | | | | | | |
| | Material | 75 Cu.ft. | Cu.M. | 196.18 | 96.63 | 192.58 | 485.39 | 142.93 | 66.78 | 50.09 | 34.13 | 31.47 | 30.88 | 14.83 |
| | | | Cu.ft. | 5.56 | 2.74 | 5.45 | 13.75 | 4.05 | 1.89 | 1.42 | 0.97 | 0.89 | 0.87 | 0.42 |
| 1-5 | Sand, earth, stone ballast, building rubbish, shingle & boulders | | | | | | | | | | | | | |
| | Material | 110 Cu.ft. | Cu.M. | 133.76 | 65.89 | 131.31 | 330.95 | 97.46 | 45.53 | 34.15 | 23.27 | 21.46 | 21.06 | 10.11 |
| | | | Cu.ft. | 3.79 | 1.87 | 3.72 | 9.37 | 2.76 | 1.29 | 0.97 | 0.66 | 0.61 | 0.60 | 0.29 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|--------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| 1-6 | Brick ballast, murum, manure and surkhi. | | | | | | | | | | | | | |
| | Material | 150 Cu.ft. | Cu.M. | 98.09 | 48.32 | 96.29 | 242.70 | 71.47 | 33.39 | 25.05 | 17.07 | 15.74 | 15.44 | 7.42 |
| | | | Cu.ft. | 2.78 | 1.37 | 2.73 | 6.87 | 2.02 | 0.95 | 0.71 | 0.48 | 0.45 | 0.44 | 0.21 |
| 1-7 | Cement 1 Cwt (50) Kg. bag | | | | | | | | | | | | | |
| | Material | 100 Bag | Bag | 4.17 | 2.05 | 4.09 | 10.31 | 3.04 | 1.42 | 1.06 | 0.73 | 0.67 | 0.66 | 0.32 |
| 1-7A | Steel, C.I. pipes, G.I. pipes, M.S. bars, metal sheets, BG. rails, girders and other heavy materials. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 82.02 | 40.40 | 80.52 | 202.94 | 59.76 | 27.92 | 20.94 | 14.27 | 13.16 | 12.91 | 6.20 |
| 1-8 | Delicate materials like granite, porcelene tiles, ceramic tiles, glass panes, doors, windows, paints & varnish, A.C. corrugated and plain sheets. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 82.02 | 40.40 | 80.52 | 202.94 | 59.76 | 27.92 | 20.94 | 14.27 | 13.16 | 12.91 | 6.20 |
| | Extra for careful handling. | | 10% | 8.20 | 4.04 | 8.05 | 20.29 | 5.98 | 2.79 | 2.09 | 1.43 | 1.32 | 1.29 | 0.62 |
| | Accumulative | | Tonne | 90.25 | 44.45 | 88.55 | 223.25 | 65.75 | 30.70 | 23.05 | 15.70 | 14.45 | 14.20 | 6.80 |
| 1-9 | Timber | 250 Cu.ft. | Cu.M. | 58.85 | 28.99 | 57.77 | 145.62 | 42.88 | 20.03 | 15.03 | 10.24 | 9.44 | 9.27 | 4.45 |
| | | | Cu.ft. | 1.67 | 0.82 | 1.64 | 4.12 | 1.21 | 0.57 | 0.43 | 0.29 | 0.27 | 0.26 | 0.13 |
| 1-10 | Coaltar and bitumen | 5 Tons | Tonne | 82.02 | 40.40 | 80.52 | 202.94 | 59.76 | 27.92 | 20.94 | 14.27 | 13.16 | 12.91 | 6.20 |
| 1-11 | Fuel Wood | 5 Tons | Tonne | 82.02 | 40.40 | 80.52 | 202.94 | 59.76 | 27.92 | 20.94 | 14.27 | 13.16 | 12.91 | 6.20 |
| 1-12 | Sarkanda, pilchi, frash and brush | | | | | | | | | | | | | |
| | Material | 350 Cu.ft. | Cu.M. | 42.04 | 20.71 | 41.27 | 104.01 | 30.63 | 14.31 | 10.73 | 7.31 | 6.74 | 6.62 | 3.18 |
| | | | Cu.ft. | 1.19 | 0.59 | 1.17 | 2.95 | 0.87 | 0.41 | 0.30 | 0.21 | 0.19 | 0.19 | 0.09 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|---------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| 1-13 | Plain & reinforced cement concrete pipes of any class with collars. | | | | | | | | | | | | | |
| a) | 100 mm dia | 593 R.ft. | 10 R.M. | 23.06 | 11.36 | 22.63 | 57.04 | 16.80 | 7.85 | 5.89 | 4.01 | 3.70 | 3.63 | 1.74 |
| b) | 150 mm dia | 337 R.ft. | 10 R.M. | 40.57 | 19.98 | 39.82 | 100.38 | 29.56 | 13.81 | 10.36 | 7.06 | 6.51 | 6.39 | 3.07 |
| c) | 225 mm dia | 199 R.ft. | 10 R.M. | 68.70 | 33.84 | 67.44 | 169.99 | 50.06 | 23.39 | 17.54 | 11.95 | 11.02 | 10.82 | 5.19 |
| d) | 300 mm dia | 142 R.ft. | 10 R.M. | 96.28 | 47.42 | 94.51 | 238.22 | 70.15 | 32.78 | 24.58 | 16.75 | 15.45 | 15.16 | 7.28 |
| e) | 375 mm dia | 108 R.ft. | 10 R.M. | 126.59 | 62.35 | 124.27 | 313.21 | 92.23 | 43.09 | 32.32 | 22.03 | 20.31 | 19.93 | 9.57 |
| f) | 450 mm dia | 86 R.ft. | 10 R.M. | 158.98 | 78.31 | 156.06 | 393.34 | 115.83 | 54.12 | 40.59 | 27.66 | 25.50 | 25.03 | 12.02 |
| g) | 525 mm dia | 65 R.ft. | 10 R.M. | 210.34 | 103.60 | 206.48 | 520.42 | 153.25 | 71.60 | 53.71 | 36.60 | 33.74 | 33.11 | 15.90 |
| h) | 600 mm dia | 52 R.ft. | 10 R.M. | 262.92 | 129.50 | 258.09 | 650.52 | 191.56 | 89.50 | 67.13 | 45.74 | 42.18 | 41.39 | 19.88 |
| i) | 675 mm dia | 44 R.ft. | 10 R.M. | 310.73 | 153.05 | 305.02 | 768.80 | 226.39 | 105.77 | 79.34 | 54.06 | 49.85 | 48.92 | 23.49 |
| j) | 750 mm dia | 38 R.ft. | 10 R.M. | 359.79 | 177.22 | 353.18 | 890.19 | 262.13 | 122.48 | 91.87 | 62.60 | 57.72 | 56.64 | 27.20 |
| k) | 825 mm dia | 34 R.ft. | 10 R.M. | 402.12 | 198.07 | 394.73 | 994.92 | 292.97 | 136.89 | 102.68 | 69.96 | 64.51 | 63.30 | 30.40 |
| l) | 900 mm dia | 29 R.ft. | 10 R.M. | 471.45 | 232.22 | 462.79 | 1166.45 | 343.49 | 160.49 | 120.38 | 82.03 | 75.63 | 74.22 | 35.64 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| m) | 975 mm dia | 25 R.ft. | 10 R.M. | 546.88 | 269.37 | 536.84 | 1353.08 | 398.44 | 186.16 | 139.64 | 95.15 | 87.73 | 86.09 | 41.34 |
| n) | 1050 mm dia | 22 R.ft. | 10 R.M. | 621.45 | 306.10 | 610.04 | 1537.60 | 452.78 | 211.55 | 158.68 | 108.12 | 99.70 | 97.83 | 46.98 |
| o) | 1125 mm dia | 19 R.ft. | 10 R.M. | 719.58 | 354.43 | 706.36 | 1780.37 | 524.27 | 244.95 | 183.74 | 125.20 | 115.44 | 113.28 | 54.40 |
| p) | 1200 mm dia | 17 R.ft. | 10 R.M. | 804.23 | 396.13 | 789.47 | 1989.83 | 585.95 | 273.77 | 205.35 | 139.93 | 129.02 | 126.61 | 60.80 |
| q) | 1350 mm dia | 142 R.ft. | 10 R.M. | 1051.69 | 518.02 | 1032.38 | 2602.09 | 766.24 | 358.01 | 268.54 | 182.98 | 168.72 | 165.56 | 79.50 |
| r) | 1500 mm dia | 142 R.ft. | 10 R.M. | 1242.90 | 612.20 | 1220.08 | 3075.19 | 905.56 | 423.10 | 317.36 | 216.25 | 199.40 | 195.67 | 93.96 |
| s) | 1650 mm dia | 9 R.ft. | 10 R.M. | 1519.10 | 748.25 | 1491.21 | 3758.57 | 1106.79 | 517.12 | 387.89 | 264.30 | 243.71 | 239.15 | 114.84 |
| t) | 1800 mm dia | 7 R.ft. | 10 R.M. | 1953.13 | 962.04 | 1917.28 | 4832.44 | 1423.02 | 664.87 | 498.71 | 339.82 | 313.34 | 307.48 | 147.65 |
| 1-14 | P.V.C pipes of any class including fittings such as sockets, tees, bends and crosses nominal diameter below 50 mm. | | | | | | | | | | | | | |
| a) | 10 mm dia | 203125 R.ft. | 1000 R.M. | 6.73 | 3.32 | 6.61 | 16.65 | 4.90 | 2.29 | 1.72 | 1.17 | 1.08 | 1.06 | 0.51 |
| b) | 15 mm dia | 130000 R.ft. | 1000 R.M. | 10.52 | 5.18 | 10.32 | 26.02 | 7.66 | 3.58 | 2.69 | 1.83 | 1.69 | 1.66 | 0.80 |
| c) | 20 mm dia | 87410 R.ft. | 1000 R.M. | 15.64 | 7.70 | 15.35 | 38.70 | 11.40 | 5.32 | 3.99 | 2.72 | 2.51 | 2.46 | 1.18 |
| d) | 25 mm dia | 51600 R.ft. | 1000 R.M. | 26.50 | 13.05 | 26.01 | 65.56 | 19.30 | 9.02 | 6.77 | 4.61 | 4.25 | 4.17 | 2.00 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| e) | 32 mm dia | 32500 R.ft. | 1000 R.M. | 42.07 | 20.72 | 41.30 | 104.08 | 30.65 | 14.32 | 10.74 | 7.32 | 6.75 | 6.62 | 3.18 |
| f) | 40 mm dia | 25170 R.ft. | 1000 R.M. | 54.32 | 26.76 | 53.32 | 134.39 | 39.58 | 18.49 | 13.87 | 9.45 | 8.71 | 8.55 | 4.11 |
| 1-15 | P.V.C. pipes of any class including fittings such as sockets, tees, bends & crosses nominal diameter 50mm and above. | | | | | | | | | | | | | |
| a) | 50 mm dia | 15925 R.ft. | 100 R.M. | 8.59 | 4.23 | 8.43 | 21.24 | 6.26 | 2.92 | 2.19 | 1.49 | 1.38 | 1.35 | 0.65 |
| b) | 65 mm dia | 10190 R.ft. | 100 R.M. | 13.42 | 6.61 | 13.17 | 33.20 | 9.78 | 4.57 | 3.43 | 2.33 | 2.15 | 2.11 | 1.01 |
| c) | 75 mm dia | 7490 R.ft. | 100 R.M. | 18.25 | 8.99 | 17.92 | 45.16 | 13.30 | 6.21 | 4.66 | 3.18 | 2.93 | 2.87 | 1.38 |
| d) | 100 mm dia | 4210 R.ft. | 100 R.M. | 32.47 | 16.00 | 31.88 | 80.35 | 23.66 | 11.05 | 8.29 | 5.65 | 5.21 | 5.11 | 2.45 |
| e) | 125 mm dia | 2925 R.ft. | 100 R.M. | 46.74 | 23.02 | 45.88 | 115.65 | 34.06 | 15.91 | 11.93 | 8.13 | 7.50 | 7.36 | 3.53 |
| f) | 150 mm dia | 1870 R.ft. | 100 R.M. | 73.11 | 36.01 | 71.77 | 180.89 | 53.27 | 24.89 | 18.67 | 12.72 | 11.73 | 11.51 | 5.53 |
| g) | 200 mm dia | 1050 R.ft. | 100 R.M. | 130.21 | 64.14 | 127.82 | 322.16 | 94.87 | 44.32 | 33.25 | 22.65 | 20.89 | 20.50 | 9.84 |
| h) | 250 mm dia | 610 R.ft. | 100 R.M. | 224.13 | 110.40 | 220.02 | 554.54 | 163.30 | 76.30 | 57.23 | 39.00 | 35.96 | 35.28 | 16.94 |
| i) | 300 mm dia | 470 R.ft. | 100 R.M. | 290.89 | 143.28 | 285.55 | 719.73 | 211.94 | 99.02 | 74.28 | 50.61 | 46.67 | 45.79 | 21.99 |
| j) | 350 mm dia | 325 R.ft. | 100 R.M. | 420.67 | 207.21 | 412.95 | 1040.83 | 306.50 | 143.20 | 107.41 | 73.19 | 67.49 | 66.23 | 31.80 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km | |
|---------------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|-------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 | 31.50 |
| 1-16 | k) 400 mm dia | 210 R.ft. | 100 R.M. | 651.04 | 320.68 | 639.09 | 1610.81 | 474.34 | 221.62 | 166.24 | 113.27 | 104.45 | 102.49 | 49.22 | |
| | Asbestos cement pipes class B with comets or gibault joint. | | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 57.93 | 28.53 | 56.87 | 143.34 | 42.21 | 19.72 | 14.79 | 10.08 | 9.29 | 9.12 | 4.38 | |
| | b) 100 mm dia | 1770 R.ft. | 100 R.M. | 77.24 | 38.05 | 75.82 | 191.11 | 56.28 | 26.29 | 19.72 | 13.44 | 12.39 | 12.16 | 5.84 | |
| | c) 150 mm dia | 1180 R.ft. | 100 R.M. | 115.86 | 57.07 | 113.74 | 286.67 | 84.42 | 39.44 | 29.58 | 20.16 | 18.59 | 18.24 | 8.76 | |
| | d) 200 mm dia | 710 R.ft. | 100 R.M. | 192.56 | 94.85 | 189.03 | 476.44 | 140.30 | 65.55 | 49.17 | 33.50 | 30.89 | 30.31 | 14.56 | |
| | e) 250 mm dia | 525 R.ft. | 100 R.M. | 260.42 | 128.27 | 255.64 | 644.33 | 189.74 | 88.65 | 66.49 | 45.31 | 41.78 | 41.00 | 19.69 | |
| | f) 300 mm dia | 410 R.ft. | 100 R.M. | 333.46 | 164.25 | 327.34 | 825.05 | 242.95 | 113.51 | 85.15 | 58.02 | 53.50 | 52.50 | 25.21 | |
| | g) 400 mm dia | 250 R.ft. | 100 R.M. | 546.88 | 269.37 | 536.84 | 1353.08 | 398.44 | 186.16 | 139.64 | 95.15 | 87.73 | 86.09 | 41.34 | |
| 1-17 | h) 500 mm dia | 185 R.ft. | 100 R.M. | 739.02 | 364.01 | 725.46 | 1828.49 | 538.44 | 251.57 | 188.70 | 128.58 | 118.56 | 116.34 | 55.87 | |
| | i) 600 mm dia | 130 R.ft. | 100 R.M. | 1051.69 | 518.02 | 1032.38 | 2602.09 | 766.24 | 358.01 | 268.54 | 182.98 | 168.72 | 165.56 | 79.50 | |
| | Asbestos cement pipes Class C with comete or gibault joint. | | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 57.93 | 28.53 | 56.87 | 143.34 | 42.21 | 19.72 | 14.79 | 10.08 | 9.29 | 9.12 | 4.38 | |
| b) 100 mm dia | 1420 R.ft. | 100 R.M. | 96.28 | 47.42 | 94.51 | 238.22 | 70.15 | 32.78 | 24.58 | 16.75 | 15.45 | 15.16 | 7.28 | | |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| c) | 150 mm dia | 1010 R.ft. | 100 R.M. | 135.37 | 66.68 | 132.88 | 334.92 | 98.62 | 46.08 | 34.56 | 23.55 | 21.72 | 21.31 | 10.23 |
| d) | 200 mm dia | 685 R.ft. | 100 R.M. | 199.59 | 98.31 | 195.93 | 493.83 | 145.42 | 67.94 | 50.96 | 34.73 | 32.02 | 31.42 | 15.09 |
| e) | 250 mm dia | 460 R.ft. | 100 R.M. | 297.22 | 146.40 | 291.76 | 735.37 | 216.55 | 101.18 | 75.89 | 51.71 | 47.68 | 46.79 | 22.47 |
| f) | 300 mm dia | 370 R.ft. | 100 R.M. | 369.51 | 182.01 | 362.73 | 914.25 | 269.22 | 125.79 | 94.35 | 64.29 | 59.28 | 58.17 | 27.93 |
| g) | 400 mm dia | 170 R.ft. | 100 R.M. | 804.23 | 396.13 | 789.47 | 1989.83 | 585.95 | 273.77 | 205.35 | 139.93 | 129.02 | 126.61 | 60.80 |
| h) | 500 mm dia | 130 R.ft. | 100 R.M. | 1051.69 | 518.02 | 1032.38 | 2602.09 | 766.24 | 358.01 | 268.54 | 182.98 | 168.72 | 165.56 | 79.50 |
| i) | 600 mm dia | 90 R.ft. | 100 R.M. | 1519.10 | 748.25 | 1491.21 | 3758.57 | 1106.79 | 517.12 | 387.89 | 264.30 | 243.71 | 239.15 | 114.84 |
| 1-18 | Asbestos cement pipes Class D with comete or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 57.93 | 28.53 | 56.87 | 143.34 | 42.21 | 19.72 | 14.79 | 10.08 | 9.29 | 9.12 | 4.38 |
| b) | 100 mm dia | 1905 R.ft. | 100 R.M. | 71.77 | 35.35 | 70.45 | 177.57 | 52.29 | 24.43 | 18.33 | 12.49 | 11.51 | 11.30 | 5.43 |
| c) | 150 mm dia | 945 R.ft. | 100 R.M. | 144.68 | 71.26 | 142.02 | 357.96 | 105.41 | 49.25 | 36.94 | 25.17 | 23.21 | 22.78 | 10.94 |
| d) | 200 mm dia | 525 R.ft. | 100 R.M. | 260.42 | 128.27 | 255.64 | 644.33 | 189.74 | 88.65 | 66.49 | 45.31 | 41.78 | 41.00 | 19.69 |
| e) | 250 mm dia | 340 R.ft. | 100 R.M. | 402.12 | 198.07 | 394.73 | 994.92 | 292.97 | 136.89 | 102.68 | 69.96 | 64.51 | 63.30 | 30.40 |
| f) | 300 mm dia | 240 R.ft. | 100 R.M. | 569.66 | 280.59 | 559.21 | 1409.46 | 415.05 | 193.92 | 145.46 | 99.11 | 91.39 | 89.68 | 43.06 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 416.70 | 205.25 | 409.05 | ##### | 303.60 | 141.85 | 106.40 | 72.50 | 66.85 | 65.60 |
| g) | 400 mm dia | 135 R.ft. | 100 R.M. | 1012.74 | 498.83 | 994.14 | 2505.71 | 737.86 | 344.75 | 258.59 | 176.20 | 162.47 | 159.43 | 76.56 |
| h) | 500 mm dia | 90 R.ft. | 100 R.M. | 1519.10 | 748.25 | 1491.21 | 3758.57 | 1106.79 | 517.12 | 387.89 | 264.30 | 243.71 | 239.15 | 114.84 |
| i) | 600 mm dia | 65 R.ft. | 100 R.M. | 2103.37 | 1036.04 | 2064.76 | 5204.17 | 1532.48 | 716.02 | 537.07 | 365.96 | 337.44 | 331.13 | 159.00 |
| 1-19 | Coal, white lime, and other type of material measured by weight not specified above. | 5 Tons | Tonne | 82.02 | 40.40 | 80.52 | 202.94 | 59.76 | 27.92 | 20.94 | 14.27 | 13.16 | 12.91 | 6.20 |