

| Sr.No. | Description   | Unit   | Rate (Rs.) |           |
|--------|---|--------|------------|-----------|
|        |   |        | Labour     | Composite |
| 12-1   | Providing, dressing and laying dry uncoursed rubble masonry in retaining or compound walls including scaffolding.               | Cu.m.  | 1495.70    | 2030.80   |
|        |   | Cu.ft. | 42.35      | 57.50     |
| 12-2   | Providing, dressing and laying dry coursed rubble masonry in retaining or compound walls including scaffolding.                 | Cu.m.  | 2072.80    | 2665.95   |
|        |   | Cu.ft. | 58.70      | 75.50     |
| 12-3   | Providing, dressing and laying dry coursed or uncoursed rubble pitching of any thickness  | Cu.m.  | 1698.85    | 2200.25   |
|        |   | Cu.ft. | 48.10      | 62.30     |
| 12-4   | Providing, dressing and laying uncoursed rubble masonry in foundation, plinth and basement including scaffolding and curing.    | Cu.m.  | 1565.25    | 2170.35   |
|        |   | Cu.ft. | 44.35      | 61.45     |
| a)     | In mud mortar   | Cu.m.  | 1565.25    | 2170.35   |
|        |   | Cu.ft. | 44.35      | 61.45     |
| b)     | In Cement, lawrencepur sand mortar  | Cu.m.  | 2115.50    | 5835.15   |
|        |   | Cu.ft. | 59.90      | 165.25    |
| 1 : 3  |   | Cu.m.  | 2115.50    | 5835.15   |
|        |   | Cu.ft. | 59.90      | 165.25    |
| 1 : 4  |   | Cu.m.  | 2115.50    | 5288.10   |
|        |   | Cu.ft. | 59.90      | 149.75    |
| 1 : 6  |   | Cu.m.  | 2115.50    | 4747.70   |
|        |   | Cu.ft. | 59.90      | 134.45    |
| 1 : 8  |   | Cu.m.  | 2115.50    | 4469.95   |
|        |   | Cu.ft. | 59.90      | 126.60    |
| 12-5   | Providing, dressing and laying coursed rubble masonry in foundation, plinth and basement including scaffolding and curing.      | Cu.m.  | 2286.30    | 2794.10   |
|        |   | Cu.ft. | 64.75      | 79.15     |
| a)     | In mud mortar   | Cu.m.  | 2286.30    | 2794.10   |
|        |   | Cu.ft. | 64.75      | 79.15     |
| b)     | In Cement, lawrencepur sand mortar  | Cu.m.  | 2771.85    | 5798.40   |
|        |   | Cu.ft. | 78.50      | 164.20    |
| 1 : 3  |   | Cu.m.  | 2771.85    | 5798.40   |
|        |   | Cu.ft. | 78.50      | 164.20    |
| 1 : 4  |   | Cu.m.  | 2771.85    | 5429.95   |
|        |   | Cu.ft. | 78.50      | 153.80    |
| 1 : 6  |   | Cu.m.  | 2771.85    | 4980.80   |
|        |   | Cu.ft. | 78.50      | 141.05    |
| 1 : 8  |   | Cu.m.  | 2771.85    | 4778.45   |
|        |   | Cu.ft. | 78.50      | 135.35    |
| 12-6   | Providing, dressing and laying random rubble stone masonry in foundation, plinth and basement including scaffolding and curing. | Cu.m.  | 2042.30    | 2731.05   |
|        |   | Cu.ft. | 5783.90    | 7734.50   |
| a)     | In mud mortar   | Cu.m.  | 2042.30    | 2731.05   |
|        |   | Cu.ft. | 5783.90    | 7734.50   |
| b)     | In Cement, lawrencepur sand mortar  | Cu.m.  | 2357.05    | 5780.65   |
|        |   | Cu.ft. | 66.75      | 163.70    |
| 1 : 3  |   | Cu.m.  | 2357.05    | 5780.65   |
|        |   | Cu.ft. | 66.75      | 163.70    |
| 1 : 4  |   | Cu.m.  | 2357.05    | 5296.95   |
|        |   | Cu.ft. | 66.75      | 150.00    |


| Sr.No. | Description  | Unit                                  | Rate (Rs.) |           |          |
|--------|--|---------------------------------------|------------|-----------|----------|
|        |  |                                       | Labour     | Composite |          |
| 12-7   | Providing dressing and laying Ashlar Fine masonry in foundation, plinth and basement including scaffolding and curing.                             | 1 : 6                                 |            |           |          |
|        |  |                                       | Cu.m.      | 2357.05   | 4813.30  |
|        |  |                                       | Cu.ft.     | 66.75     | 136.30   |
|        |  | 1 : 8                                 |            |           |          |
|        |  |                                       | Cu.m.      | 2357.05   | 4571.45  |
|        |  |                                       | Cu.ft.     | 66.75     | 129.45   |
| 12-8   | Providing dressing and laying Ashlar rough tooled or blocks in course masonry in foundation, plinth and basement including scaffolding and curing. | a) In Cement, lawrencepur sand mortar |            |           |          |
|        |  | 1 : 3                                 |            |           |          |
|        |  |                                       | Cu.m.      | 11787.65  | 14816.50 |
|        |  |                                       | Cu.ft.     | 333.85    | 419.60   |
|        |  | 1 : 4                                 |            |           |          |
|        |  |                                       | Cu.m.      | 11787.65  | 14609.25 |
|        | Cu.ft.   | 333.85                                | 413.75     |           |          |
| 12-9   | Providing dressing and laying Ashlar rock rustic or quarry faced masonry in foundation, plinth and basement including scaffolding and curing.      | 1 : 6                                 |            |           |          |
|        |  |                                       | Cu.m.      | 11787.65  | 14531.60 |
|        |  |                                       | Cu.ft.     | 333.85    | 411.55   |
|        |  | a) In cement, sand mortar             |            |           |          |
|        |  | 1 : 3                                 |            |           |          |
|        |  |                                       | Cu.m.      | 8042.25   | 11130.15 |
|        | Cu.ft.   | 227.75                                | 315.20     |           |          |
| 12-9   | Providing dressing and laying Ashlar rock rustic or quarry faced masonry in foundation, plinth and basement including scaffolding and curing.      | 1 : 4                                 |            |           |          |
|        |  |                                       | Cu.m.      | 8042.25   | 10812.30 |
|        |  |                                       | Cu.ft.     | 227.75    | 306.20   |
|        |  | 1 : 6                                 |            |           |          |
|        |  |                                       | Cu.m.      | 8042.25   | 9044.25  |
|        |  |                                       | Cu.ft.     | 227.75    | 256.15   |
| 12-9   | Providing dressing and laying Ashlar rock rustic or quarry faced masonry in foundation, plinth and basement including scaffolding and curing.      | a) In Cement, lawrencepur sand mortar |            |           |          |
|        |  | 1 : 3                                 |            |           |          |
|        |  |                                       | Cu.m.      | 7987.35   | 10784.90 |
|        |  |                                       | Cu.ft.     | 226.20    | 305.45   |
|        |  | 1 : 4                                 |            |           |          |
|        |  |                                       | Cu.m.      | 7987.35   | 10473.95 |
|        | Cu.ft.   | 226.20                                | 296.65     |           |          |
| 12-9   | Providing dressing and laying Ashlar rock rustic or quarry faced masonry in foundation, plinth and basement including scaffolding and curing.      | 1 : 6                                 |            |           |          |
|        |  |                                       | Cu.m.      | 7987.35   | 10163.00 |
|        | Cu.ft.   | 226.20                                | 287.80     |           |          |

| Sr.No. | Description  | Unit            | Rate (Rs.)         |                    |
|--------|--|-----------------|--------------------|--------------------|
|        |  |                 | Labour             | Composite          |
| 12-10  | Providing dressing and laying Ashlar chamfered masonry in foundation, plinth and basement including scaffolding and curing.  |                 |                    |                    |
| a)     | In Cement, lawrencepur sand mortar   |                 |                    |                    |
|        | 1 : 3  | Cu.m.<br>Cu.ft. | 9311.05<br>263.70  | 12530.70<br>354.90 |
|        | 1 : 4  | Cu.m.<br>Cu.ft. | 9311.05<br>263.70  | 12219.75<br>346.05 |
|        | 1 : 6  | Cu.m.<br>Cu.ft. | 9311.05<br>263.70  | 11908.80<br>337.25 |
| 12-11  | Providing dressing and laying Ashlar fine stone masonry in plain or chequerred tread or risers of steps in course masonry in foundation, plinth basement & ground floor, including scaffolding and curing. |                 |                    |                    |
| a)     | In cement, sand mortar   |                 |                    |                    |
|        | 1 : 3  | Cu.m.<br>Cu.ft. | 12529.40<br>354.85 | 15378.30<br>435.50 |
|        | 1 : 4  | Cu.m.<br>Cu.ft. | 12529.40<br>354.85 | 15171.00<br>429.65 |
|        | 1 : 6  | Cu.m.<br>Cu.ft. | 12529.40<br>354.85 | 14963.70<br>423.80 |
| 12-12  | Providing, dressing and laying uncoursed rubble masonry in superstructure including scaffolding and curing in ground floor.  |                 |                    |                    |
| a)     | In mud mortar  | Cu.m.<br>Cu.ft. | 1793.40<br>50.80   | 2265.50<br>64.15   |
| b)     | In Cement, lawrencepur sand mortar   |                 |                    |                    |
|        | 1 : 3  | Cu.m.<br>Cu.ft. | 2193.55<br>62.10   | 5917.15<br>167.60  |
|        | 1 : 4  | Cu.m.<br>Cu.ft. | 2193.55<br>62.10   | 5370.10<br>152.10  |
|        | 1 : 6  | Cu.m.<br>Cu.ft. | 2193.55<br>62.10   | 4829.70<br>136.80  |
|        | 1 : 8  | Cu.m.<br>Cu.ft. | 2193.55<br>62.10   | 4551.95<br>128.90  |
| 12-13  | Providing, dressing and laying coursed rubble masonry in superstructure including scaffolding and curing in ground floor (steel reinforcement if used will be paid separately)                             |                 |                    |                    |
| a)     | In mud mortar  | Cu.m.<br>Cu.ft. | 2997.55<br>84.90   | 3596.35<br>101.85  |
| b)     | In Cement, lawrencepur sand mortar   |                 |                    |                    |
|        | 1 : 3  | Cu.m.<br>Cu.ft. | 3050.00<br>86.40   | 6171.15<br>174.75  |
|        | 1 : 4  | Cu.m.<br>Cu.ft. | 3050.00<br>86.40   | 5722.00<br>162.05  |
|        | 1 : 6  | Cu.m.<br>Cu.ft. | 3050.00<br>86.40   | 5272.85<br>149.35  |

| Sr.No.                                | Description  | Unit   | Rate (Rs.)         |                   |  |
|---------------------------------------|--|--|--------------------|-------------------|--|
|                                       |  |  | Labour             | Composite         |  |
| 12-14                                 | 1 : 8  | Cu.m.<br>Cu.ft.  | 3050.00<br>86.40   | 5048.30<br>142.95 |  |
|                                       | Providing, dressing and laying random rubble stone masonry in superstructure including scaffolding and curing in ground floor.                     |  |                    |                   |  |
|                                       | a) In mud mortar   | Cu.m.<br>Cu.ft.  | 3523.35<br>99.80   | 4286.20<br>121.40 |  |
|                                       | b) In Cement, lawrencepur sand mortar  |  |                    |                   |  |
|                                       | 1 : 3  | Cu.m.<br>Cu.ft.  | 3457.50<br>97.90   | 6936.10<br>196.45 |  |
|                                       | 1 : 4  | Cu.m.<br>Cu.ft.  | 3457.50<br>97.90   | 6452.45<br>182.75 |  |
|                                       | 1 : 6  | Cu.m.<br>Cu.ft.  | 3457.50<br>97.90   | 5968.75<br>169.05 |  |
|                                       | 1 : 8  | Cu.m.<br>Cu.ft.  | 3457.50<br>97.90   | 5726.90<br>162.20 |  |
|                                       | 12-15  | Providing, dressing and laying ashlar fine masonry in superstructure including scaffolding and curing in ground floor. |                    |                   |  |
|                                       | a) In Cement, lawrencepur sand mortar  |  |                    |                   |  |
| 1 : 3                                 | Cu.m.<br>Cu.ft.  | 16096.70<br>455.85   | 19341.00<br>547.75 |                   |  |
| 1 : 4                                 | Cu.m.<br>Cu.ft.  | 16096.70<br>455.85   | 19133.70<br>541.90 |                   |  |
| 1 : 6                                 | Cu.m.<br>Cu.ft.  | 16096.70<br>455.85   | 18926.40<br>536.00 |                   |  |
| 12-16                                 | Providing, dressing and laying ashlar rough tooled or blocks in course masonry in superstructure including scaffolding and curing in ground floor. |  |                    |                   |  |
| a) In Cement, lawrencepur sand mortar |  |  |                    |                   |  |
| 1 : 3                                 | Cu.m.<br>Cu.ft.  | 8893.80<br>251.90  | 12024.30<br>340.55 |                   |  |
| 1 : 4                                 | Cu.m.<br>Cu.ft.  | 8893.80<br>251.90  | 11706.45<br>331.55 |                   |  |
| 1 : 6                                 | Cu.m.<br>Cu.ft.  | 8893.80<br>251.90  | 11388.60<br>322.55 |                   |  |
| 12-17                                 | Providing, dressing and laying ashlar rock rustic or guary faced masonry in superstructure including scaffolding and curing in ground floor.       |  |                    |                   |  |
| a) In Cement, lawrencepur sand mortar |  |  |                    |                   |  |
| 1 : 3                                 | Cu.m.<br>Cu.ft.  | 8607.10<br>243.75  | 11435.65<br>323.85 |                   |  |
| 1 : 4                                 | Cu.m.<br>Cu.ft.  | 8607.10<br>243.75  | 11124.70<br>315.05 |                   |  |
| 1 : 6                                 | Cu.m.<br>Cu.ft.  | 8607.10<br>243.75  | 10813.75<br>306.25 |                   |  |

| Sr.No. | Description   | Unit            | Rate (Rs.)         |                    |
|--------|---|-----------------|--------------------|--------------------|
|        |   |                 | Labour             | Composite          |
| 12-18  | Providing, dressing and laying ashlar fine chamfered masonry in superstructure including scaffolding and curing in ground floor.  |                 |                    |                    |
| a)     | In Cement, lawrencepur sand mortar  |                 |                    |                    |
|        | 1 : 3   | Cu.m.<br>Cu.ft. | 9979.60<br>282.65  | 13232.65<br>374.75 |
|        | 1 : 4   | Cu.m.<br>Cu.ft. | 9979.60<br>282.65  | 12565.80<br>355.85 |
|        | 1 : 6   | Cu.m.<br>Cu.ft. | 9979.60<br>282.65  | 12610.80<br>357.15 |
| 12-19  | Providing, dressing and laying ashlar fine stone masonry punched work in superstructure including scaffolding and curing in ground floor. (Gross measurement will be made).   |                 |                    |                    |
| a)     | In cement, sand mortar  |                 |                    |                    |
|        | 1 : 3   | Cu.m.<br>Cu.ft. | 14309.40<br>405.25 | 17610.30<br>498.75 |
|        | 1 : 4   | Cu.m.<br>Cu.ft. | 14309.40<br>405.25 | 17403.00<br>492.85 |
|        | 1 : 6   | Cu.m.<br>Cu.ft. | 14309.40<br>405.25 | 17195.70<br>487.00 |
| 12-20  | Providing, dressing and laying ashlar fine stone masonry in sink or moulded work upto & sectional area of 50 Sq.in. (325 Sq.cm) in cornice, coping and architrave etc. in superstructure including scaffolding and curing in ground floor.                            |                 |                    |                    |
| a)     | In Cement, lawrencepur sand mortar  |                 |                    |                    |
|        | 1 : 3   | R.M.<br>R.ft.   | 495.90<br>151.15   | 581.80<br>177.35   |
|        | 1 : 4   | R.M.<br>R.ft.   | 495.90<br>151.15   | 554.90<br>169.15   |
|        | 1 : 6   | R.M.<br>R.ft.   | 495.90<br>151.15   | 552.55<br>168.40   |
| 12-21  | Providing, dressing and laying ashlar fine stone masonry in sink or moulded work above sectional area of 50 sq.in. to 100 sq.in. (325 sq.cm to 650 sq.cm ) in cornice, coping and architrave etc. in superstructure including scaffolding and curing in ground floor. |                 |                    |                    |
| a)     | In Cement, lawrencepur sand mortar  |                 |                    |                    |
|        | 1 : 3   | R.M.<br>R.ft.   | 949.85<br>289.50   | 1114.05<br>339.55  |
|        | 1 : 4   | R.M.<br>R.ft.   | 949.85<br>289.50   | 1062.95<br>324.00  |
|        | 1 : 6   | R.M.<br>R.ft.   | 949.85<br>289.50   | 1058.25<br>322.55  |
| 12-22  | Dressing stones (Dressed face shall be considered for measurement).   |                 |                    |                    |
| a)     | Random rubble hammer dressed  | Sq.m.<br>Sq.ft. | 579.10<br>53.80    | 628.20<br>58.40    |

| Sr.No.   | Description   | Unit   | Rate (Rs.) |           |
|----------|---|--------|------------|-----------|
|          |   |        | Labour     | Composite |
| b)       | Ashlar rough tool dressed   | Sq.m.  | 1001.45    | 1085.25   |
|          |   | Sq.ft. | 93.05      | 100.85    |
| c)       | Ashlar chisel dressed   | Sq.m.  | 1245.10    | 1359.95   |
|          |   | Sq.ft. | 115.70     | 126.40    |
| d)       | Ashlar fine dressed   | Sq.m.  | 2783.40    | 2873.60   |
|          |   | Sq.ft. | 258.70     | 267.05    |
| 12-23    | Extra for providing, dressing and laying stone masonry for arches of any kind of walls including scaffolding, formwork and its removal, raking out joints and curing.         | Cu.m.  | 717.35     | 1256.35   |
|          |   | Cu.ft. | 20.30      | 35.60     |
| 12-24 a) | Extra for first floor over item No.12 - 11 to 12 - 14   | Cu.m.  | 536.80     | 563.65    |
|          |   | Cu.ft. | 15.20      | 15.95     |
| b)       | Extra for every additional floor above first floor on item 12 -   | Cu.m.  | 417.55     | 438.40    |
|          |   | Cu.ft. | 11.85      | 12.40     |
| 12-25 a) | Extra for first floor over item No.12 - 15 to 12 - 18.  | Cu.m.  | 686.25     | 720.55    |
|          |   | Cu.ft. | 19.45      | 20.40     |
| b)       | Extra for every additional floor above first floor on item 12 -   | Cu.m.  | 466.95     | 490.30    |
|          |   | Cu.ft. | 13.20      | 13.90     |
| 12-26 a) | Extra for punched work in first floor on item No.12 - 19.   | Cu.m.  | 594.75     | 624.50    |
|          |   | Cu.ft. | 16.85      | 17.70     |
| b)       | Extra for every additional floor above first floor on item 12 -   | Cu.m.  | 455.35     | 478.15    |
|          |   | Cu.ft. | 12.90      | 13.55     |
| 12-27 a) | Extra for first floor on item 12 - 20.  | R.M.   | 6.15       | 6.45      |
|          |   | R.ft.  | 1.85       | 1.95      |
| b)       | Extra for every additional floor above first floor on item 12 -   | R.M.   | 4.75       | 5.00      |
|          |   | R.ft.  | 1.45       | 1.50      |
| 12-28 a) | Extra for first floor on item 12 - 21.  | R.M.   | 15.40      | 16.15     |
|          |   | R.ft.  | 4.70       | 4.90      |
| b)       | Extra for every additional floor above first floor on item 12 -   | R.M.   | 10.60      | 11.15     |
|          |   | R.ft.  | 3.25       | 3.40      |
| 12-29    | Extra for stone masonry of any description in any floor or other than building for every 5 ft. (1.5 m.) height or part thereof beyond 15 ft. (4.5m) height.                   | Cu.m.  |            | 297.50    |
|          |   | Cu.ft. |            | 8.45      |
| 12-30    | Extra for stone masonry in cornice, coping and architrave in any floor or other than building for every 5 ft.( 1.5m) height or part thereof beyond 15ft. (4.5m) on item 12-21 | R.M.   | 5.35       | 5.60      |
|          |   | R.ft.  | 1.65       | 1.70      |
| 12-31    | Extra for stone masonry in cornice, coping and architrave in any floor or other than building for every 5 ft. (1.5m) height or part thereof beyond 15ft. (4.5m) on item 12-22 | R.M.   | 7.90       | 8.30      |
|          |   | R.ft.  | 2.40       | 2.55      |
| 12-32    | Providing, dressing and laying uncoursed rubble masonry in foundation, plinth and basement including scaffolding and curing.  |        |            |           |
| a)       | In mud mortar   | Cu.m.  | 1565.25    | 2170.35   |
|          |   | Cu.ft. | 40.81      | 56.59     |

| Sr.No.  | Description  | Unit             | Rate (Rs.) |           |         |
|---|--|------------------|------------|-----------|---------|
|   |  |                  | Labour     | Composite |         |
| 12-33   | b) In Cement, local sand mortar<br>1 : 3   | Cu.m.            | 2115.50    | 5186.30   |         |
|   |  | Cu.ft.           | 55.16      | 135.24    |         |
|   |  | Cu.m.            | 2115.50    | 4639.25   |         |
|   |  | Cu.ft.           | 55.16      | 120.97    |         |
|   | 1 : 4  | Cu.m.            | 2115.50    | 4095.65   |         |
|   |  | Cu.ft.           | 55.16      | 106.80    |         |
|   |  | Cu.m.            | 2115.50    | 3817.90   |         |
|   |  | Cu.ft.           | 55.16      | 99.55     |         |
|   |   |                  |            |           |         |
|   | Providing, dressing and laying coursed rubble masonry in foundation, plinth and basement including scaffolding and curing. |                  |            |           |         |
|   | 12-34  | a) In mud mortar | Cu.m.      | 2286.30   | 2794.10 |
|   |  |                  | Cu.ft.     | 59.62     | 72.86   |
| b) In Cement, local sand mortar<br>1 : 3  |  | Cu.m.            | 2771.85    | 5271.20   |         |
|   |  | Cu.ft.           | 72.28      | 137.45    |         |
|   |  | Cu.m.            | 2771.85    | 5429.95   |         |
|   |  | Cu.ft.           | 72.28      | 141.59    |         |
| 1 : 4   |  | Cu.m.            | 2771.85    | 4770.65   |         |
|   |  | Cu.ft.           | 72.28      | 124.40    |         |
|   |  | Cu.m.            | 2771.85    | 4453.60   |         |
|   |  | Cu.ft.           | 72.28      | 116.13    |         |
| Providing, dressing and laying random rubble stone masonry in foundation, plinth and basement including scaffolding and curing. |  |                  |            |           |         |
| a) In mud mortar  |  | Cu.m.            | 2042.30    | 2731.05   |         |
|   | Cu.ft.   | 53.25            | 71.21      |           |         |
| b) In Cement, local sand mortar<br>1 : 3  | Cu.m.  | 2357.05          | 5780.65    |           |         |
|   | Cu.ft.   | 61.46            | 150.73     |           |         |
|   | Cu.m.  | 2357.05          | 5296.95    |           |         |
|   | Cu.ft.   | 61.46            | 138.12     |           |         |
|   | 1 : 4  | Cu.m.            | 2357.05    | 4813.30   |         |
|   |  | Cu.ft.           | 61.46      | 125.51    |         |
|   | 1 : 8  | Cu.m.            | 2357.05    | 4571.45   |         |
|   |  | Cu.ft.           | 61.46      | 119.20    |         |
| 12-35   | Providing dressing and laying Ashlar Fine masonry in foundation, plinth and basement including scaffolding and curing.     |                  |            |           |         |
|   | a) In Cement, local sand mortar<br>1 : 3   | Cu.m.            | 11787.65   | 14816.50  |         |
|   |  | Cu.ft.           | 333.85     | 419.60    |         |
|   | 1 : 4  | Cu.m.            | 11787.65   | 14609.25  |         |
|   |  | Cu.ft.           | 333.85     | 413.75    |         |
|   | 1 : 6  | Cu.m.            | 11787.65   | 14531.60  |         |
| Cu.ft.  |  | 333.85           | 411.55     |           |         |

| Sr.No. | Description  | Unit            | Rate (Rs.)        |                    |
|--------|--|-----------------|-------------------|--------------------|
|        |  |                 | Labour            | Composite          |
| 12-36  | Providing dressing and laying Ashlar rough tooled or blocks in course masonry in foundation, plinth and basement including scaffolding and curing. |                 |                   |                    |
| a)     | In Cement, local sand mortar   |                 |                   |                    |
|        | 1 : 3  | Cu.m.<br>Cu.ft. | 8042.25<br>227.75 | 11130.15<br>315.20 |
|        | 1 : 4  | Cu.m.<br>Cu.ft. | 8042.25<br>227.75 | 10812.30<br>306.20 |
|        | 1 : 6  | Cu.m.<br>Cu.ft. | 8042.25<br>227.75 | 9044.25<br>256.15  |