

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|----------|--|------|---|------------|
| | | Building pipe & fittings (Commercial) | | | |
| 1 | AC.DP100 | Down pipe | No. | @ | 338 |
| 2 | AC.H100 | Head | No. | @ | 290 |
| 3 | AC.H80 | Head | No. | @ | 234 |
| 4 | AC.OS100 | Off-set | No. | @ | 263 |
| 5 | AC.OS80 | Off-set | No. | @ | 252 |
| | | A.C. building pipe | | | 0 |
| 6 | AC.BP65 | A.C. pipe 65 mm dia. | R.M. | @ | 262 |
| 7 | AC.BP80 | A.C. pipe 80 mm dia. | R.M. | @ | 322 |
| 8 | AC.BP100 | A.C. pipe 100 mm dia | R.M. | @ | 387 |
| 9 | AC.BP150 | A.C. pipe 150 mm dia | R.M. | @ | 581 |
| | | F.C. pipe class B | | | 0 |
| 10 | AC.P80B | F.C. pipe 75 mm dia. | R.M. | @ | 350 |
| 11 | AC.P100B | F.C. pipe 100 mm dia | R.M. | @ | 461 |
| 12 | AC.P150B | F.C. pipe 150 mm dia | R.M. | @ | 645 |
| 13 | AC.P200B | A.C. pipe 200 mm dia | R.M. | @ | 816 |
| 14 | AC.P250B | A.C. pipe 250 mm dia | R.M. | @ | 1137 |
| 15 | AC.P300B | A.C. pipe 300 mm dia | R.M. | @ | 1528 |
| 16 | AC.P350B | A.C. pipe 350 mm dia | R.M. | @ | 2012 |
| 17 | AC.P400B | A.C. pipe 400 mm dia | R.M. | @ | 2578 |
| 18 | AC.P450B | A.C. pipe 450 mm dia | R.M. | @ | 2922 |
| 19 | AC.P500B | A.C. pipe 500 mm dia | R.M. | @ | 3645 |
| 20 | AC.P600B | A.C. pipe 600 mm dia | R.M. | @ | 4666 |
| | | A.C. pipe class C | | | 0 |
| 21 | AC.P80C | A.C. pipe 75 mm dia. | R.M. | @ | 227 |
| 22 | AC.P100C | A.C. pipe 100 mm dia | R.M. | @ | 303 |
| 23 | AC.P150C | A.C. pipe 150 mm dia. | R.M. | @ | 665 |
| 24 | AC.P200C | A.C. pipe 200 mm dia | R.M. | @ | 1172 |
| 25 | AC.P250C | A.C. pipe 250 mm dia | R.M. | @ | 1761 |
| 26 | AC.P300C | A.C. pipe 300 mm dia | R.M. | @ | 2578 |
| 27 | AC.P350C | A.C. pipe 350 mm dia | R.M. | @ | 3765 |
| 28 | AC.P400C | A.C. pipe 400 mm dia | R.M. | @ | 4936 |
| 29 | AC.P450C | A.C. pipe 450 mm dia | R.M. | @ | 6909 |
| 30 | AC.P500C | A.C. pipe 500 mm dia | R.M. | @ | 8168 |
| 31 | AC.P600C | A.C. pipe 600 mm dia | R.M. | @ | 9360 |
| | | A.C. pipe class D | | | 0 |
| 32 | AC.P80D | A.C. pipe 75 mm dia. | R.M. | @ | 236 |
| 33 | AC.P100D | A.C. pipe 100 mm dia | R.M. | @ | 379 |
| 34 | AC.P150D | A.C. pipe 150 mm dia | R.M. | @ | 805 |
| 35 | AC.P200D | A.C. pipe 200 mm dia | R.M. | @ | 1365 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|-----------------------------------|---|--------|---|------------|
| 36 | AC.P250D | A.C. pipe 250 mm dia | | R.M. | @ | 2041 |
| 37 | AC.P300D | A.C. pipe 300 mm dia | | R.M. | @ | 3339 |
| 38 | AC.P350D | A.C. pipe 350 mm dia | | R.M. | @ | 4345 |
| 39 | AC.P400D | A.C. pipe 400 mm dia | | R.M. | @ | 5599 |
| 40 | AC.P450D | A.C. pipe 450 mm dia | | R.M. | @ | 6800 |
| 41 | AC.P500D | A.C. pipe 500 mm dia | | R.M. | @ | 7961 |
| 42 | AC.P4C | A.C. pipe 4" dia. Class C | | R.M. | @ | 274 |
| 43 | AC.P6C | A.C. pipe 6" dia. Class C | | R.M. | @ | 665 |
| 44 | AC.PB100 | A.C. plain bend 100 mm dia | | No. | @ | 379 |
| 45 | AC.PB80 | A.C. plain bend 80 mm dia | | No. | @ | 437 |
| 46 | AC.PS60 | A.C. pipe spouts 60 mm dia | | R.M. | @ | 455 |
| 47 | AC.PS80 | A.C. pipe spouts 80 mm dia | | R.M. | @ | 496 |
| 48 | AC.PS100 | A.C. pipe spouts 100 mm dia | | R.M. | @ | 577 |
| 49 | AC.R | A.C. ridge | | Pair | @ | 665 |
| 50 | AC.SH100 | Shoe 100 mm | | No. | @ | 99 |
| 51 | AC.SH80 | Shoe 80 mm | | No. | @ | 87 |
| 52 | AC.SC | A.C. sheet corrugated | | Sq.m. | @ | 467 |
| 53 | AC.SCC | A.C. sheet corrugated coloured | | Sq.m. | @ | 525 |
| 54 | AC.SP | A.C. sheet - plain | | Sq.m. | @ | 618 |
| 55 | AC.VG | A.C. valley gutter | | R.M. | @ | 595 |
| 56 | ADH | Adhesive | | Kg. | @ | 152 |
| 57 | AEA | Air entraining agent | | litre | @ | 262 |
| 58 | AL.A | Aluminium angle/flat | | Kg. | @ | 495 |
| 59 | AL.CR | Aluminium curtain rail | | R.ft. | @ | 63 |
| 60 | AL.FP | Aluminium finger plate | | No. | @ | 160 |
| 61 | AL.S | Aluminium sheet | 3 | Kg. | @ | 360 |
| 62 | AL.SC19 | Aluminium screw 3/4" size | | No. | @ | 43 |
| 63 | AL.SC37 | Aluminium screw 1 1/2" size | | No. | @ | 59 |
| 64 | AL.ST5 | Aluminium strip 5/8" x 1/8" | | R.M. | @ | 120 |
| 65 | AL.ST7 | Aluminium strip 7/8" x 1/16" | | R.M. | @ | 70 |
| 66 | AL.TB4 | Aluminium tower bolt 4" | | No. | @ | 93 |
| 67 | AL.TB6 | Aluminium tower bolt 6" | | No. | @ | 140 |
| 68 | AL.TB8 | Aluminium tower bolt 8" | | No. | @ | 187 |
| 69 | AL.WG | Aluminium wire gauze | | Sq.ft. | @ | 40 |
| 70 | ANC5 | Anchorage cones for 12/5 mm cable | | Set | @ | 525 |
| 71 | ANC7 | Anchorage cones for 12/7mm cable | | Set | @ | 583 |
| 72 | ANC8 | Anchorage cones for 12/8 mm cable | | Set | @ | 583 |
| 73 | ANI | Angle iron | | Kg. | @ | 82 |
| 74 | Al.BR | Angle iron bracket | | pair | @ | 175 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|--------|---|--------|---|------------|
| 75 | ARC | Architectural coating (Rockwall, Durock etc.) | Sq. m. | @ | 93 |
| 76 | ASP | Asphalt RC 70 | Kg. | @ | 49 |
| 77 | AV65S | Air valve 65 mm dia single BSS quality | No. | @ | 1400 |
| 78 | AV65D | Air valve 65 mm dia double BSS quality | No. | @ | 1633 |
| 79 | BAN | Bolts & Nuts | No. | @ | 9 |
| 80 | BAL4 | Balli 4" dia. | R.ft. | @ | 12 |
| 81 | BAL3 | Balli 3" dia. | R.ft. | @ | 7 |
| 82 | BAM1.5 | Bamboos, 1.5" dia | R.M. | @ | 47 |
| 83 | BAM2 | Bamboo 2" - 2.5" dia | R.M. | @ | 52 |
| 84 | BAM3 | Bamboo 3" dia | R.M. | @ | 58 |
| 85 | BAM4 | Bamboo 3.5" to 4" dia | R.M. | @ | 64 |
| 86 | BAW2P | Barbed wire | Kg | @ | 134 |
| 87 | BAW3P | Barbed wire 3 ply | Kg | @ | 140 |
| 88 | BCA | Base course aggregate Margala | Cu.m. | @ | 1411 |
| 89 | BES | Bearing - steel | Kg. | @ | 181 |
| 90 | BPR | Bearing pad rubber | No. | @ | 8981 |
| 91 | BLP | Blasting powder | Kg. | @ | 264 |
| 92 | BFS | Bottle for sampling | No. | @ | 58 |
| 93 | BT | Bottle trap | No. | @ | 1254 |
| 94 | BHO | Bhoosa | Kg. | @ | 8 |
| 95 | BID | Bidet | No. | @ | 4432 |
| 96 | BIK | Bidet kit | No. | @ | 5249 |
| 97 | BIT | Bitumen 60/70 | Kg. | @ | 102 |
| 98 | BIT80 | Bitumen 80/100 | Kg. | @ | 102 |
| 99 | BI.CS | Bitumen cold sticker | Kg. | @ | 92 |
| 100 | BI.C | Bitumen compound | Kg. | @ | 97 |
| 101 | BI.F3 | Bitumen felt 3 ply | Sq.m | @ | 175 |
| 102 | BI.FP | Bitumen filler - premoulded 2" deep | R.M. | @ | 76 |
| 103 | BI.P | Bitumen plastic | Kg. | @ | 76 |
| 104 | BI.W | Bitumen washers | No. | @ | 12 |
| 105 | BIW | Binding wire | Kg. | @ | 130 |
| 106 | BOLT | Bolts & Nuts | Kg. | @ | 105 |
| 107 | B.BC12 | Brass bib/stop cock 1/2" dia. | No. | @ | 146 |
| 108 | B.BC20 | Brass bib/stop cock 3/4" dia. | No. | @ | 265 |
| 109 | B.BC25 | Brass bib/stop cock 1" dia. | No. | @ | 319 |
| 110 | B.BH2 | Brass butt hinges 2" | No. | @ | 87 |
| 111 | B.BH3 | Brass butt hinges 3" | No. | @ | 93 |
| 112 | B.BH4 | Brass butt hinges 4" | No. | @ | 134 |
| 113 | B.BH5 | Brass butt hinges 5" | No. | @ | 140 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|---|--|-------|---|------------|
| 114 | B.BOLT | Brass bolts | | No. | @ | 105 |
| 115 | B.BV15 | Brass ball valve 15 mm | | No. | @ | 134 |
| 116 | B.BV20 | Brass ball valve 20 mm | | No. | @ | 187 |
| 117 | B.BV25 | Brass ball valve 25 mm | | No. | @ | 227 |
| 118 | B.BV30 | Brass ball valve 30 mm | | No. | @ | 379 |
| 119 | B.BV40 | Brass ball valve 40 mm | | No. | @ | 496 |
| 120 | B.BV50 | Brass ball valve 50 mm | | No. | @ | 875 |
| 121 | B.FP | Brass finger plate | | No. | @ | 350 |
| 122 | B.GC12 | Brass gas cock 1/2" dia. | | No. | @ | 146 |
| 123 | B.GC20 | Brass gas cock 3/4" dia. | | No. | @ | 210 |
| 124 | B.H100 | Brass handle size 100 mm | | No. | @ | 344 |
| 125 | B.H125 | Brass handle size 125 mm | | No. | @ | 455 |
| 126 | B.H175 | Brass handle size 175 mm | | No. | @ | 572 |
| 127 | B.H125C | Brass circular rod handle 5" size | | No. | @ | 99 |
| 128 | B.H125P | Brass handle with plate | | No. | @ | 583 |
| 129 | B.HAS50 | Brass hasp & staple 2" | | No. | @ | 455 |
| 130 | B.HAS75 | Brass hasp & staple 3" | | No. | @ | 478 |
| 131 | B.HAS100 | Brass hasp & staple 4" | | No. | @ | 513 |
| 132 | B.HAS125 | Brass hasp & staple 5" | | No. | @ | 537 |
| 133 | B.HE100 | Brass hook & eye 4" | | No. | @ | 554 |
| 134 | B.HE150 | Brass hook & eye 6" | | No. | @ | 618 |
| 135 | B.H | Brass hook | | No. | @ | 105 |
| 136 | B.HS4D | Brass helical spring 4" - double action | | No. | @ | 677 |
| 137 | B.HS6D | Brass helical spring 6" - double action | | No. | @ | 758 |
| 138 | B.HS6S | Brass helical spring 6" - single action | | No. | @ | 525 |
| 139 | B.PAH100 | Brass parliament hinges 4" x 4" | | No. | @ | 350 |
| 140 | B.PAH125 | Brass parliament hinges 5" x 5" | | No. | @ | 467 |
| 141 | B.P | Brass peg 6 x 4 | | No. | @ | 93 |
| 142 | B.PH | Brass piano hinge | | R.ft. | @ | 29 |
| 143 | B.QS | Brass quadrant stay | | No. | @ | 122 |
| 144 | B.RAIL | Brass railing | | Kg | @ | 117 |
| 145 | B.R25 | Brass ring 1" dia | | No. | @ | 9 |
| 146 | B.R32 | Brass ring 1.25" dia | | No. | @ | 12 |
| 147 | B.ROL | Brass rollers | | No. | @ | 23 |
| 148 | B.ROL1.5 | Brass roller 1.5" dia | | No. | @ | 87 |
| 149 | B.SC13 | Brass screw 1/2" size | | No. | @ | 3 |
| 150 | B.SC19 | Brass screw 3/4" size | | No. | @ | 3 |
| 151 | B.SC25 | Brass screw 1" size | | No. | @ | 5 |
| 152 | B.SC32 | Brass screw 1.25" size | | No. | @ | 6 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--------------------------------|--|-------|---|------------|
| 153 | B.SC37 | Brass screw 1.5" size | | No. | @ | 9 |
| 154 | B.SC75 | Brass screw 3" | | No. | @ | 6 |
| 155 | B.SB150 | Brass sliding bolt 6" x 1/2" | | No. | @ | 688 |
| 156 | B.SB225 | Brass sliding bolt 9" x 5/8" | | No. | @ | 875 |
| 157 | B.SB250 | Brass sliding bolt 10" x 5/8" | | No. | @ | 991 |
| 158 | B.SB300 | Brass sliding bolt 12" x 3/4" | | No. | @ | 1108 |
| 159 | B.SOF | Brass socket for floor | | No. | @ | 58 |
| 160 | B.SO19 | Brass socket 3/4" dia | | No. | @ | 76 |
| 161 | B.SS50 | Brass strainer shoe 50 mm dia | | No. | @ | 152 |
| 162 | B.ST | Brass stopper | | No. | @ | 187 |
| 163 | B.S50 | Brass strainer 50 mm dia | | R.M. | @ | 3499 |
| 164 | B.S80 | Brass strainer 75 mm dia | | R.M. | @ | 5249 |
| 165 | B.S100 | Brass strainer 100 mm dia | | R.M. | @ | 6998 |
| 166 | B.S125 | Brass strainer 125 mm dia | | R.M. | @ | 8165 |
| 167 | B.S150 | Brass strainer 150 mm dia | | R.M. | @ | 8398 |
| 168 | B.S175 | Brass strainer 175 mm dia | | R.M. | @ | 9914 |
| 169 | B.S200 | Brass strainer 200 mm dia | | R.M. | @ | 11664 |
| 170 | B.S225 | Brass strainer 225 mm dia | | R.M. | @ | 12830 |
| 171 | B.S250T5 | Brass strainer 250 mm dia | | R.M. | @ | 14230 |
| 172 | B.S250 | Brass strainer 250 mm dia | | R.M. | @ | 14580 |
| 173 | B.S300 | Brass strainer 300 mm dia | | R.M. | @ | 15163 |
| 174 | B.S375 | Brass strainer 375 mm dia | | R.M. | @ | 20412 |
| 175 | B.S450 | Brass strainer 450 mm dia | | R.M. | @ | 27994 |
| 176 | B.S500 | Brass strainer 500 mm dia | | R.M. | @ | 32659 |
| 177 | B.S550 | Brass strainer 550 mm dia | | R.M. | @ | 37325 |
| 178 | B.T19 | Brass tube 3/4" dia | | R.ft | @ | 175 |
| 179 | B.TB6 | Brass tower bolt 6" | | No. | @ | 70 |
| 180 | B.TB9 | Brass tower bolt 9" | | No. | @ | 82 |
| 181 | B.TB12 | Brass tower bolt 12" | | No. | @ | 117 |
| 182 | B.W | Brass work | | Kg. | @ | 146 |
| 183 | BR | Bricks | | No. | @ | 13.5 |
| 184 | BR.2C | Brick 2nd class | | No. | @ | 11.5 |
| 185 | BR.B | Brick/ Stone bats | | Cu.m. | @ | 710 |
| 186 | BR.BA | Brick/ Stone ballast | | Cu.m. | @ | 840 |
| 187 | BR.BAV | Brick/ Stone ballast vitrified | | Cu.m. | @ | 612 |
| 188 | BR.S | Brick sundried | | No. | @ | 3.5 |
| 189 | BR.SB | Bricks - special | | No. | @ | 10.3 |
| 190 | BR.T | Brick tiles | | No. | @ | 8.1 |
| 191 | BR.T2 | Brick tiles (2" thick) | | No. | @ | 8.1 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|----------|--|--------|---|------------|
| 192 | BRO | Broom | No. | @ | 41 |
| 193 | BAJ | Bajri | Cu.m | @ | 864 |
| | | Bath tub | | | 0 |
| 194 | BT.PE | Bath tub porcelain enamelled | No. | @ | 15163 |
| 195 | BT.FG | Bath tub fibre glass | No. | @ | 13997 |
| 196 | BT.RP | Bath tub C.P. brass chain with rubber plug | No. | @ | 344 |
| 197 | BT.PT | Bath tub C.P. brass pillar tap | No. | @ | 1400 |
| 198 | BT.OF | Bath tub C.P. brass overflow | No. | @ | 1050 |
| 199 | BT.W | Bath tub C.P. brass waste | No. | @ | 572 |
| 200 | BUC | Bucket, 4 gals. capacity | No. | @ | 292 |
| 201 | BUS | Building stone | Cu.m. | @ | 251 |
| 202 | BUSH | Bushing (Gun metal) | Kg. | @ | 17 |
| 203 | CANE | Cane Singapore | Kg. | @ | 1050 |
| 204 | CAP | Cane plastic | Kg. | @ | 350 |
| 205 | CAR | Carbon rod | No. | @ | 14 |
| 206 | CAS | Carborandum stone | No. | @ | 181 |
| 207 | CASO | Caustic soda | Kg. | @ | 93 |
| 208 | C.HA | Cement - high Alumina | M.Ton | @ | 13997 |
| 209 | CEM | Cement OPC | M.Ton | @ | 9300 |
| 210 | C.RH | Cement - rapid hardening | M.Ton | @ | 11664 |
| 211 | C.SR | Cement - sulphate resistant. | M.Ton | @ | 9500 |
| 212 | C.W | Cement - white | M.Ton | @ | 15500 |
| 213 | C.LC | Cement liquid compound | Liter | @ | 23 |
| 214 | CHA | Charcoal | Kg. | @ | 40 |
| 215 | CHAI | Chain | Kg. | @ | 105 |
| 216 | CHAI.ICS | Chain for cycle stand | No. | @ | 58 |
| 217 | CHALK | Chalk | Kg. | @ | 19 |
| 218 | CH.C | Chalking compound | Liter | | 52 |
| 219 | CHAN | Channel iron | Kg. | @ | 64 |
| 220 | CH.B | Chip board 3/4" thick | Sq.ft. | @ | 31 |
| 221 | CI.B100 | C.I. bend 4" dia. | No. | @ | 659 |
| 222 | CI.B80 | C.I. bend 3" dia. | No. | @ | 455 |
| 223 | CI.C | C.I. cover and frame medium duty | No. | @ | 758 |
| 224 | CI.C24 | C.I. cover and frame 24" size medium duty | No. | @ | 1400 |
| 225 | CI.CF.AS | C.I. cover & frame | Kg. | @ | 117 |
| 226 | CI.F | C.I. frame of any size | Kg. | @ | 117 |
| 227 | CI.FR | C.I. foot rest | No. | @ | 93 |
| 228 | CI.FT50 | C.I. floor trap with grating | No. | @ | 1050 |
| 229 | CI.FT100 | C.I. floor trap with grating | No. | @ | 1050 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--------------------------------------|--|--------|---|------------|
| 230 | C.GT | Concrete gully trap | | No. | @ | 373 |
| 231 | CI.GT4 | C.I. gully trap 6" x 6" x 4" | | No. | @ | 530 |
| 232 | CI.G | Cast iron grating | | Kg. | @ | 87 |
| 233 | CI.H100 | C.I. head 4" dia. | | No. | @ | 146 |
| 234 | CI.H80 | C.I. head 3" dia | | No. | @ | 122 |
| 235 | CI.OS100 | C.I. off set 4" dia. | | No. | @ | 461 |
| 236 | CI.OS80 | C.I. off set 3" dia. | | No. | @ | 443 |
| | | C.I. pipe | | | | 0 |
| 237 | CI.P50 | C.I. Pipe 50 mm dia. | | R.M. | @ | 612 |
| 238 | CI.P80 | C.I. Pipe 75 mm dia. | | R.M. | @ | 816 |
| 239 | CI.P100 | C.I. pipe 100 mm dia. | | R.M. | @ | 991 |
| 240 | CI.P150 | C.I. pipe 150 mm dia | | R.M. | @ | 2333 |
| 241 | CI.P230 | C.I. pipe 230 mm dia | | R.M. | @ | 5249 |
| 242 | CI.PS50 | C.I. pipe spout 50 mm dia | | R.M. | @ | 642 |
| 243 | CI.PS80 | C.I. pipe spout 80 mm dia | | R.M. | @ | 816 |
| 244 | CI.PS100 | C.I. pipe spout 100 mm dia | | R.M. | @ | 991 |
| 245 | CI.PT4 | C.I. P - trap 4" | | No. | @ | 933 |
| 246 | CI.S100 | C.I. shoe 4" dia | | No. | @ | 700 |
| 247 | CI.S80 | C.I. shoe 3" dia | | No. | @ | 642 |
| 248 | CI.SP | C.I. shoe | | Kg. | @ | 82 |
| 249 | CI.S | C.I. specials | | Kg. | @ | 175 |
| | | C.I. sluice valve BSS quality | | | | 0 |
| 250 | CI.SV80 | C.I. sluice valve 75 mm dia | | No. | @ | 2333 |
| 251 | CI.SV100 | C.I. sluice valve 100 mm dia | | No. | @ | 3033 |
| 252 | CI.SV150 | C.I. sluice valve 150 mm dia | | No. | @ | 4432 |
| 253 | CI.SV230 | C.I. sluice valve 230 mm dia | | No. | @ | 10381 |
| 254 | CI.SV300 | C.I. sluice valve 300 mm dia | | No. | @ | 17496 |
| 255 | CI.SV375 | C.I. sluice valve 375 mm dia | | No. | @ | 29160 |
| 256 | CI.SV450 | C.I. sluice valve 450 mm dia | | No. | @ | 58320 |
| 257 | CI.SV525 | C.I. sluice valve 525 mm dia | | No. | @ | 81648 |
| 258 | CI.SV600 | C.I. sluice valve 600 mm dia | | No. | @ | 128304 |
| 259 | CI.SV675 | C.I. sluice valve 675 mm dia | | No. | @ | 192456 |
| 260 | CI.SV750 | C.I. sluice valve 750 mm dia | | No. | @ | 262440 |
| 261 | CIN | Cinder | | Cu.m. | @ | 187 |
| 262 | CBN | Clamps, bolts & nuts | | No. | @ | 105 |
| 263 | CLAY | Clay | | Cu.m. | @ | 192 |
| 264 | CLAM | Clamps | | No. | @ | 12 |
| 265 | CL.S | Clamp screw | | No. | @ | 8 |
| 266 | CLC | Cloth cotton | | Sq.ft. | @ | 15 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|---|--|--------|---|------------|
| 267 | CLS | Cloth silken | | Sq.ft. | @ | 35 |
| 268 | CLW | Cloth woolen | | Sq.ft. | @ | 35 |
| 269 | COA | Coaltar | | Kg. | @ | 49 |
| 270 | COJ80 | Comet joint 80 mm dia. | | No. | @ | 64 |
| 271 | COJ100 | Comet joint 100 mm dia. | | No. | @ | 222 |
| 272 | COJ150 | Comet joint 150 mm dia. | | No. | @ | 350 |
| 273 | CO.S | Copper sheet | | Kg. | @ | 554 |
| 274 | CO.CON | Copper connection | | No. | @ | 233 |
| 275 | CO.W | Copper wire/plate | | Kg. | @ | 580 |
| 276 | COR | Core | | R.M. | @ | 93 |
| 277 | CK.S12 | Cork sheet 1/2" thick | | Sq.m. | @ | 583 |
| 278 | CK.S19 | Cork sheet 19mm thick | | Sq.m. | @ | 816 |
| 279 | CK.S25 | Cork sheet 25 mm thick | | Sq.m. | @ | 1400 |
| 280 | CK.S37 | Cork sheet 37.5mm thick | | Sq.m. | @ | 1866 |
| 281 | CK.S50 | Cork sheet 50 mm thick | | Sq.m. | @ | 2333 |
| 282 | COS | Coir string | | Kg. | @ | 58 |
| 283 | COT.S | Cotton - string | | Kg. | @ | 70 |
| 284 | COT | Cotton tape | | R.M. | @ | 12 |
| 285 | COW | Cowdung | | Cu.m. | @ | 262 |
| 286 | BC.CP | C.P. bib cock 1/2" | | No. | @ | 1023 |
| 287 | CP.BC20 | C.P. bib cock 3/4" | | No. | @ | 1166 |
| 288 | CP.BC | C.P. brass clamp | | No. | @ | 233 |
| 289 | CP.BCR | C.P. brass curtain rail | | R.ft. | @ | 146 |
| 290 | CP.HS50 | C.P. hasp & staple 2" | | No. | @ | 29 |
| 291 | CP.HS75 | C.P. hasp & staple 3" | | No. | @ | 47 |
| 292 | CP.HS100 | C.P. hasp & staple 4" | | No. | @ | 52 |
| 293 | CP.HS125 | C.P. hasp & staple 5" | | No. | @ | 56 |
| 294 | CP.BH100 | C.P. brass handle 4" size | | No. | @ | 64 |
| 295 | CP.BH125 | C.P. brass handle 5" size | | No. | @ | 82 |
| 296 | CP.BH175 | C.P. brass handle 7" size | | No. | @ | 93 |
| 297 | CP.BSC | C.P. brass screw | | No. | @ | 58 |
| 298 | CP.BS4 | C.P. brass shower 1/2" with 4" dia. lid | | No. | @ | 496 |
| 299 | CP.BS6 | C.P. brass shower 1/2" with 6" dia. lid | | No. | @ | 612 |
| 300 | CP.SB150 | C.P. brass sliding bolt 6" x 1/2" | | No. | @ | 175 |
| 301 | CP.SB225 | C.P. brass sliding bolt 9" x 5/8" | | No. | @ | 204 |
| 302 | CP.SB250 | C.P. brass sliding bolt 10" x 5/8" | | No. | @ | 525 |
| 303 | CP.SB300 | C.P. brass sliding bolt 12" x 3/4" | | No. | @ | 816 |
| 304 | CP.BSO | C.P. brass socket 3/4" dia. | | No. | @ | 87 |
| 305 | CP.BSR | C.P. brass shower rose | | No. | @ | 1400 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--|--|-------|---|------------|
| 306 | CP.BT | C.P. brass tube 3/4" dia. | | R.ft. | @ | 64 |
| 307 | CP.TB6 | C.P. brass tower bolt 6" | | No. | @ | 87 |
| 308 | CP.TB9 | C.P. brass tower bolt 9" | | No. | @ | 111 |
| 309 | CP.TB12 | C.P. brass tower bolt 12" | | No. | @ | 875 |
| 310 | CP.BT30 | C.P. bottle trap 1-1/4" | | No. | @ | 991 |
| 311 | CP.BT40 | C.P. bottle trap 1-1/2" | | No. | @ | 1458 |
| 312 | CP.BTPH | C.P. brass toilet paper holder | | No. | @ | 816 |
| 313 | CP.C | C.P. cover | | No. | @ | 87 |
| 314 | CP.CH | C.P. chain | | No. | @ | 47 |
| 315 | CP.BCP | C.P. brass chain with pull | | No. | @ | 93 |
| 316 | CP.CP30 | C.P. chain with rubber plug | | No. | @ | 105 |
| 317 | CP.CP40 | C.P. chain with rubber plug | | No. | @ | 175 |
| 318 | CP.CV15 | C.P. check valve 15 mm dia | | No. | @ | 437 |
| 319 | CP.CV20 | C.P. check valve 20 mm dia | | No. | @ | 572 |
| 320 | CP.CV25 | C.P. check valve 25 mm dia | | No. | @ | 921 |
| 321 | CP.CV30 | C.P. check valve 30 mm dia | | No. | @ | 1149 |
| 322 | CP.CV40 | C.P. check valve 40 mm dia | | No. | @ | 1516 |
| 323 | CP.CV50 | C.P. check valve 50 mm dia | | No. | @ | 1971 |
| 324 | CP.FV1 | C.P. flushing valve 1" | | No. | @ | 2916 |
| 325 | CP.GC3 | C.P. gas cock 1/4" dia. Three way | | No. | @ | 408 |
| 326 | CP.GCD | C.P. gas cock 1/4" dia. Double way | | No. | @ | 338 |
| 327 | CP.GCS | C.P. gas cock 1/4" dia. Single way | | No. | @ | 338 |
| 328 | CP.M | C.P. mixer single hole deluxe | | No. | @ | 2799 |
| 329 | CP.PC12 | C.P. pillar cock | | No. | @ | 816 |
| 330 | CP.PC20 | C.P. pillar cock | | No. | @ | 933 |
| 331 | CP.R1 | C.P. ring 1" dia | | No. | @ | 23 |
| 332 | CP.R1.25 | C.P. ring 1.25" dia | | No. | @ | 35 |
| 333 | CP.SBC | C.P. shower mixer | | No. | @ | 3499 |
| 334 | CP.SC12 | C.P. stop cock | | No. | @ | 816 |
| 335 | CP.SC20 | C.P. stop cock | | No. | @ | 1050 |
| 336 | CP.SCU12 | C.P. underground stop cock | | No. | @ | 1108 |
| 337 | CP.SCU20 | C.P. underground stop cock | | No. | @ | 1166 |
| 338 | CP.SK | C.P. shower kit | | No. | @ | 2333 |
| 339 | CP.SNCD | C.P. swan neck cock double way | | No. | @ | 1750 |
| 340 | CP.SNCS | C.P. swan neck cock single way | | No. | @ | 1516 |
| 341 | CP.TSC | C.P. tee stop cock 1/2" | | No. | @ | 1108 |
| 342 | CP.TR24 | C.P. Towel rail with brackets and screws | | No. | @ | 1400 |
| 343 | CP.TR30 | C.P. Towel rail with brackets and screws | | No. | @ | 1750 |
| 344 | CP.BW | C.P. brass waste | | No. | @ | 700 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|--|--|-------|---|------------|
| 345 | CP.WC30 | C.P. waste coupling 30 mm | | No. | @ | 350 |
| 346 | CP.WC40 | C.P. waste coupling 40 mm | | No. | @ | 408 |
| 347 | COW | Cowdung | | Cu.m. | @ | 292 |
| 348 | CR.L6 | Crush local Pan | | Cu.m. | @ | 988 |
| 349 | CR.L9 | Crush local 3/8" & down gauge | | Cu.m. | @ | 839 |
| 350 | CR.L13 | Crush local 1/2" & down gauge | | Cu.m. | @ | 965 |
| 351 | CR.L19 | Crush local 3/4" & down gauge | | Cu.m. | @ | 839 |
| 352 | CR.L37 | Crush local 1-1/2" & down gauge | | Cu.m. | @ | 960 |
| 353 | CR.M13 | Crush Margalla 1/2" & down gauge | | Cu.m. | @ | 2260 |
| 354 | CR.M19 | Crush Margalla 3/4" & down gauge | | Cu.m. | @ | 2350 |
| 355 | CR.M25 | Crush Margalla 1" & down gauge | | Cu.m. | @ | 2082 |
| 356 | CR.M37 | Crush Margalla 1-1/2" & down gauge | | Cu.m. | @ | 2082 |
| | | D.I. pipe with all accessories & fittings | | | | 0 |
| 357 | DI.P100 | D.I. pipe 100 mm dia. | | R.M. | @ | 1050 |
| 358 | DI.P150 | D.I. pipe 150 mm dia. | | R.M. | @ | 1516 |
| 359 | DI.P200 | D.I. pipe 200 mm dia. | | R.M. | @ | 1983 |
| 360 | DI.P250 | D.I. pipe 250 mm dia. | | R.M. | @ | 2566 |
| 361 | DI.P300 | D.I. pipe 300 mm dia. | | R.M. | @ | 3383 |
| 362 | DI.P400 | D.I. pipe 400 mm dia. | | R.M. | @ | 4666 |
| 363 | DI.P450 | D.I. pipe 450 mm dia. | | R.M. | @ | 5249 |
| 364 | DI.P500 | D.I. pipe 500 mm dia. | | R.M. | @ | 6182 |
| 365 | DI.P600 | D.I. pipe 600 mm dia. | | R.M. | @ | 7232 |
| 366 | DF.ST516 | Door frame, moulded steel 5" size | | R.ft. | @ | 152 |
| 367 | DF.ST1016 | Door frame, moulded steel 10" size | | R.ft. | @ | 222 |
| 368 | DF.ST518 | Door frame, moulded steel 5" size | | R.ft. | @ | 140 |
| 369 | DF.ST1018 | Door frame, moulded steel 10" size | | R.ft. | @ | 187 |
| 370 | DF.ASW | Door with frame, Aluminium swing | | Sq.ft | @ | 467 |
| 371 | DF.ASL | Door with frame, Aluminium sliding | | Sq.ft | @ | 397 |
| 372 | DF.AGSL | Door with frame gauzed, Aluminium sliding | | Sq.ft | @ | 397 |
| 373 | DF.SL30 | Door with frame, single leaf, 2.5' x 7' | | Sq.ft | @ | 467 |
| 374 | DF.DL48 | Door with frame, double leaf 4' x 7' | | Sq.ft | @ | 525 |
| 375 | DF.PSL30 | Door with frame, single leaf, 2.5' x 7' | | Sq.ft | @ | 467 |
| 376 | DF.PDL48 | Door with frame, double leaf 4' x 7' | | Sq.ft | @ | 525 |
| 377 | DF.GSL30 | Door with frame galvanized, single leaf, 2.5' x 7' | | Sq.ft | @ | 484 |
| 378 | DF.GDL48 | Door with frame galvanized, double leaf, 4' x 7' | | Sq.ft | @ | 484 |
| 379 | D.HS5505 | Door holder shovel (5505/5506) | | No. | @ | 350 |
| 380 | D.HS5510 | Door holder shovel (5510) | | No. | @ | 350 |
| 381 | D.HS5511 | Door holder shovel (5511) | | No. | @ | 432 |
| 382 | DBC | Dowel bar clamps | | Kg. | @ | 105 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|---------|--|------|---|------------|
| 383 | DRU | Drum, empty | No. | @ | 642 |
| 384 | EAR | Earth | No. | @ | 787 |
| 385 | E.BEL | Electric bell | No. | @ | 175 |
| 386 | E.BP | Electric bell push | No. | @ | 245 |
| 387 | E.BHB | Electric bulb holder brass | No. | @ | 58 |
| 388 | E.BHP | Electric bulb holder plastic | No. | @ | 70 |
| | | Electric cable | | | 0 |
| 389 | EC1.5SC | 1.5 sq.mm single core | R.M. | @ | 20 |
| 390 | EC2.5SC | 2.5 sq.mm single core | R.M. | @ | 35 |
| 391 | EC4SC | 4 Sq.mm single core | R.M. | @ | 76 |
| 392 | EC5SC | 5 Sq.mm single core | R.M. | @ | 69 |
| 393 | EC6SC | 6 Sq.mm single core | R.M. | @ | 107 |
| 394 | EC10SC | 10 Sq.mm single core | R.M. | @ | 169 |
| 395 | EC16SC | 16 Sq.mm single core | R.M. | @ | 232 |
| 396 | EC25SC | 25 Sq.mm single core | R.M. | @ | 332 |
| 397 | EC35SC | 35 Sq.mm single core | R.M. | @ | 441 |
| 398 | EC50SC | 50 Sq.mm single core | R.M. | @ | 612 |
| 399 | ECW | Electrolytic copper wire | Kg. | @ | 681 |
| 400 | ECCW14 | Copper wire (14 SWG) | R.M. | @ | 112 |
| 401 | ECCW10 | Copper wire (10 SWG) | R.M. | @ | 115 |
| 402 | EC25TC | 25 Sq.mm 3.5 core cable | R.M. | @ | 1336 |
| 403 | EC35TC | 35 Sq.mm 3.5 core cables | R.M. | @ | 1615 |
| 404 | EC50TC | 50 Sq.mm 3.5 core cables | R.M. | @ | 2215 |
| 405 | EC70TC | 70 Sq.mm 3.5 core cables | R.M. | @ | 3131 |
| 406 | EC95TC | 95 Sq.mm 3.5 core cables | R.M. | @ | 4357 |
| 407 | EC120TC | 120 Sq.mm 3.5 core cables | R.M. | @ | 5593 |
| 408 | EC95ATC | Armored 95 Sq.mm 3 core cable | R.M. | @ | 4095 |
| 409 | E.TDT | Electric dial type thermometer | No. | @ | 3713 |
| 410 | E.COS | Electric cutout switch | No. | @ | 99 |
| 411 | E.EF9 | Electric exhaust fan 10" | No. | @ | 1492 |
| 412 | E.FB | Electric fan bracket | No. | @ | 2216 |
| 413 | E.F48 | Electric fan 48" sweep | No. | @ | 2365 |
| 414 | E.F56 | Electric fan 56" sweep | No. | @ | 2374 |
| 415 | E.TR | Electric tube rod | No. | @ | 87 |
| 416 | E.TS | Electric tube starter | No. | @ | 52 |
| 417 | E.TC40 | Electric tube choke 40w | No. | @ | 217 |
| 418 | E.TPF | Electric tube patty fitting | No. | @ | 724 |
| 419 | E.TL40 | Flourescent tube light 40W with batten | No. | @ | 735 |
| 420 | E.TL20 | Flourescent tube light 20W with batten | No. | @ | 684 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|-----------|--|------|---|------------|
| 421 | E.TLS | Flourescent tube light 40W, Single | No. | @ | 781 |
| 422 | E.TLD | Flourescent tube light 40W, Double | No. | @ | 1400 |
| 423 | E.TLIS | Flour. tube light 40W, Single with Ind. reflector | No. | @ | 2578 |
| 424 | E.TLID | Flour. tube light 40W, Double with Ind. reflector | No. | @ | 4666 |
| 425 | E.TLLS | Flourescent tube light 40W with louvers -Single | No. | @ | 4806 |
| 426 | E.TLLD | Flour. tube light 40W with louvers - Double | No. | @ | 6212 |
| 427 | E.TLL4 | Tube light 4 Nos. - 20W lamps with louvers | No. | @ | 5512 |
| 428 | E.TLL6 | Tube light 6 Nos. - 20W lamps with louvers | No. | @ | 6182 |
| 429 | E.TLRP | T. light 40W recessed mounted, plastic louver | No. | @ | 4695 |
| 430 | E.TLRM | T. light 4 - 20W recessed mounted, metal louver | No. | @ | 5395 |
| 431 | E.TLR4 | T. light 4 - 40W recessed mounted, plastic louver | No. | @ | 5599 |
| 432 | E.TLR6 | Tube light 6 - 20W lamp recessed mounted | No. | @ | 6532 |
| 433 | E.LFWP | Light fixture - weather proof | No. | @ | 7232 |
| 434 | E.LFCM | Light fixture - ceiling mounted | No. | @ | 4316 |
| 435 | E.LFRM | Light fixture - recessed mounted | No. | @ | 5599 |
| 436 | E.LFWI | Light fixture - wall mounted, incandescent lamp | No. | @ | 1400 |
| 437 | E.LFCI | Light fixture - ceiling mounted, incandescent lamp | No. | @ | 1633 |
| 438 | E.LFRL | Light fixture - recessed mounted with 150W lamp | No. | @ | 4432 |
| 439 | E.LFHMV | Light fixture - High bay mercury vapour | No. | @ | 14580 |
| 440 | E.LFMV | Light fixture - Mercury vapour | No. | @ | 19596 |
| 441 | E.LFMV250 | Light fixture - Mercury vapour with 250W lamp | No. | @ | 20529 |
| 442 | E.LFMV125 | Light fixture - Mercury vapour with 125W lamp | No. | @ | 14930 |
| 443 | E.LFMV80 | Light fixture - Mercury vapour with 80W lamp | No. | @ | 11104 |
| 444 | E.LFEL | Light fixture - Emergency light unit | No. | @ | 2216 |
| 445 | E.LFWBS | Light fixture - Fancy wall bracket, single | No. | @ | 933 |
| 446 | E.LFFL | Light fixture - Flood light weather proof | No. | @ | 29778 |
| 447 | E.LFFL4 | Light fixture - Flood light weather proof | No. | @ | 14125 |
| 448 | E.G35 | Electric geyser 35 gals. | No. | @ | 11965 |
| 449 | E.G55 | Electric geyser 55 gals. | No. | @ | 14653 |
| 450 | E.L | Lamp | No. | @ | 41 |
| 451 | E.L200 | Lamp 200W | No. | @ | 73 |
| 452 | E.LES | Lamp - 25W energy saver | No. | @ | 245 |
| 453 | E.FR20 | Electric fan revolving bracket 20" | No. | @ | 2748 |
| 454 | E.DBC18 | Electric - Distribution box casing 18SWG | No. | @ | 3513 |
| 455 | E.DBC16 | Electric - Distribution box casing 16SWG | No. | @ | 4224 |
| 456 | E.MCCB100 | Electric - MCCB TP/100A (Local) | No. | @ | 2964 |
| 457 | E.MCCB60 | Electric - MCCB TP/60A (Imported) | No. | @ | 4578 |
| 458 | E.MCBL | Electric - MCB Single pole (Local) | No. | @ | 525 |
| 459 | E.MCBI | Electric - MCB Single pole (Imported) | No. | @ | 608 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|------------|---|--|-------|---|------------|
| 460 | E.AML | Electric - Amp. meter (Local) | | No. | @ | 875 |
| 461 | E.VMI | Electric - Volt meter 500V (Imported) | | No. | @ | 1400 |
| 462 | E.VSS | Electric - Voltage selective switch (Imported) | | No. | @ | 1283 |
| 463 | E.NEL | Electric - Nuetral & earth links | | No. | @ | 216 |
| 464 | E.PB | Electric - Page bar | | No. | @ | 229 |
| 465 | E.HRCF | Electric - HRC fuses | | No. | @ | 420 |
| 466 | E.TIL | Electric - Transformer type indication lights | | No. | @ | 345 |
| | | Electric load break switch | | | | 0 |
| 467 | E.LBS15 | Load break switch, 15 Amp. | | No. | @ | 1400 |
| 468 | E.LBS30 | Load break switch, 30 Amp. | | No. | @ | 1516 |
| 469 | E.LBS60 | Load break switch, 60 Amp. | | No. | @ | 1866 |
| 470 | E.LTBD800 | Electric L.T. bus tie duct 800 Amp. | | R.M | @ | 14463 |
| 471 | E.LTBD1200 | Electric L.T. bus tie duct 1200 Amp. | | R.M | @ | 15003 |
| 472 | E.LTBD1600 | Electric L.T. bus tie duct 1600 Amp. | | R.M | @ | 20524 |
| 473 | E.M1 | Electric motor 1 H.P. with pump | | No. | @ | 9650 |
| 474 | E.M.5 | Electric motor 1/2 H.P. with pump | | No. | @ | 8968 |
| 475 | E.PBOX | Plastic box | | No. | @ | 99 |
| 476 | E.B1 | Electric plastic box with plate single hole | | No. | @ | 42 |
| 477 | E.B2 | Electric plastic box with plate two to three hole | | No. | @ | 58 |
| 478 | E.B5 | Electric plastic box with plate four to six hole | | No. | @ | 58 |
| 479 | E.B7 | Electric plastic box with plate seven to eight hole | | No. | @ | 76 |
| 480 | E.B9 | Electric plastic box with plate nine to ten hole | | No. | @ | 91 |
| 481 | E.PT500 | Electric power transformer 500 KVA | | No. | @ | 656683 |
| 482 | E.PT750 | Electric power transformer 750 KVA | | No. | @ | 801317 |
| 483 | E.PT1000 | Electric power transformer 1000 KVA | | No. | @ | 914691 |
| 484 | E.RB | Electric relay buchholz double float | | No. | @ | 18429 |
| | | Electric switch | | | | 0 |
| 485 | E.S1G | Switch 1 gang | | No. | @ | 139 |
| 486 | E.S2G | Switch 2 gang | | No. | @ | 169 |
| 487 | E.S3G | Switch 3 gang | | No. | @ | 204 |
| 488 | E.S4G | Switch 4 gang | | No. | @ | 233 |
| 489 | E.S2W | Switch 2 way | | No. | @ | 216 |
| 490 | E.SP | Switch piano | | No. | @ | 23 |
| 491 | E.SS5 | Switch socket 5 Amp. | | No. | @ | 292 |
| 492 | E.SS15 | Switch socket 15 Amp. | | No. | @ | 303 |
| 493 | E.WB | Wall bolts | | No. | @ | 87 |
| 494 | EXM | Expanded metal | | Sq.m. | @ | 653 |
| 495 | FEL7 | Felt No.7 underlay | | Sq.m. | @ | 131 |
| 496 | FIB13 | Fibre board 1/2" thick | | Sq.m. | @ | 3079 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|---------|---------------------------------------|--|-------|---|------------|
| 497 | F.BP200 | Fibre glass blank pipe 200 mm dia. | | R.M. | @ | 2986 |
| 498 | F.BP250 | Fibre glass blank pipe 250 mm dia. | | R.M. | @ | 3208 |
| 499 | F.BP350 | Fibre glass blank pipe 350 mm dia. | | R.M. | @ | 5074 |
| 500 | F.EP200 | Fibre glass end plug 200 mm dia. | | No. | @ | 4811 |
| 501 | F.EP250 | Fibre glass end plug 250 mm dia. | | No. | @ | 5016 |
| 502 | F.CS | Fibre glass corrugated sheet | | Sq.m. | @ | 3149 |
| 503 | F.ST200 | Fibre glass strainer 200 mm dia. | | R.M. | @ | 3686 |
| 504 | F.ST250 | Fibre glass strainer 250 mm dia. | | R.M. | @ | 4199 |
| 505 | F.T300 | Fibre glass, tank 300 gals. capacity | | No. | @ | 10643 |
| 506 | F.T500 | Fibre glass, tank 500 gals. capacity | | No. | @ | 16028 |
| 507 | F.T750 | Fibre glass, tank 750 gals. capacity | | No. | @ | 21724 |
| 508 | F.T1000 | Fibre glass, tank 1000 gals. capacity | | No. | @ | 29901 |
| 509 | FIH | Fire hydrant | | No. | @ | 1400 |
| 510 | FIEX | Fire extinguisher, 2 gallons capacity | | No. | @ | 3849 |
| 511 | FLI | Flat iron | | Kg. | @ | 76 |
| 512 | FOA | Foaming agent | | Kg. | @ | 87 |
| 513 | FOR19 | Foam rubber sheet 3/4" thick | | Sq.ft | @ | 87 |
| 514 | FOR1 | Foam rubber 1/16" thick | | Sq.ft | @ | 29 |
| 515 | FRA | Foam rubber adhesive | | Kg. | @ | 216 |
| 516 | FR | Foot rest, earthenware | | No. | @ | 187 |
| 517 | FU.C | Fuse with cartridge | | No. | @ | 56 |
| 518 | GAC | Gas cylinder | | No. | @ | 1026 |
| 519 | G.G35 | Gas Gyser 35 gallons capacity | | No. | @ | 12107 |
| 520 | G.G50 | Gas Gyser 50 gallons capacity | | No. | @ | 12714 |
| 521 | G.HOS | Gas room heater (ordinary) | | No. | @ | 1400 |
| 522 | G.HOD | Gas room heater (ordinary) | | No. | @ | 2129 |
| 523 | G.HFS | Gas room heater (Fancy) | | No. | @ | 3674 |
| 524 | G.HFD | Gas room heater (Fancy) | | No. | @ | 5657 |
| 525 | G.HFDD | Gas room heater, fire place design | | No. | @ | 3499 |
| 526 | G.LS | Gas lamp Single | | No. | @ | 467 |
| 527 | G.LD | Gas lamp Double | | No. | @ | 933 |
| 528 | GV.12 | Gate valve gun metal 1/2" dia. | | No. | @ | 227 |
| 529 | GV.20 | Gate valve gun metal 3/4" dia. | | No. | @ | 313 |
| 530 | GV.25 | Gate valve gun metal 1" dia. | | No. | @ | 441 |
| 531 | GV.30 | Gate valve gun metal 1-1/4" dia. | | No. | @ | 729 |
| 532 | GV.40 | Gate valve gun metal 1-1/2" dia. | | No. | @ | 855 |
| 533 | GV.50 | Gate valve gun metal 2" dia. | | No. | @ | 1516 |
| 534 | GV.65 | Gate valve gun metal 2-1/2" dia. | | No. | @ | 1845 |
| 535 | GV.75 | Gate valve gun metal 3" dia. | | No. | @ | 3324 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|---|--|------|---|------------|
| 536 | GV.100 | Gate valve gun metal 4" dia. | | No. | @ | 5599 |
| 537 | GV.150 | Gate valve gun metal 6" dia. | | No. | @ | 5543 |
| 538 | GV.F12 | Gate value flanged end 1/2" class 150 | | No. | @ | 169 |
| 539 | GV.F20 | Gate value flanged end 3/4" class 150 | | No. | @ | 292 |
| 540 | GV.F25 | Gate value flanged end 1" class 150 | | No. | @ | 257 |
| 541 | GV.F30 | Gate value flanged end 1-1/4" class 150 | | No. | @ | 332 |
| 542 | GV.F40 | Gate value flanged end 1-1/2" class 150 | | No. | @ | 314 |
| 543 | GV.F50 | Gate value flanged end 2" class 150 | | No. | @ | 408 |
| 544 | GV.F65 | Gate value flanged end 2-1/2" class 150 | | No. | @ | 481 |
| 545 | GV.F75 | Gate value flanged end 3" class 150 | | No. | @ | 649 |
| 546 | GV.F100 | Gate value flanged end 4" class 150 | | No. | @ | 746 |
| 547 | GV.F150 | Gate value flanged end 6" class 150 | | No. | @ | 1691 |
| 548 | GI.G | Grating G.I. | | No. | @ | 274 |
| 549 | GI.BN | Bolts and nuts | | No. | @ | 17 |
| 550 | GI.BR | G.I. Brackets | | Pair | @ | 449 |
| 551 | GI.C2 | G.I. cross 2" x 2" | | No. | @ | 350 |
| 552 | GI.HBN | G.I. hooks, bolt & nuts 4-1/2" x 5/16" | | No. | @ | 112 |
| 553 | GI.HE100 | G.I. hook & eye 4" | | No. | @ | 152 |
| 554 | GI.HE150 | G.I. hook & eye 6" | | No. | @ | 297 |
| 555 | GI.LW | G.I. limpet washers 7/8" dia | | No. | @ | 17 |
| 556 | GI.P40HD | G.I. pipe heavy duty 40 mm | | R.M. | @ | 408 |
| 557 | GI.P50HD | G.I. pipe heavy duty 50 mm | | R.M. | @ | 525 |
| | | G.I. pipe light duty | | | | 0 |
| 558 | GI.P15LD | G.I. pipe 15 mm dia. | | R.M. | @ | 118 |
| 559 | GI.P20LD | G.I. pipe 20 mm dia. | | R.M. | @ | 170 |
| 560 | GI.P25LD | G.I. pipe 25 mm dia. | | R.M. | @ | 248 |
| 561 | GI.P30LD | G.I. pipe 30 mm dia. | | R.M. | @ | 301 |
| 562 | GI.P40LD | G.I. pipe 40 mm dia. | | R.M. | @ | 366 |
| 563 | GI.P50LD | G.I. pipe 50 mm dia. | | R.M. | @ | 457 |
| 564 | GI.P65LD | G.I. pipe 65 mm dia. | | R.M. | @ | 614 |
| 565 | GI.P80LD | G.I. pipe 75 mm dia. | | R.M. | @ | 706 |
| 566 | GI.P100LD | G.I. pipe 100 mm dia. | | R.M. | @ | 862 |
| | | G.I. pipe medium duty | | | | 0 |
| 567 | GI.P15MD | G.I. pipe 15 mm dia. | | R.M. | @ | 144 |
| 568 | GI.P20MD | G.I. pipe 20 mm dia. | | R.M. | @ | 183 |
| 569 | GI.P25MD | G.I. pipe 25 mm dia. | | R.M. | @ | 261 |
| 570 | GI.P30MD | G.I. pipe 30 mm dia. | | R.M. | @ | 340 |
| 571 | GI.P40MD | G.I. pipe 40 mm dia. | | R.M. | @ | 392 |
| 572 | GI.P50MD | G.I. pipe 50 mm dia. | | R.M. | @ | 562 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|------------------------------------|--|--------|---|------------|
| 573 | GI.P65MD | G.I. pipe 65 mm dia. | | R.M. | @ | 680 |
| 574 | GI.P80MD | G.I. pipe 75 mm dia. | | R.M. | @ | 902 |
| 575 | GI.P100MD | G.I. pipe 100 mm dia. | | R.M. | @ | 1320 |
| 576 | GI.P125MD | G.I. pipe 125 mm dia. | | R.M. | @ | 1744 |
| 577 | GI.P150MD | G.I. pipe 150 mm dia. | | R.M. | @ | 1980 |
| 578 | GI.R | G.I. rivets | | No. | @ | 9 |
| 579 | GI.S | G.I. sheet corrugated | | Kg. | @ | 128 |
| 580 | GI.SP | G.I. sheet plain | | Kg. | @ | 122 |
| 581 | GI.SFF | G.I. sheet | | Kg. | @ | 122 |
| 582 | GI.ST | G.I. sheet tank 400 Gals. capacity | | No. | @ | 31726 |
| 583 | GI.T2 | G.I. tee 2" x 2" | | No. | @ | 140 |
| 584 | GI.TH10 | G.I. tee hinges 10" | | No. | @ | 41 |
| 585 | GI.TH12 | G.I. tee hinges 12" | | No. | @ | 58 |
| 586 | GI.TH18 | G.I. tee hinges 18" | | No. | @ | 70 |
| 587 | GI.W10 | G.I. wire 10 gauge | | Kg. | @ | 119 |
| 588 | GI.W18 | G.I. wire gauge | | Sq.ft. | @ | 100 |
| 589 | GL.P3L | Glass 3 mm thick plain (local) | | Sq.m. | @ | 377 |
| 590 | GL.U3L | Glass 3 mm thick unclear (local) | | Sq.m. | @ | 262 |
| 591 | GL.P5L | Glass 5 mm thick plain (local) | | Sq.m. | @ | 580 |
| 592 | GL.U5L | Glass 5 mm thick unclear (local) | | Sq.m. | @ | 385 |
| 593 | GL.T5L | Glass 5 mm thick tinted (local) | | Sq.m. | @ | 770 |
| 594 | GL.P6L | Glass 6 mm thick plain (local) | | Sq.m. | @ | 968 |
| 595 | GL.U6L | Glass 6 mm thick unclear (local) | | Sq.m. | @ | 875 |
| 596 | GL.T6L | Glass 6 mm thick tinted (local) | | Sq.m. | @ | 1201 |
| 597 | GL.P6I | Glass 6 mm thick plain (imported) | | Sq.m. | @ | 2135 |
| 598 | GL.T6I | Glass 6 mm thick tinted (imported) | | Sq.m. | @ | 2041 |
| 599 | PT4G | P. trap 4", glazed | | No. | @ | 175 |
| 600 | GL.SH | Glass shelf with brackets | | No. | @ | 2741 |
| 601 | GL.SHM | Glass shelf Master/Sonex | | No. | @ | 1691 |
| 602 | GL.ST1 | Glass strip 3 mm thick | | R.M. | @ | 12 |
| 603 | GLST5 | Glass strip 5 mm thick | | R.M. | @ | 17 |
| 604 | GLW1 | Glass wool 1 inch thick | | Sq.ft. | @ | 29 |
| 605 | GLU | Glue | | Kg. | @ | 187 |
| 606 | GRAS | Grass | | Sq.m. | @ | 227 |
| 607 | GRA | Gravel | | Cu.m. | @ | 229 |
| 608 | GR.FI | Grills, Flat Iron | | Sq.ft. | @ | 268 |
| 609 | GR.SB | Grills, Square bar | | Sq.ft. | @ | 257 |
| 610 | GUM | Gum | | Kg. | @ | 76 |
| 611 | GYB6 | Gypsum board 1/4" thick | | Sq.m. | @ | 222 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--------------------------------|--|--------|---|------------|
| 612 | GYB9 | Gypsum board 3/8" thick | | Sq.m. | @ | 257 |
| 613 | GYB13 | Gypsum board 1/2" thick | | Sq.m. | @ | 280 |
| 614 | GYP | Gypsum powder | | Kg. | @ | 20 |
| 615 | HAB5 | Hard board 5 mm thick | | Sq.ft. | @ | 16 |
| 616 | HAB6 | Hard board 6 mm. thick | | Sq.ft. | @ | 20 |
| 617 | HAB8 | Hard board 8 mm thick | | Sq.ft. | @ | 26 |
| 618 | HAH | Hanger hook with pullout rod | | No. | @ | 49 |
| 619 | HAP | Hand pump | | No. | @ | 1633 |
| 620 | HEC | Hessian cloth | | Sq.m. | @ | 41 |
| 621 | HES | Hessian | | Kg. | @ | 41 |
| 622 | HI.MF | Male or female hinges | | No. | @ | 105 |
| 623 | HI.B | Hinges (bolts) | | No. | @ | 23 |
| 624 | HI.LU | Hinges with lugs | | No. | @ | 58 |
| 625 | HOD | Holding device | | No. | @ | 816 |
| 626 | HOF | Hold fast | | Kg. | @ | 70 |
| 627 | HOFN | Hold fast | | No. | @ | 23 |
| 628 | HOI | Hooks, iron | | Kg. | @ | 152 |
| 629 | H.I | Hooks, iron | | No. | @ | 17 |
| 630 | HOL.M | Holes (making) | | No. | @ | 9 |
| 631 | HOL.P | Holes (punching) | | No. | @ | 9 |
| 632 | I.B12 | Iron bolt 0.5" dia | | No. | @ | 76 |
| 633 | I.BH2 | Iron butt hinge 2" | | No. | @ | 70 |
| 634 | I.BH4 | Iron butt hinge 4" | | No. | @ | 70 |
| 635 | I.HAN4 | Iron handle 4" | | No. | @ | 70 |
| 636 | I.HAN5 | Iron handle 5" | | No. | @ | 82 |
| 637 | I.HAN6 | Iron handle 6" | | No. | @ | 99 |
| 638 | I.H4 | Iron hinges 4" size | | No. | @ | 23 |
| 639 | I.HS50 | Iron hasp & staple 2" | | No. | @ | 21 |
| 640 | I.HS75 | Iron hasp & staple 3" | | No. | @ | 29 |
| 641 | I.HS100 | Iron hasp & staple 4" | | No. | @ | 35 |
| 642 | I.HS125 | Iron hasp & staple 5" | | No. | @ | 52 |
| 643 | I.HSH4S | Iron helical spring hinges 4" | | No. | @ | 117 |
| 644 | I.PEG | Iron peg | | No. | @ | 35 |
| 645 | I.PH | Iron piano hinge | | R.ft. | @ | 35 |
| 646 | I.PAH100 | Iron parliament hinges 4" x 4" | | No. | @ | 41 |
| 647 | I.PAH125 | Iron parliament hinges 5" x 5" | | No. | @ | 41 |
| 648 | I.SH | Iron shoe | | No. | @ | 29 |
| 649 | I.SB150 | Iron sliding bolt 6" x 1/2" | | No. | @ | 99 |
| 650 | I.SB225 | Iron sliding bolt 9" x 5/8" | | No. | @ | 152 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|---------|--|--|-------|---|------------|
| 651 | I.SB250 | Iron sliding bolt 10" x 5/8" | | No. | @ | 163 |
| 652 | I.SB12 | Iron sliding bolt 12" x 5/8" | | No. | @ | 187 |
| 653 | I.SB15 | Iron sliding bolt 15" x 3/4" | | No. | @ | 292 |
| 654 | I.S | Iron screw | | Kg. | @ | 140 |
| 655 | I.SC20 | Iron screw 3/4" | | No. | @ | 8 |
| 656 | I.SC25 | Iron screw 1" | | No. | @ | 9 |
| 657 | I.SC30 | Iron screw 1.25 | | No. | @ | 9 |
| 658 | I.SC37 | Iron screw 1.5" | | No. | @ | 12 |
| 659 | I.SC50 | Iron screw 2" | | No. | @ | 12 |
| 660 | I.SC62 | Iron screw 2.5" | | No. | @ | 12 |
| 661 | I.SC75 | Iron screw 3" | | No. | @ | 12 |
| 662 | I.SFF | Iron socket for floor | | No. | @ | 9 |
| 663 | I.SH6S | Iron spring hinges 6" - single action | | No. | @ | 227 |
| 664 | I.SH6D | Iron spring hinges 6" - double action | | No. | @ | 286 |
| 665 | I.TB6 | Iron tower bolt 6" | | No. | @ | 58 |
| 666 | I.TB9 | Iron tower bolt 9" | | No. | @ | 82 |
| 667 | I.TB12 | Iron tower bolt 12" | | No. | @ | 105 |
| 668 | I.W | Iron work | | Kg. | @ | 64 |
| 669 | JOIN | Joint - spun yarn + maxphalt composition | | Joint | @ | 12 |
| 670 | JBN | Jute bag - new | | No. | @ | 82 |
| 671 | JBO | Jute bag - old | | No. | @ | 41 |
| 672 | JUT | Jute 2" wide including jute rope tie | | R.ft. | @ | 47 |
| 673 | JWPM | Jutoid W.P. matting (3.2 mm) | | Sq.m. | @ | 87 |
| 674 | JWPM1.6 | Jutoid W.P. matting (1.6 mm) | | Sq.m. | @ | 70 |
| 675 | LB16 | Lavatory basin | | No. | @ | 5016 |
| 676 | LB18 | Lavatory basin | | No. | @ | 6765 |
| 677 | LCBA | Liquid cut back asphalt | | Kg. | @ | 41 |
| 678 | LIM | Lime | | Tonne | @ | 8981 |
| 679 | LM | Looking mirror | | Sq.m. | @ | 1516 |
| 680 | L.GRA | Lock Grains | | Kg. | @ | 105 |
| 681 | L.DA | Lock drawer alpha make | | No. | @ | 87 |
| 682 | L.DCNS | Hydraulic door closer New star | | No. | @ | 1540 |
| 683 | L.DCHNH | Hydraulic door closer HNH make | | No. | @ | 1073 |
| 684 | L.MDK | Lock main door kwikset with handle | | No. | @ | 4082 |
| 685 | L.U | Lock union | | No. | @ | 437 |
| 686 | L.C | Lock Chinese make | | No. | @ | 1061 |
| 687 | L.H | Lock Hyundi | | No. | @ | 1341 |
| 688 | L.Y | Lock yale | | No. | @ | 2216 |
| 689 | M.C | Marble chips | | Kg. | @ | 4.1 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|-----------|---------------------------------------|--------|---|------------|
| 690 | MTB9 | Marble tiles - Badal 3/8" thick | Sq.m. | @ | 280 |
| 691 | MTB13 | Marble tiles - Badal 1/2" thick | Sq.m. | @ | 322 |
| 692 | MTB19 | Marble tiles - Badal 3/4" thick | Sq.m. | @ | 496 |
| 693 | MTB25 | Marble tiles - Badal 1" thick | Sq.m. | @ | 875 |
| 694 | MSB25 | Marble slab - Badal 1" thick | Sq.m. | @ | 1866 |
| 695 | MTB6 | Marble tiles - Badal 6" x 12" | Sq.m. | @ | 321 |
| 696 | MTL9 | Marble tiles - Lasbella 3/8" thick | Sq.m. | @ | 595 |
| 697 | MTL13 | Marble tiles - Lasbella 1/2" thick | Sq.m. | @ | 700 |
| 698 | MTL19 | Marble tiles - Lasbella 3/4" thick | Sq.m. | @ | 787 |
| 699 | MTL25 | Marble tiles - Lasbella 1" thick | Sq.m. | @ | 1866 |
| 700 | MSL25 | Marble slab - Lasbella 1" thick | Sq.m. | @ | 2449 |
| 701 | MTL6 | Marble tiles - Lasbella 6" x 12" | Sq.m. | @ | 642 |
| 702 | MTS9 | Marble tiles - super white 3/8" thick | Sq.m. | @ | 653 |
| 703 | MTS13 | Marble tiles - super white 1/2" thick | Sq.m. | @ | 980 |
| 704 | MTS19 | Marble tiles - super white 3/4" thick | Sq.m. | @ | 1050 |
| 705 | MTS25 | Marble tiles - super white 1" thick | Sq.m. | @ | 1108 |
| 706 | MSS25 | Marble slab - super white 1" thick | Sq.m. | @ | 2799 |
| 707 | MTS6 | Marble tiles - super white 6" x 12" | Sq.m. | @ | 863 |
| 708 | M.C0 | Chips zero number | Kg. | @ | 5 |
| 709 | MAN | Manure | Cu.m. | @ | 268 |
| 710 | MAP | Mansion polish | Kg. | @ | 367 |
| 711 | M.P | Marble powder | Kg. | @ | 3 |
| 712 | MES | Methylated spirit | Litre | @ | 105 |
| 713 | MEX80 | Bitumen 80/100 | Kg. | @ | 64 |
| 714 | MS.PL | 0.25" M.S. Plate | Sq.ft. | @ | 70 |
| 715 | MS.BP50 | M.S. bail plug 50 mm dia. | No. | @ | 467 |
| 716 | MS.BP80 | M.S. bail plug 75 mm dia. | No. | @ | 618 |
| 717 | MS.BP100 | M.S. bail plug 100 mm dia. | No. | @ | 688 |
| 718 | MS.BP125 | M.S. bail plug 125 mm dia. | No. | @ | 875 |
| 719 | MS.BP150 | M.S. bail plug 150 mm dia. | No. | @ | 991 |
| 720 | MS.BP175 | M.S. bail plug 175 mm dia. | No. | @ | 1166 |
| 721 | MS.BP200 | M.S. bail plug 200 mm dia. | No. | @ | 1388 |
| 722 | MS.BP225 | M.S. bail plug 225 mm dia. | No. | @ | 1435 |
| 723 | MS.BP250 | M.S. bail plug 250 mm dia. | No. | @ | 1551 |
| 724 | MS.BP300 | M.S. bail plug 300 mm dia. | No. | @ | 1890 |
| | | M.S. blind pipe seamless | | | 0 |
| 725 | MS.BPS50 | M.S. blind pipe 50 mm dia | R.M | @ | 653 |
| 726 | MS.BPS80 | M.S. blind pipe 75 mm dia | R.M | @ | 1295 |
| 727 | MS.BPS100 | M.S. blind pipe 100 mm dia | R.M | @ | 1750 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|----------------------------|--|--------|---|------------|
| 728 | MS.BPS125 | M.S. blind pipe 125 mm dia | | R.M | @ | 3149 |
| 729 | MS.BPS150 | M.S. blind pipe 150 mm dia | | R.M | @ | 3872 |
| 730 | MS.BPS175 | M.S. blind pipe 175 mm dia | | R.M | @ | 4794 |
| 731 | MS.BPS200 | M.S. blind pipe 200 mm dia | | R.M | @ | 6567 |
| 732 | MS.BPS225 | M.S. blind pipe 225 mm dia | | R.M | @ | 7698 |
| 733 | MS.BPS250 | M.S. blind pipe 250 mm dia | | R.M | @ | 8865 |
| 734 | MS.BPS300 | M.S. blind pipe 300 mm dia | | R.M | @ | 9914 |
| 735 | MS.BPS375 | M.S. blind pipe 375 mm dia | | R.M | @ | 13297 |
| 736 | MS.BPS450 | M.S. blind pipe 450 mm dia | | R.M | @ | 15163 |
| 737 | MS.BPS500 | M.S. blind pipe 500 mm dia | | R.M | @ | 19829 |
| 738 | MS.BPS550 | M.S. blind pipe 550 mm dia | | R.M | @ | 24028 |
| 739 | MS.C4 | M.S. cap 4" size | | No. | @ | 642 |
| 740 | MS.C6 | M.S. cap 6" size | | No. | @ | 904 |
| 741 | MS.F | M.S. flat | | Kg | @ | 98 |
| 742 | MS.FAST | M.S. fastner | | No. | @ | 12 |
| 743 | MSB | Mild steel bars | | Tonne | @ | 79920 |
| 744 | MS.P10 | M.S. pipe 10 SWG | | R.ft. | @ | 76 |
| 745 | MS.P20 | M.S. pipe | | R.M. | @ | 408 |
| 746 | MS.PLA | M.S. plate | | Kg | @ | 93 |
| 747 | MS.R | M.S. rod | | Kg | @ | 64 |
| 748 | MS.SFF | M.S. sheet for formwork | | Kg. | @ | 105 |
| 749 | MS.S | M.S. sheet | | Kg. | @ | 105 |
| 750 | MSS | M.S. strap | | Kg | @ | 70 |
| 751 | MS.TI | M.S. tee iron | | Kg | @ | 70 |
| 752 | MUD | Mud mortar | | Cu.m. | @ | 280 |
| 753 | MUP | Mud plaster | | Cu.ft. | @ | 7 |
| 754 | MUNJ | Munj ban | | Kg. | @ | 58 |
| 755 | MUR | Murum | | Cu.m. | @ | 467 |
| 756 | NAIL | Nail of all sizes | | Kg. | @ | 105 |
| 757 | NAM1 | Namda 1/16" thick | | Sq.m. | @ | 52 |
| 758 | NAM5 | Namda 1/2" thick | | Sq.m. | @ | 216 |
| 759 | NIP | Nipple | | No. | @ | 35 |
| 760 | NB9 | Nuts 9" long with bolts | | No. | @ | 20 |
| 761 | OIL.K | Oil kerosine | | Litre | @ | 110 |
| 762 | OIL.LB | Oil linseed boiled | | Litre | @ | 102 |
| 763 | OIL.D | Oil - diesel | | Litre | @ | 112 |
| 764 | OIL.LR | Oil linseed raw | | Litre | @ | 90 |
| 765 | OIL.P | Oil Petrol | | Litre | @ | 103 |
| 766 | OIL.PUT | Oil putty | | Kg. | @ | 58 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--|--|--------|---|------------|
| 767 | OIL.T | Oil turpentine | | kg. | @ | 155 |
| 768 | PAD | Patent drier | | Gram | @ | 35 |
| 769 | P.AC | Paint - Anti corrosive | | Litre | @ | 169 |
| 770 | P.AAR | Paint - Alkali resisting | | Litre | @ | 198 |
| 771 | P.AL | Paint - Aluminium | | Litre | @ | 292 |
| 772 | P.BR2 | Painting brush 2" | | No. | @ | 76 |
| 773 | P.BR4 | Painting brush 4" | | No. | @ | 362 |
| 774 | P.BB | Paint black bituminous | | Litre | @ | 169 |
| 775 | P.BJ | Paint black japan | | Litre | @ | 274 |
| 776 | P.CR | Paint Creosote | | Litre | @ | 163 |
| 777 | P.DIS | Paint distemper | | Kg. | @ | 157 |
| 778 | P.MAS | Paint (mixed at site) | | Litres | @ | 268 |
| 779 | P.PE | Paint - Plastic emulsion | | Litre | @ | 370 |
| 780 | P.RO | Paint red oxide | | Litre | @ | 181 |
| 781 | P.RO2 | Paint red oxide (2 coats) | | Sq.ft. | @ | 7 |
| 782 | P.SNO | Paint snowcem | | Kg. | @ | 64 |
| 783 | P.SLP | Paint synthetic lead primer | | Litre | @ | 329 |
| 784 | P.SOL | Paint solignum | | Litre | @ | 292 |
| 785 | P.VE | Paint - vinyl emulsion | | Litre | @ | 236 |
| 786 | P.ROP | Paint red oxide primer | | Litre | @ | 290 |
| 787 | P.SE | Paint synthetic enamel | | Litre | @ | 410 |
| 788 | P.VAR | Paint varnish | | Litre | @ | 330 |
| 789 | P.WC | Paint weather coat | | Litre | @ | 415 |
| 790 | P.ZCP | Paint zinc chromate primer | | Litre | @ | 630 |
| | | P.C.C. pipe, ASTM C-14, Class 2 | | | | 0 |
| 791 | PCC.P100 | Pipe 100 mm dia. with collars etc. | | R.M. | @ | 87 |
| 792 | PCC.P150 | Pipe 150 mm dia. with collars etc. | | R.M. | @ | 105 |
| 793 | PCC.P200 | Pipe 200 mm dia. with collars etc. | | R.M. | @ | 216 |
| 794 | GRA.P | Pea gravel | | Cu.m. | @ | 816 |
| 795 | PIG | Pigment | | Kg. | @ | 87 |
| 796 | PIL | Pilchi | | Cu.m. | @ | 76 |
| 797 | PLWG | Plastic wire gauze | | Sq.ft. | @ | 28 |
| 798 | PLY.C5 | Ply - commercial 5 ply | | Sq.ft. | @ | 40 |
| 799 | PLY.C3 | Ply - commercial 3 ply | | Sq.ft. | @ | 28 |
| 800 | PLY.S5 | Ply - shisham 5 ply | | Sq.ft. | @ | 56 |
| 801 | PLY.S3 | Ply - shisham 3 ply | | Sq.ft. | @ | 45 |
| 802 | PLY.T5 | Ply - teak 5 ply | | Sq.ft. | @ | 76 |
| 803 | PLY.T3 | Ply - teak 3 ply | | Sq.ft. | @ | 52 |
| 804 | POBW | Polish bee wax | | Litre | @ | 397 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|------------|----------------------------------|-------|---|------------|
| 805 | POF | Polish french | Litre | @ | 105 |
| 806 | POM | Polish mansion | Kg. | @ | 338 |
| 807 | GL.PP | Pottery pull, glazed | No. | @ | 99 |
| 808 | POS | Polythene sheet | Sq.m. | @ | 41 |
| 809 | PUD | Pudlo | Kg. | @ | 76 |
| 810 | PUK | Pucca kam | Kg. | @ | 41 |
| 811 | PUL | Pully | Kg. | @ | 23 |
| 812 | PULY | Pulley | No. | @ | 99 |
| 813 | PVC.C4 | P.V.C. cap 4" size | No. | @ | 175 |
| 814 | PVC.C6 | P.V.C. cap 6" size | No. | @ | 274 |
| | | P.V.C. bend class B | | | 0 |
| 815 | PVC.B80B | P.V.C. bend 75 mm dia | No. | @ | 152 |
| 816 | PVC.B100B | P.V.C. bend 100 mm dia | No. | @ | 198 |
| 817 | PVC.B125B | P.V.C. bend 125 mm dia | No. | @ | 303 |
| 818 | PVC.B150B | P.V.C. bend 150 mm dia | No. | @ | 677 |
| 819 | PVC.B200B | P.V.C. bend 200 mm dia | No. | @ | 1061 |
| | | P.V.C. bend class D | | | 0 |
| 820 | PVC.B30D | P.V.C. bend 30 mm dia | No. | @ | 41 |
| 821 | PVC.B40D | P.V.C. bend 40 mm dia | No. | @ | 50 |
| 822 | PVC.B50D | P.V.C. bend 50 mm dia | No. | @ | 68 |
| 823 | PVC.B80D | P.V.C. bend 75 mm dia | No. | @ | 161 |
| 824 | PVC.B100D | P.V.C. bend 100 mm dia | No. | @ | 297 |
| 825 | PVC.B125D | P.V.C. bend 125 mm dia | No. | @ | 659 |
| 826 | PVC.B150D | P.V.C. bend 150 mm dia | No. | @ | 1341 |
| | | P.V.C. blind pipe class B | | | 0 |
| 827 | PVC.BP80B | P.V.C. blind pipe 80 mm dia | R.M. | @ | 222 |
| 828 | PVC.BP100B | P.V.C. blind pipe 100 mm dia | R.M. | @ | 315 |
| 829 | PVC.BP125B | P.V.C. blind pipe 125 mm dia | R.M. | @ | 443 |
| 830 | PVC.BP150B | P.V.C. blind pipe 150 mm dia | R.M. | @ | 618 |
| 831 | PVC.BP200B | P.V.C. blind pipe 200 mm dia | R.M. | @ | 1015 |
| 832 | PVC.BP250B | P.V.C. blind pipe 250 mm dia | R.M. | @ | 1604 |
| 833 | PVC.BP300B | P.V.C. blind pipe 300 mm dia | R.M. | @ | 2274 |
| 834 | PVC.BP350B | P.V.C. blind pipe 350 mm dia | R.M. | @ | 2735 |
| | | P.V.C. blind pipe class D | | | 0 |
| 835 | PVC.BP30D | P.V.C. blind pipe 30 mm dia | R.M. | @ | 82 |
| 836 | PVC.BP40D | P.V.C. blind pipe 40 mm dia | R.M. | @ | 105 |
| 837 | PVC.BP50D | P.V.C. blind pipe 50 mm dia | R.M. | @ | 157 |
| 838 | PVC.BP80D | P.V.C. blind pipe 75 mm dia | R.M. | @ | 327 |
| 839 | PVC.BP100D | P.V.C. blind pipe 100 mm dia | R.M. | @ | 642 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|------------|-------------------------------|------|---|------------|
| 840 | PVC.BP150D | P.V.C. blind pipe 150 mm dia | R.M. | @ | 1155 |
| | | P.V.C. conduit pipe | | | 0 |
| 841 | PVC.CP20 | P.V.C. conduit pipe 20 mm dia | R.M. | @ | 21 |
| 842 | PVC.CP25 | P.V.C. conduit pipe 25 mm dia | R.M. | @ | 27 |
| 843 | PVC.CP30 | P.V.C. conduit pipe 30 mm dia | R.M. | @ | 40 |
| 844 | PVC.CP40 | P.V.C. conduit pipe 40 mm dia | R.M. | @ | 58 |
| 845 | PVC.CP50 | P.V.C. conduit pipe 50 mm dia | R.M. | @ | 79 |
| 846 | PVC.CP80 | P.V.C. conduit pipe 75 mm dia | R.M. | @ | 135 |
| 847 | PVC.CP100 | P.V.C. conduit pipe 100mm dia | R.M. | @ | 210 |
| | | P.V.C. crosser class B | | | 0 |
| 848 | PVC.C80B | P.V.C. crosser 80 mm dia | No. | @ | 134 |
| 849 | PVC.C100B | P.V.C. crosser 100 mm dia | No. | @ | 233 |
| 850 | PVC.C125B | P.V.C. crosser 125 mm dia | No. | @ | 532 |
| 851 | PVC.C150B | P.V.C. crosser 150 mm dia | No. | @ | 863 |
| 852 | PVC.C200B | P.V.C. crosser 200 mm dia | No. | @ | 1306 |
| 853 | PVC.C250B | P.V.C. crosser 250 mm dia | No. | @ | 1801 |
| 854 | PVC.C300B | P.V.C. crosser 300 mm dia | No. | @ | 3310 |
| 855 | PVC.C350B | P.V.C. crosser 350 mm dia | No. | @ | 6874 |
| | | P.V.C. crosser class D | | | 0 |
| 856 | PVC.C30D | P.V.C. crosser 30 mm dia | No. | @ | 65 |
| 857 | PVC.C40D | P.V.C. crosser 40 mm dia | No. | @ | 140 |
| 858 | PVC.C50D | P.V.C. crosser 50 mm dia | No. | @ | 163 |
| 859 | PVC.C80D | P.V.C. crosser 80 mm dia | No. | @ | 257 |
| 860 | PVC.C100D | P.V.C. crosser 100 mm dia | No. | @ | 443 |
| 861 | PVC.C125D | P.V.C. crosser 125 mm dia | No. | @ | 1061 |
| 862 | PVC.C150D | P.V.C. crosser 150 mm dia | No. | @ | 1715 |
| | | P.V.C. elbow, class B | | | 0 |
| 863 | PVC.E80B | P.V.C. elbow 80 mm dia | No. | @ | 146 |
| 864 | PVC.E100B | P.V.C. elbow 100 mm dia | No. | @ | 187 |
| 865 | PVC.E125B | P.V.C. elbow 125 mm dia | No. | @ | 432 |
| 866 | PVC.E150B | P.V.C. elbow 150 mm dia | No. | @ | 583 |
| 867 | PVC.E200B | P.V.C. elbow 200 mm dia | No. | @ | 4374 |
| 868 | PVC.E250B | P.V.C. elbow 250 mm dia | No. | @ | 5074 |
| 869 | PVC.E300B | P.V.C. elbow 300 mm dia | No. | @ | 7348 |
| 870 | PVC.E350B | P.V.C. elbow 350 mm dia | No. | @ | 11081 |
| | | P.V.C. elbow, class D | | | 0 |
| 871 | PVC.E30M | P.V.C. elbow 30 mm dia | No. | @ | 70 |
| 872 | PVC.E40M | P.V.C. elbow 40 mm dia | No. | @ | 93 |
| 873 | PVC.E50M | P.V.C. elbow 50 mm dia | No. | @ | 117 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|------------|--------------------------------------|--|------|---|------------|
| 874 | PVC.E80D | P.V.C. elbow 75 mm dia | | No. | @ | 286 |
| 875 | PVC.E100D | P.V.C. elbow 100 mm dia | | No. | @ | 350 |
| 876 | PVC.E125D | P.V.C. elbow 125 mm dia | | No. | @ | 318 |
| 877 | PVC.E150D | P.V.C. elbow 150 mm dia | | No. | @ | 534 |
| | | P.V.C. bail /end plug class B | | | | 0 |
| 878 | PVC.EP80B | P.V.C. end plug 75 mm dia | | No. | @ | 140 |
| 879 | PVC.EP100B | P.V.C. end plug 100 mm dia | | No. | @ | 152 |
| 880 | PVC.EP125B | P.V.C. end plug 125 mm dia | | No. | @ | 198 |
| 881 | PVC.EP150B | P.V.C. end plug 150 mm dia | | No. | @ | 350 |
| 882 | PVC.EP200B | P.V.C. end plug 200 mm dia | | No. | @ | 391 |
| 883 | PVC.EP250B | P.V.C. end plug 250 mm dia | | No. | @ | 583 |
| 884 | PVC.EP300B | P.V.C. end plug 300 mm dia | | No. | @ | 968 |
| 885 | PVC.EP350B | P.V.C. end plug 350 mm dia | | No. | @ | 1166 |
| | | P.V.C. bail /end plug class D | | | | 0 |
| 886 | PVC.EP30D | P.V.C. end plug 30 mm dia | | No. | @ | 41 |
| 887 | PVC.EP40D | P.V.C. end plug 40 mm dia | | No. | @ | 41 |
| 888 | PVC.EP50D | P.V.C. end plug 50 mm dia | | No. | @ | 58 |
| 889 | PVC.EP80D | P.V.C. end plug 75 mm dia | | No. | @ | 89 |
| 890 | PVC.EP100D | P.V.C. end plug 100 mm dia | | No. | @ | 120 |
| 891 | PVC.EP125D | P.V.C. end plug 125 mm dia | | No. | @ | 226 |
| 892 | PVC.EP150D | P.V.C. end plug 150 mm dia | | No. | @ | 385 |
| 893 | PVC.JS | P.V.C Jointing solution | | Kg. | @ | 233 |
| 894 | PVC.N30 | P.V.C. nosing 30 mm wide | | R.M. | @ | 82 |
| 895 | PVC.N40 | P.V.C. nosing 40 mm wide | | R.M. | @ | 87 |
| 896 | PVC.N45 | P.V.C. nosing 45 mm wide | | R.M. | @ | 105 |
| 897 | PVC.N50 | P.V.C. nosing 50 mm wide | | R.M. | @ | 114 |
| 898 | PVC.OS80 | P.V.C. off-set 80 mm | | No. | @ | 217 |
| 899 | PVC.OS100 | P.V.C. off-set 100 mm | | No. | @ | 222 |
| | | P.V.C. socket class D | | | | 0 |
| 900 | PVC.SO30D | P.V.C. socket 30 mm dia | | No. | @ | 52 |
| 901 | PVC.SO40D | P.V.C. socket 40 mm dia | | No. | @ | 87 |
| 902 | PVC.SO50D | P.V.C. socket 50 mm dia | | No. | @ | 117 |
| 903 | PVC.SO80D | P.V.C. socket 80 mm dia | | No. | @ | 222 |
| 904 | PVC.SO100D | P.V.C. socket 100 mm dia | | No. | @ | 292 |
| | | P.V.C. spout | | | | 0 |
| 905 | PVC.SP100 | P.V.C. spout 100 mm dia | | R.M. | @ | 554 |
| 906 | PVC.SP50 | P.V.C. spout 50 mm dia | | R.M. | @ | 315 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|------------|------------------------------------|------|---|------------|
| 907 | PVC.SP80 | P.V.C. spout 80 mm dia | R.M. | @ | 344 |
| | | P.V.C. strainer class B | | | 0 |
| 908 | PVC.ST80B | P.V.C. strainer 75 mm dia | R.M. | @ | 163 |
| 909 | PVC.ST100B | P.V.C. strainer 100 mm dia | R.M. | @ | 233 |
| 910 | PVC.ST125B | P.V.C. strainer 125 mm dia | R.M. | @ | 327 |
| 911 | PVC.ST150B | P.V.C. strainer 150 mm dia | R.M. | @ | 467 |
| 912 | PVC.ST200B | P.V.C. strainer 200 mm dia | R.M. | @ | 665 |
| 913 | PVC.ST250B | P.V.C. strainer 250 mm dia | R.M. | @ | 1032 |
| 914 | PVC.ST300B | P.V.C. strainer 300 mm dia | R.M. | @ | 1516 |
| 915 | PVC.ST350B | P.V.C. strainer 350 mm dia | R.M. | @ | 1820 |
| | | P.V.C. strainer class D | | | 0 |
| 916 | PVC.ST30D | P.V.C. strainer 30 mm dia | R.M. | @ | 82 |
| 917 | PVC.ST40D | P.V.C. strainer 40 mm dia | R.M. | @ | 87 |
| 918 | PVC.ST50D | P.V.C. strainer 50 mm dia | R.M. | @ | 128 |
| 919 | PVC.ST80D | P.V.C. strainer 75 mm dia | R.M. | @ | 257 |
| 920 | PVC.ST100D | P.V.C. strainer 100 mm dia | R.M. | @ | 408 |
| 921 | PVC.ST125D | P.V.C. strainer 125 mm dia | R.M. | @ | 595 |
| 922 | PVC.ST150D | P.V.C. strainer 150 mm dia | R.M. | @ | 840 |
| | | P.V.C. tapered core class B | | | 0 |
| 923 | PVC.TC80B | P.V.C. tapered core 80 mm dia | No. | @ | 26 |
| 924 | PVC.TC100B | P.V.C. tapered core 100 mm dia | No. | @ | 47 |
| 925 | PVC.TC125B | P.V.C. tapered core 125 mm dia | No. | @ | 57 |
| 926 | PVC.TC150B | P.V.C. tapered core 150 mm dia | No. | @ | 83 |
| 927 | PVC.TC200B | P.V.C. tapered core 200 mm dia | No. | @ | 114 |
| | | P.V.C. tapered core class D | | | 0 |
| 928 | PVC.TC30D | P.V.C. tapered core 30 mm dia | No. | @ | 19 |
| 929 | PVC.TC40D | P.V.C. tapered core 40 mm dia | No. | @ | 26 |
| 930 | PVC.TC50D | P.V.C. tapered core 50 mm dia | No. | @ | 38 |
| | | P.V.C. tee class B | | | 0 |
| 931 | PVC.T80B | P.V.C. 80 mm dia | No. | @ | 233 |
| 932 | PVC.T100B | P.V.C. 100 mm dia | No. | @ | 350 |
| 933 | PVC.T125B | P.V.C. 125 mm dia | No. | @ | 612 |
| 934 | PVC.T150B | P.V.C. 150 mm dia | No. | @ | 962 |
| 935 | PVC.T200B | P.V.C. 200 mm dia | No. | @ | 1108 |
| 936 | PVC.T250B | P.V.C. 250 mm dia | No. | @ | 1516 |
| 937 | PVC.T300B | P.V.C. 300 mm dia | No. | @ | 2333 |
| 938 | PVC.T350B | P.V.C. 350 mm dia | No. | @ | 6065 |
| | | P.V.C. tee class D | | | 0 |
| 939 | PVC.T30D | P.V.C. tee 30 mm dia | No. | @ | 52 |
| 940 | PVC.T40D | P.V.C. tee 40 mm dia | No. | @ | 52 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|------------|--------------------------------------|--------|---|------------|
| 941 | PVC.T50D | P.V.C. tee 50 mm dia | No. | @ | 175 |
| 942 | PVC.T80D | P.V.C. tee 80 mm dia | No. | @ | 350 |
| 943 | PVC.T100D | P.V.C. tee 100 mm dia | No. | @ | 478 |
| 944 | PVC.T125D | P.V.C. tee 125 mm dia | No. | @ | 467 |
| 945 | PVC.T150D | P.V.C. tee 150 mm dia | No. | @ | 583 |
| | | P.V.C. waste pipe | | | 0 |
| 946 | PVC.WP30 | P.V.C. waste pipe 30 mm | No. | @ | 175 |
| 947 | PVC.WP40 | P.V.C. waste pipe 40 mm | No. | @ | 227 |
| 948 | PVC.WSEL | P.V.C. water stopper eye letted | R.M. | @ | 146 |
| 949 | PVC.WS114 | P.V.C. water stop 4.5" wide | R.M. | @ | 204 |
| 950 | PVC.WS150 | P.V.C. water stop 6" wide | R.M. | @ | 233 |
| 951 | PVC.WS200 | P.V.C. water stop 8" wide | R.M. | @ | 373 |
| 952 | PVC.WS225 | P.V.C. water stop 9" wide | R.M. | @ | 40 |
| 953 | PVC.WS300 | P.V.C. water stop 12" wide | R.M. | @ | 583 |
| 954 | PVC.WS450 | P.V.C. water-stop 18" wide | R.M. | @ | 811 |
| 955 | PVC.WFB30 | P.V.C. flushing bend 30 mm dia. | No. | @ | 70 |
| 956 | PVC.WFB40 | P.V.C. flushing bend 40 mm dia. | No. | @ | 105 |
| 957 | P.R25 | Plastic ring 1" dia. | No. | @ | 5 |
| 958 | P.R32 | Plastic ring 1.25" dia. | No. | @ | 6 |
| 959 | RAP1 | Rawal plug 1" long | No. | @ | 2 |
| 960 | RAP2.5 | Rawal plug 2.5" long | No. | @ | 5 |
| 961 | RAP3 | Rawal plug 3" long | No. | @ | 7 |
| 962 | RCC.C2 | R.C.C cover (2" thick) | Cu.ft. | @ | 1960 |
| 963 | RCC.P4 | R.C.C. pipe 4" dia. | R.M. | @ | 191 |
| 964 | RCC.P6 | R.C.C. pipe 6" dia. | R.M. | @ | 233 |
| 965 | RCC.P9 | R.C.C. pipe 9" dia | R.M. | @ | 303 |
| | | R.C.C. pipe, ASTM C-76 wall B | | | 0 |
| 966 | RCC.P225B | Pipe 225 mm | R.M. | @ | 642 |
| 967 | RCC.P300B | Pipe 300 mm | R.M. | @ | 758 |
| 968 | RCC.P375B | Pipe 375 mm | R.M. | @ | 962 |
| 969 | RCC.P450B | Pipe 450 mm | R.M. | @ | 1166 |
| 970 | RCC.P525B | Pipe 525 mm | R.M. | @ | 1551 |
| 971 | RCC.P600B | Pipe 600 mm | R.M. | @ | 1808 |
| 972 | RCC.P675B | Pipe 675 mm | R.M. | @ | 2245 |
| 973 | RCC.P750B | Pipe 750 mm | R.M. | @ | 2566 |
| 974 | RCC.P825B | Pipe 825 mm | R.M. | @ | 3149 |
| 975 | RCC.P900B | Pipe 900 mm | R.M. | @ | 4199 |
| 976 | RCC.P1050B | Pipe 1050 mm | R.M. | @ | 5657 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|------------|---------------------------------|--|--------|---|------------|
| 977 | RCC.P1200B | Pipe 1200 mm | | R.M. | @ | 6882 |
| 978 | RCC.P1350B | Pipe 1350 mm | | R.M. | @ | 10498 |
| 979 | RCC.P1500B | Pipe 1500 mm | | R.M. | @ | 11664 |
| 980 | RCC.P1650B | Pipe 1650 mm | | R.M. | @ | 13997 |
| 981 | RCC.P1800B | Pipe 1800 mm | | R.M. | @ | 16330 |
| 982 | RCC.P9 | R.C.C. pipe 9" dia | | R.M. | @ | 467 |
| 983 | RCC.P12 | R.C.C. pipe 12" dia | | R.M. | @ | 642 |
| 984 | REA | Retarding Agent | | Liter | @ | 82 |
| 985 | REL | Red lead | | Kg. | @ | 257 |
| 986 | REB | Reg bolt | | Kg. | @ | 52 |
| 987 | RIV | Rivets | | Kg. | @ | 58 |
| 988 | RS.J | R.S. joist | | Kg. | @ | 52 |
| 989 | R.SH | Rolling shutter | | Kg. | @ | 93 |
| 990 | R.SHMS | Rolling shutter M.S. bars | | Kg. | @ | 76 |
| 991 | R.BAR | Round bars | | Kg. | @ | 70 |
| 992 | RU.3 | Ruberoid (3 Ply) | | Sq.m. | @ | 163 |
| 993 | RU.CP | Rubber connection pipe | | No. | | 192 |
| 994 | RU.P | Rubber plug | | No. | | 17 |
| 995 | RU.PA | Rubber packing | | Sq.ft. | @ | 22 |
| 996 | RU.R80 | Rubber ring 80 mm | | No. | @ | 76 |
| 997 | RU.R100 | Rubber ring 100 mm | | No. | @ | 111 |
| 998 | RU.R150 | Rubber ring 150 mm | | No. | @ | 134 |
| 999 | RU.SC | Rubber sealing compound | | Kg. | @ | 292 |
| 1000 | SAA | Set accelerating agent | | litre | @ | 262 |
| 1001 | SAN | Sand local | | Cu.m. | @ | 750 |
| 1002 | SAN.L | Sand Lawrencepur | | Cu.m. | @ | 2060 |
| 1003 | SAN.F | Sand fine | | Kg. | @ | 32 |
| 1004 | SAN.P | Sand paper | | No. | @ | 22 |
| 1005 | SC.20 | Screw 3/4" | | No. | @ | 3 |
| 1006 | SEAL | Sealant | | Sq.m. | @ | 23 |
| 1007 | SHE32 | Sheath 1-1/4" | | R.M. | @ | 45 |
| 1008 | SHE42 | Sheath 1-1/2" | | R.M. | @ | 61 |
| 1009 | SH.P | Shelf, plastic with bracket | | No. | @ | 187 |
| 1010 | SHI.19D | Crush Local 3/4" & down gauge | | Cu.m. | @ | 815 |
| 1011 | SHI.25D | Crush Local 1" & down gauge | | Cu.m. | @ | 910 |
| 1012 | SHI.75D | Crush Local 1-1/2" & down gauge | | Cu.m. | @ | 988 |
| 1013 | STRG | Shower tray, glazed | | No. | @ | 4666 |
| 1014 | SHK | Shower kit | | No. | @ | 175 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|---|--|--------|---|------------|
| 1015 | SH.T | Shower telephonic | | No. | @ | 1750 |
| 1016 | SI.BCI | Sink bracket C.I. | | Pair | @ | 467 |
| 1017 | SI.CPBW | Sink C.P. brass waste | | No. | @ | 437 |
| 1018 | SI.CG | Sink glazed fire clay 24" x 18" | | No. | @ | 3266 |
| 1019 | SI.PT2 | Sink pillar tap 2 way | | No. | @ | 1400 |
| 1020 | SI.PWC | Sink plug with chain | | No. | @ | 175 |
| 1021 | SI.ST1000 | Sink stainless steel 42" x 24" | | No. | @ | 3732 |
| 1022 | SI.ST825 | Sink stainless steel 36" x 24" | | No. | @ | 3499 |
| 1023 | SI.BT | Sink malleable iron bottle trap | | No. | @ | 875 |
| 1024 | SKF.ST | Skylight frame, Steel | | Sq.ft. | @ | 233 |
| 1025 | SKF.AF | Skylight frame, Aluminium - fixed | | Sq.ft. | @ | 408 |
| 1026 | SO.DCP | Soap dish C.P. | | No. | @ | 700 |
| 1027 | SO.DE | Soap dish earthenware | | No. | @ | 886 |
| 1028 | SO.DP | Soap dish plastic | | No. | @ | 262 |
| 1029 | SO.S | Soap sunlight | | No. | @ | 23 |
| 1030 | SO.B | Soft board | | Sq.m. | @ | 292 |
| 1031 | SOC12 | Socket /union 1/2" dia. | | No. | @ | 548 |
| 1032 | SOC20 | Socket /union 3/4" dia. | | No. | @ | 677 |
| 1033 | SOC25 | Socket /union 1" dia. | | No. | @ | 840 |
| 1034 | SOW | Soft wood (0.5" wide, 2" deep) | | Sq.m. | @ | 111 |
| 1035 | STA | Stakes | | No. | @ | 47 |
| 1036 | STB | Stopper brass | | Nos. | @ | 367 |
| 1037 | STC | Stop cock with C.P. cover | | No. | @ | 1050 |
| 1038 | ST. | Steel-Mild Grade 40 | | Kg. | @ | 83 |
| 1039 | ST.GC | Steel gate, collapsible | | Sq.m. | @ | 4700 |
| 1040 | ST.D40 | Steel - deformed bars Grade 40 | | Tonne | @ | 81000 |
| 1041 | ST.D60 | Steel - deformed bars Grade 60 | | Tonne | @ | 84000 |
| 1042 | ST.T | Steel - tor, Grade 60 | | Tonne | @ | 89000 |
| 1043 | ST.H | Steel hooks | | Nos. | @ | 70 |
| 1044 | STP | Steel pipe 50 mm. dia. | | R.M. | @ | 1312 |
| 1045 | STP65 | Steel pipe 65 mm. dia. | | R.M. | @ | 1318 |
| 1046 | ST.MS | M.S. section | | Kg. | @ | 82 |
| 1047 | ST.MSB | M.S. square/ round bars | | Kg. | @ | 70 |
| 1048 | ST.BC3 | Stone ballast crushed 2" and down gauge | | Cu.m. | @ | 408 |
| 1049 | ST.B | Stone ballast 1-1/2" & down gauge | | Cu.m. | @ | 583 |
| 1050 | S.BO | Stone | | Cu.m. | @ | 640 |
| 1051 | S.F | Stone post | | No. | @ | 194 |
| 1052 | S.P | Stone for pitching | | Cu.m. | @ | 528 |
| 1053 | S.S | Stone soling | | Cu.m. | @ | 869 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|-----------|--------------------------------------|--|--------|---|------------|
| 1054 | S.SP | Stone sprawl | | Cu.m. | @ | 820 |
| 1055 | STR | Stiff rubber | | R.ft. | @ | 29 |
| 1056 | SUH | Sunk handle | | No. | @ | 35 |
| 1057 | SUR | Surki | | Cu.m. | @ | 6765 |
| 1058 | SWE | Sweet earth | | Cu.m. | @ | 362 |
| 1059 | T.IR | T-Iron | | Kg. | @ | 71 |
| 1060 | TEL.B20 | Telephone box 20 pair | | No. | @ | 816 |
| 1061 | TEL.B30 | Telephone box 30 to 60 pair | | No. | @ | 2799 |
| 1062 | TEL.B100 | Telephone box 100 pair | | No. | @ | 6648 |
| 1063 | TEL.R | Telephone rosette | | No. | @ | 70 |
| 1064 | TEL.TS20 | Telephone terminal strip 20 pair | | No. | @ | 478 |
| 1065 | TEL.TS30 | Telephone terminal strip 30 pair | | No. | @ | 933 |
| 1066 | TEL.TS40 | Telephone terminal strip 40 pair | | No. | @ | 1271 |
| 1067 | TEL.TS60 | Telephone terminal strip 60 pair | | No. | @ | 1866 |
| 1068 | TEL.TS100 | Telephone terminal strip 100 pair | | No. | @ | 2683 |
| 1069 | TH.S.5 | Thermopore sheet 1/2" thick | | No. | @ | 47 |
| 1070 | TH.S1 | Thermopore sheet 1" thick | | No. | @ | 70 |
| 1071 | TH.S1.5 | Thermopore sheet 1-1/2" thick | | No. | @ | 105 |
| 1072 | TC19 | Tiles cement 3/4" thick | | Sq.m. | @ | 315 |
| 1073 | TC25 | Tiles cement 1" thick | | Sq.m. | @ | 321 |
| 1074 | TC37 | Tiles cement 1-1/2" thick | | Sq.m. | @ | 367 |
| 1075 | T.G | Tiles, facing strips - glazed | | Sq. m. | @ | 607 |
| 1076 | T.RG | Tiles, facing strips - rough glazed. | | Sq. m. | @ | 595 |
| 1077 | T.UG | Tiles, facing strips - unglazed | | Sq. m. | @ | 537 |
| 1078 | TIG | Tile glazed/matt | | Sq. m. | @ | 723 |
| 1079 | TM13 | Tiles mosaic 1/2" thick | | Sq.m. | @ | 455 |
| 1080 | TM19 | Tiles mosaic 3/4" thick | | Sq.m. | @ | 280 |
| 1081 | TM25 | Tiles mosaic 1" thick | | Sq.m. | @ | 303 |
| 1082 | TM37 | Tiles mosaic 1-1/2" thick | | Sq.m. | @ | 350 |
| 1083 | TP2 | Tiles Premium quality 2 mm thick | | Sq.m. | @ | 408 |
| 1084 | TP3 | Tiles Premium quality 3 mm thick | | Sq.m. | @ | 621 |
| 1085 | TR2 | Tiles Royal quality 1.8 mm thick | | Sq.m. | @ | 483 |
| 1086 | TR3 | Tiles Royal quality 3 mm thick | | Sq.m. | @ | 661 |
| 1087 | TIR | Tie rod | | No. | @ | 35 |
| 1088 | TP.P | Toilet paper holder plastic | | No. | @ | 233 |
| 1089 | TR.P | Towel rail plastic | | No. | @ | 292 |
| 1090 | TRC | Trap, ceramic china | | No. | @ | 292 |
| 1091 | T.SB | Termite spray biflex | | Liter | @ | 1633 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|---------|--|--|--------|---|------------|
| | | Urinal | | | | 0 |
| 1092 | U.01C | Urinal 6001 coloured | | No. | @ | 1400 |
| 1093 | U.01W | Urinal 6001 white | | No. | @ | 1400 |
| 1094 | U.03C | Urinal 6003 coloured | | No. | @ | 1441 |
| 1095 | U.03W | Urinal 6003 white | | No. | @ | 1295 |
| 1096 | U.AFC | C.I. automatic flushing cistern | | No. | @ | 3208 |
| 1097 | U.FP | Flush pipe with C.P. accessories | | No. | @ | 758 |
| 1098 | U.BFC | C.I. bracket for flushing cistern | | Pair | @ | 350 |
| 1099 | U.PWP | PVC waste pipe | | No. | @ | 204 |
| 1100 | U.RC | Rubber connection | | No. | @ | 99 |
| 1101 | VAC | Varnish copal | | Liter | @ | 114 |
| 1102 | VASC | Varnish synthetic clear | | Liter | @ | 152 |
| 1103 | VM | Vitrified mortar | | Kg | @ | 13 |
| 1104 | WAP | Washing powder | | Sachet | @ | 21 |
| 1105 | W.POW | Washing powder | | Kg | @ | 76 |
| 1106 | WAS | Washing soda | | Kg | @ | 111 |
| | | Wash basin | | | | 0 |
| 1107 | WB.18C | W.B. 18" (450 mm) coloured | | No. | @ | 1808 |
| 1108 | WB.18W | W.B. 18" (450 mm) white colour | | No. | @ | 1446 |
| 1109 | WB.24C | W.B. 24" coloured ICL Futura 2041/60 | | No. | @ | 2216 |
| 1110 | WB.24W | W.B. 24" white colour ICL Futura 2041/60 | | No. | @ | 2100 |
| 1111 | WB.26C | W.B. 26" coloured ICL 2032/65 | | No. | @ | 2309 |
| 1112 | WB.26W | W.B. 26" white colour ICL 2032/66 | | No. | @ | 2216 |
| 1113 | WB.BK | W.B. bolt kit | | No. | @ | 426 |
| 1114 | WB.BC | W.B. C.P. brass chain | | No. | @ | 216 |
| 1115 | WB.SC | W.B. stop cock | | No. | @ | 1143 |
| 1116 | WB.PC | Pedestal coloured | | No. | @ | 1592 |
| 1117 | WB.PW | Pedestal white colour | | No. | @ | 1446 |
| | | Water closet | | | | 0 |
| 1118 | WC.AC | W.C. Asian/Orisa/900 coloured | | No. | @ | 1283 |
| 1119 | WC.AW | W.C. Asian/Orisa/900 white | | No. | @ | 1200 |
| 1120 | WC.FC | W.C. Fregate 4006 coloured | | No. | @ | 2274 |
| 1121 | WC.FW | W.C. Fregate 4006 white colour | | No. | @ | 2100 |
| 1122 | WC.FCC | W.C. Floride coupled 4030 coloured | | No. | @ | 3732 |
| 1123 | WC.FCW | W.C. Floride coupled 4030 white colour | | No. | @ | 2916 |
| 1124 | WC.INC | W.C. Indian 902 coloured | | No. | @ | 1108 |
| 1125 | WC.INW | W.C. Indian 902 white colour | | No. | @ | 1050 |
| 1126 | WC.IFOC | W.C. Ifo coloured | | No. | @ | 4666 |
| 1127 | WC.IFOW | W.C. Ifo white colour | | No. | @ | 4432 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|-----------|--|---------|---|------------|
| 1128 | WC.NCC | W.C. Non-coupled 7HU coloured | No. | @ | 1983 |
| 1129 | WC.NCW | W.C. Non-coupled 7HU white colour | No. | @ | 2566 |
| | | W.C. cistern | | | 0 |
| 1130 | WC.C4006C | Cistern 4006 coloured | No. | @ | 2333 |
| 1131 | WC.C4006W | Cistern 4006 white colour | No. | @ | 1435 |
| 1132 | WC.C4030C | Cistern 4030 coloured | No. | @ | 2158 |
| 1132 | WC.C4030W | Cistern 4030 white colour | No. | @ | 1400 |
| 1133 | WC.CBK | Cistern bolt kit | No. | @ | 52 |
| 1134 | WC.PC | Plastic flushing cistern | No. | @ | 956 |
| 1134 | WC.PAN | W.C. pan | No. | @ | 1820 |
| 1135 | WC.PVC.DP | W.C. PVC down pipe | No. | @ | 89 |
| 1136 | WC.SC | Seat cover | No. | @ | 443 |
| 1136 | WC.SC13 | Stop cock 1/2" | No. | @ | 1050 |
| 1137 | WC.T4 | W.C. trap 4" | No. | @ | 146 |
| 1138 | WC.VCT | Vitreous China trap | No. | @ | 175 |
| 1138 | WEA | Wetting agent | Litre | @ | 210 |
| 1139 | WEJ | Welding joints | No. | @ | 12 |
| 1140 | WIND | Winder | No. | @ | 76 |
| 1140 | WF.AH | Window, aluminium - hung or sliding | Sq.ft. | @ | 420 |
| 1141 | WF.AHF | Window, aluminium - partly fixed/hung or sliding | Sq.ft. | @ | 443 |
| 1142 | WF.AF | Window, aluminium - fixed | Sq.ft. | @ | 362 |
| 1142 | WF.AWG | Window, aluminium wire gauze | Sq.ft. | @ | 128 |
| 1143 | WF.STH | Window frame, steel - hunged | Sq.ft. | @ | 163 |
| 1144 | WF.STFH | Window frame, steel - partly fixed & partly hung | Sq.ft. | @ | 140 |
| 1144 | WIB | Wire brush | No. | @ | 41 |
| 1145 | WIG | Wire gauze | Sq.ft. | @ | 26 |
| 1146 | WM | Wire mesh | Kg. | @ | 177 |
| 1146 | WIN | Wire net | Sq.m. | @ | 385 |
| 1147 | WIS | Wire steel | Tonne | @ | 136119 |
| 1148 | W.DVB19 | Deodar wood vaneer board 3/4" thick | Sq. ft. | @ | 70 |
| 1148 | W.B20 | Wooden batton 20 mm wide | R.M. | @ | 17 |
| 1149 | W.LB19 | Laminated board 3/4" thick | Sq. ft. | @ | 58 |
| 1150 | W.CH | Wood - Kail | Cu.m. | @ | 24276 |
| 1151 | W.D | Wood - deodar | Cu.m. | @ | 33130 |
| 1152 | W.D2 | Wood - deodar second class | Cu.m. | @ | 27562 |
| 1153 | W.FW | Fuel wood | Kg. | @ | 15 |
| 1153 | W.K | Wood - Kail | Cu.m. | @ | 27562 |
| 1154 | W.KIK | Wood - Kikar | Cu.m. | @ | 21086 |
| 1155 | W.P | Wood - Partal | Cu.m. | @ | 16331 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|----------|--|--|-------|---|------------|
| 1156 | W.S | Wood - Shisham | | Cu.m. | @ | 33130 |
| 1157 | W.GUT | Wooden gutees | | No. | @ | 5 |
| 1158 | W.PEG | Wooden pegs | | No. | @ | 14 |
| 1158 | W.PEG6 | Wooden pegs 6" to 9" | | No. | @ | 13 |
| 1159 | W.PEG15 | Wooden pegs 9" to 15" | | No. | @ | 14 |
| 1160 | W.RFS | Wooden rod for shoes | | No. | @ | 15 |
| 1160 | WSB9 | Window stay brass 9" | | No. | @ | 100 |
| 1161 | WSI9 | Window stay iron 9" | | No. | @ | 26 |
| 1162 | WHL | White lead | | Kg. | @ | 58 |
| | | Miscellaneous | | | | |
| 1163 | SB | Steel Brush | | No. | @ | 70.00 |
| 1164 | WE | Welding Electrode # 10 (Iron Alloy) | | Kg. | @ | 115.00 |
| 1165 | EB | Eye Bolt | | Kg. | @ | 40.00 |
| 1166 | MS C | M.S Clamp | | Kg. | @ | 80.00 |
| 1167 | MS H | M.S Hook | | Kg. | @ | 50.00 |
| 1168 | SB L | Steel Brush (Large Size) | | No. | @ | 150.00 |
| 1169 | SB S | Steel Brush (Small Size) | | No. | @ | 85.00 |
| 1170 | Disk | Cutting Disk Size 175mm (7") | | No. | @ | 185.00 |
| | | Jumbolon Installation | | | | |
| 1171 | | 25mm to 32mm thick (1" to 1-1/4') | | Sq.m. | @ | 550.00 |
| 1172 | | 50mm thick | | Sq.m. | @ | 770.00 |
| | | High Grip Membrane | | | | |
| 1173 | BP 3 | Bitumnen Paper 3mm | | Sq.m. | @ | 385.00 |
| 1174 | BP 4 | Bitumnen Paper 4mm | | Sq.m. | @ | 420.00 |
| | | Earth | | | | |
| 1175 | GE | Good Earth | | Cu.m. | @ | 415.00 |
| 1176 | SC | Soil Class A-4 | | Cu.m. | @ | 420.00 |
| | | Storage Water Tanks (polythyeline) Blue | | | | |
| | | Vertical Capacity | | | | |
| 1177 | WT V200 | 200 Gls | | No. | @ | 7600.00 |
| 1178 | WT V250 | 250 Gls | | No. | @ | 9000.00 |
| 1179 | WT V300 | 300 Gls | | No. | @ | 11050.00 |
| 1180 | WT V350 | 350 Gls | | No. | @ | 12550.00 |
| 1181 | WT V400 | 400 Gls | | No. | @ | 14800.00 |
| 1182 | WT V500 | 500 Gls | | No. | @ | 16580.00 |
| 1183 | WT V1000 | 1000 Gls | | No. | @ | 32550.00 |
| 1184 | WT V1200 | 1200 Gls | | No. | @ | 39550.00 |
| 1185 | WT V1500 | 1500 Gls | | No. | @ | 52000.00 |
| 1186 | WT V1800 | 1800 Gls | | No. | @ | 60000.00 |
| | | | | | | |
| | | | | | | |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | Unit | | Rate (Rs.) |
|---------|--------------|--|------|---|------------|
| | | Horizontal Capacity | No. | @ | 11000.00 |
| 1187 | WT H200 | 200 Gls | No. | @ | 15800.00 |
| 1188 | WT H250 | 250 Gls | No. | @ | 18500.00 |
| 1189 | WT H300 | 300 Gls | No. | @ | |
| | | Storage Water Tanks (polythyeline) Black (Super Tuff) | | | |
| | | Vertical Capacity | | | |
| 1190 | WT Bla V200 | 200 Gls | No. | @ | 9500.00 |
| 1191 | WT Bla V250 | 250 Gls | No. | @ | 10300.00 |
| 1192 | WT Bla V300 | 300 Gls | No. | @ | 12850.00 |
| 1193 | WT Bla V350 | 350 Gls | No. | @ | 13800.00 |
| 1194 | WT Bla V400 | 400 Gls | No. | @ | 16500.00 |
| 1195 | WT Bla V500 | 500 Gls | No. | @ | 18650.00 |
| 1196 | WT Bla V1000 | 1000 Gls | No. | @ | 35000.00 |
| 1197 | WT Bla V1200 | 1200 Gls | No. | @ | 40000.00 |
| 1198 | WT Bla V1500 | 1500 Gls | No. | @ | 51500.00 |
| 1199 | WT Bla V1800 | 1800 Gls | No. | @ | 60000.00 |
| | | Horizontal Capacity | | | |
| 1200 | WT Bla H200 | 200 Gls | No. | @ | 12300.00 |
| 1201 | WT Bla H250 | 250 Gls | No. | @ | 16550.00 |
| 1202 | WT Bla H300 | 300 Gls | No. | @ | 18950.00 |
| | | Zinc Coated Steel Wire | | | |
| 1203 | ZC W1.95 | Zinc Coated Steel Wire 1.95mm dia | Kg. | @ | 115.00 |
| 1204 | ZC W2.8 | Zinc Coated Steel Wire 2.8mm dia | Kg. | @ | 107.50 |
| | | Material for Road Signals and Guard Rail | | | |
| | | Sign Boards | | | |
| 1205 | | Warning sign board (Cat-1) of size 900mm Triangle Shape | No. | @ | 13150.00 |
| | | Road Stud | | | |
| 1206 | | Cats-eye Single (Flush surface) Plastic | No. | @ | 260.00 |
| 1207 | | Cats-eye Double (Flush surface) Plastic | No. | @ | 290.00 |
| 1208 | | Cats-eye Single (Raised surface) Plastic | No. | @ | 260.00 |
| 1209 | | Cats-eye Double (Raised surface) Plastic | No. | @ | 290.00 |
| 1210 | | Cats-eye Single (Flush surface) Aluminium | No. | @ | 400.00 |
| 1211 | | Cats-eye Double (Flush surface) Aluminium | No. | @ | 460.00 |
| 1212 | | Cats-eye Single (Raised surface) Aluminium | No. | @ | 400.00 |
| 1213 | | Cats-eye Double (Raised surface) Aluminium | No. | @ | 450.00 |
| | | Waterways and Marine Construction Works | | | |
| | | Construction Material for Waterways and Marine construction | | | |
| | | Material for Waterway Bank Protection | | | |
| | | Bamboo | | | |

BASIC MATERIALS MARKET RATE

| Sr. No. | Description | Unit | Rate (Rs.) |
|---------|--|----------|------------|
| 1214 | Bamboo (60 - 120 mm dia) 2.5m to 3.0m long | No. @ | 160.00 |
| 1215 | Bamboo (60 - 120 mm dia) 3.0m to 3.75m long | No. @ | 200.00 |
| 1216 | Bamboo (60 - 120 mm dia) 3.75m to 4.25m long | No. @ | 220.00 |
| 1217 | Bamboo (60 - 120 mm dia) 4.25m to 4.90m long | No. @ | 260.00 |
| 1218 | Bamboo (60 - 120 mm dia) 4.90m to 6.25m long | No. @ | 320.00 |
| 1219 | Steel-Mild Grade 60 | Kg. @ | 81 |
| 1220 | Rubber Speed Hump 5 Cm high and 35 Cm wide black & yellow | M @ | 1100.00 |
| 1221 | Granite black (local) | Sq.ft. @ | 450.00 |
| 1222 | Granite black (China) | Sq.ft. @ | 550.00 |
| 1223 | Granite Red Rubi (Indian) | Sq.ft. @ | 750.00 |
| 1224 | Granite Red chilli (Mylasian) | Sq.ft. @ | 550.00 |
| 1225 | Granite Green (Indian) | Sq.ft. @ | 550.00 |
| 1226 | Granite baltic brown (Mylasian) | Sq.ft. @ | 750.00 |
| 1227 | Granite camel brown (Mylasian) | Sq.ft. @ | 550.00 |
| 1228 | Granite raw-silk (Mylasian) | Sq.ft. @ | 650.00 |
| 1229 | Granite blue per (Mylasian) | Sq.ft. @ | 1000.00 |
| | | | |
| | HDPE PIPES | | |
| 1230 | 1/2 inch (15mm) | R.M @ | 16.90 |
| 1231 | 3/4 inch (20mm) | R.M @ | 30.67 |
| 1232 | 1 inch (25mm) | R.M @ | 44.00 |
| 1233 | 1.25inch (32mm) | R.M @ | 68.00 |
| 1234 | 1.5 inch (40mm) | R.M @ | 104.00 |
| 1235 | 1.75 inch (45mm) | R.M @ | 120.00 |
| 1236 | 2 inch (50mm) | R.M @ | 160.00 |
| 1237 | 2.5 inch (65mm) | R.M @ | 256.00 |
| 1238 | 3 inch (75mm) | R.M @ | 360.00 |
| 1239 | 3.5 inch (88mm) | R.M @ | 516.00 |
| 1240 | 4 inch (100mm) | R.M @ | 765.33 |
| 1241 | 5 inch (125mm) | R.M @ | 982.67 |
| 1242 | 6 inch (150mm) | R.M @ | 1608.00 |
| 1243 | 7 inch (175mm) | R.M @ | 2035.00 |
| 1244 | 8 inch (200mm) | R.M @ | 2509.60 |
| 1245 | 9 inch (225mm) | R.M @ | 3185.70 |
| 1246 | 10 inch (250mm) | R.M @ | 3902.70 |
| 1247 | 11 inch (275mm) | R.M @ | 4619.70 |
| 1248 | 12 inch (300mm) | R.M @ | 5336.70 |
| 1249 | Testing, for design purpose, of RCC piles under static loading | 1 Job @ | 100000.00 |
| 1250 | Execution of standard sub-soil penetration test | 1 Job @ | 10000.00 |
| 1251 | Extraction of undisturbed sample of soil at specified depth | 1 Job @ | 8000.00 |
| 1252 | Extraction of disturbed sample of soil at specified depth | 1 Job @ | 6000.00 |

BASIC MATERIALS MARKET RATE

| Sr. No. | | Description | | Unit | | Rate (Rs.) |
|---------|------|---|--|------|---|------------|
| 1253 | | Cat Eyes (10cm x 10cm) double side reflector, Imported | | Each | @ | 200.00 |
| 1254 | | Cat Eyes angle iron reflector aluminium body 4"x 2" using diamond | | Each | @ | 300.00 |
| | CPOH | Contractor's profit & overhead | | | @ | 22% |