

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor 25 % Extra to be paid for hilly area			1.1
	a. 1st Km		179.9	
	b. 2nd Km		178.8	
	c. 3rd Km		132.8	
	d. 4th Km		107.8	
	e. 5th Km		91.8	
	f. 6th Km		80.6	
	g. 7th Km		72.3	
	h. 8th Km		65.9	
	i. 9th Km		60.8	
	j. 10th Km		56.5	
	k. 11th Kms to 200Kms		21.7	
	l. 201 Kms to 250 Kms		20.0	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor. 25 % Extra to be paid for hilly area			1.1
	a. 1st Km		152.8	
	b. 2nd Km		151.1	
	c. 3rd Km		115.4	
	d. 4th Km		95.7	
	e. 5th Km		82.9	
	f. 6th Km		73.9	
	g. 7th Km		67.2	
	h. 8th Km		61.9	
	i. 9th Km		57.6	
	j. 10th Km		54.1	
	k. 11th Kms to 200Kms		25.3	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	i. 201 Kms to 250 Kms		24.0		1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor: 25 % Extra to be paid for hilly area					
	a. 1st Km		100.9			
	b. 2nd Km		99.2			
	c. 3rd Km		75.2			
	d. 4th Km		63.0			
	e. 5th Km		55.4			
	f. 6th Km		50.1			
	g. 7th Km		46.2			
	h. 8th Km		43.1			
	i. 9th Km		40.6			
	j. 10th Km		38.5			
	k. 11th to 200 Kms		22.7			
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :- 25 % Extra to be paid for hilly area					
	a. 1st Km		90.9		1.1	
	b. 2nd Km		89.7			
	c. 3rd Km		63.9			
	d. 4th Km		51.7			
	e. 5th Km		44.5			
	f. 6th Km		39.7			
	g. 7th Km		36.2			
	h. 8th Km		33.5			
	i. 9th Km		31.4			
	j. 10th Km		29.6			
	k. 11th & subsequent Kms		17.0			

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area			1.1	
	a. 1st Km		254.1		
	b. 2nd Km		152.2		
	c. 3rd Km		112.3		
	d. 4th Km		90.7		
	e. 5th Km		77.0		
	f. 6th Km		67.6		
	g. 7th Km		60.6		
	h. 8th Km		55.2		
	i. 9th Km		51.0		
	j. 10th Km		47.5		
	k. 11th Kms to 200Kms		18.5		
	l. 201 Kms to 250 Kms		17.0		
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area			1.1	
	a. 1st Km		190.5		
	b. 2nd Km		118.5		
	c. 3rd Km		90.0		
	d. 4th Km		74.4		
	e. 5th Km		64.5		
	f. 6th Km		57.5		
	g. 7th Km		52.3		
	h. 8th Km		48.3		
	i. 9th Km		45.1		
	j. 10th Km		42.5		
	k. 11th Kms to 200Kms		20.7		
	l. 201 Kms to 250 Kms		19.6		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area			1.1
a.	1st Km		522.3	
b.	2nd Km		299.8	
c.	3rd Km		213.4	
d.	4th Km		167.1	
e.	5th Km		138.1	
f.	6th Km		118.4	
g.	7th Km		103.9	
h.	8th Km		92.9	
i.	9th Km		92.9	
j.	10th Km		77.1	
k.	11th & subsequent Kms		17.6	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area			1.1
a.	1st Km		530.0	
b.	2nd Km		305.3	
c.	3rd Km		217.9	
d.	4th Km		171.2	
e.	5th Km		141.8	
f.	6th Km		121.8	
g.	7th Km		107.1	
h.	8th Km		96.0	
i.	9th Km		87.1	
j.	10th Km		80.0	
k.	11th & subsequent Kms		19.5	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area				1.1
a.	1st Km			522.3	
b.	2nd Km			299.8	
c.	3rd Km			213.4	
d.	4th Km			167.1	
e.	5th Km			138.1	
f.	6th Km			118.4	
g.	7th Km			103.9	
h.	8th Km			92.9	
i.	9th Km			84.1	
j.	10th Km			77.1	
k.	11th & subsequent Kms			17.6	
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area				1.1
a.	1st Km			261.2	
b.	2nd Km			149.9	
c.	3rd Km			106.7	
d.	4th Km			83.6	
e.	5th Km			69.1	
f.	6th Km			59.2	
g.	7th Km			51.9	
h.	8th Km			46.4	
i.	9th Km			42.1	
j.	10th Km			38.6	
k.	11th & subsequent Kms			8.8	
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area				1.1
a.	1st Km			355.5	
b.	2nd Km			354.7	
c.	3rd Km			257.4	
d.	4th Km and subsequent kilometers.			204.8	
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
13	25 % Extra to be paid for hilly area				
	a. 1st Km		5.7		
	b. 2nd Km		3.2		
	c. 3rd Km		2.2		
	d. 4th Km & subsequent Kms		1.7		
13	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or plichi, trash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			1.1	
14	a. 1st Km		254.1		
	b. 2nd Km		152.2		
	c. 3rd Km		112.3		
	d. 4th Km		90.7		
	e. 5th Km		77.0		
	f. 6th Km		67.6		
	g. 7th Km		60.6		
	h. 8th Km		55.2		
	i. 9th Km		51.0		
	j. 10th Km		47.5		
	k. 11th Km & subsequent		18.5		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area			1.1	
14	a. 1st Km		114.3		
	b. 2nd Km		71.1		
	c. 3rd Km		54.0		
	d. 4th Km		44.6		
	e. 5th Km		38.7		
	f. 6th Km		34.5		
	g. 7th Km		31.4		
	h. 8th Km		29.0		
	i. 9th Km		27.1		

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
15	j. 10th Km		25.5	1.1	
	k. 11th Km & subsequent		12.4		
16	Cooly load for distance:-			1.1	
	a. Upto 1000 ft. (300 metre)		135.4		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6		
	c. 1st Km		92.4		
	d. 2nd Km		79.7		
	e. 3rd Km & subsequent		63.5		
16	Carriage of small consignments weighing upto 2.5 maunds (job rates) :			1.1	
	(i) Carriage of consignments odd jobs.				
	(a) Donkey load for distance upto 500 feet.		37.9		
	(b) Upto 1000 feet		26.5		
	(c) Upto ½ Mile/ 0.8 Km		17.8		
	(d) Upto one Mile/ 1.6 Km		14.0		
	(e) Upto three Miles/ 4.8 Km		11.1		
	(f) Exceeding 3 Miles/ 16 km		9.6		
	(ii) Cart load for a distance :-				
	(a) upto 4 Miles/ 6.4 Km		12.5		
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)		12.0		
17	Hire charges of:-			1.1	
	(i) truck (10 Ton Capacity)	Per Hour	649.0		
	(ii) tractor with trolley	Per Hour	360.6		
	(iii) tractor without trolley	Per Hour	240.4		
18	Carriage of bitumen, tar or other lubricants, in drums:			1.1	
	a. 1st Km	ton	92.8		
	b. 2nd Km	ton	92.7		
	c. 3rd & subsequent Km	ton	66.7		
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
	a. 1st Km		93.3		
	b. 2nd Km		93.4		
	c. 3rd Km		66.6		
	d. 4th Km		52.3		
	e. 5th Km		43.2		
	f. 6th Km		37.1		
	g. 7th Km		32.5		
	h. 8th Km		29.1		
	i. 9th Km		26.4		
	j. 10th Km		24.1		
	k. 11th Km & subsequent		5.5		
	(ii) 4" (100 mm) i/d pipes:-				
	a. 1st Km		115.7		
	b. 2nd Km		115.8		
	c. 3rd Km		82.6		
	d. 4th Km		64.8		
	e. 5th Km		53.6		
	f. 6th Km		46.0		
	g. 7th Km		40.4		
	h. 8th Km		36.1		
	i. 9th Km		32.7		
	j. 10th Km		29.9		
	k. 11th Km & subsequent		6.8		
	(iii) 6" (150 mm) i/d pipes:-				
	a. 1st Km		153.1		
	b. 2nd Km		153.2		
	c. 3rd Km		109.3		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
	d. 4th Km		85.7	
	e. 5th Km		70.9	
	f. 6th Km		60.8	
	g. 7th Km		53.4	
	h. 8th Km		47.7	
	i. 9th Km		43.2	
	j. 10th Km		39.6	
	k. 11th Km & subsequent		9.0	
	(iv) 9" (225 mm) i/d pipes:			
	a. 1st Km		250.1	
	b. 2nd Km		250.3	
	c. 3rd Km		178.6	
	d. 4th Km		140.1	
	e. 5th Km		115.9	
	f. 6th Km		99.4	
	g. 7th Km		87.2	
	h. 8th Km		78.0	
	i. 9th Km		70.6	
	j. 10th Km		64.7	
	k. 11th Km & subsequent		14.6	
	(v) 12" (300 mm) i/d pipes:-			
	a. 1st Km		388.2	
	b. 2nd Km		388.5	
	c. 3rd Km		277.2	
	d. 4th Km		217.4	
	e. 5th Km		179.9	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	f. 6th Km		154.2		
	g. 7th Km		135.4		
	h. 8th Km		121.0		
	i. 9th Km		109.6		
	j. 10th Km		100.4		
	k. 11th Km & subsequent		22.7		
(vi)	16" (400 mm) i/d pipes:-				
	a. 1st Km		526.4		
	b. 2nd Km		526.7		
	c. 3rd Km		375.8		
	d. 4th Km		294.8		
	e. 5th Km		243.9		
	f. 6th Km		209.1		
	g. 7th Km		183.5		
	h. 8th Km		164.1		
	i. 9th Km		148.6		
	j. 10th Km		136.2		
	k. 11th Km & subsequent		30.8		
(viii)	18" (450 mm) i/d pipes:-				
	a. 1st Km		765.3		
	b. 2nd Km		765.8		
	c. 3rd Km		546.4		
	d. 4th Km		428.6		
	e. 5th Km		354.6		
	f. 6th Km		304.0		
	g. 7th Km		266.9		
	h. 8th Km		238.6		
	i. 9th Km		216.1		
	j. 10th Km		198.0		



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
(ix)	k. 11th Km & subsequent		44.8		
	20" (500 mm) i/d pipes:-				
	a. 1st Km		839.9		
	b. 2nd Km		840.5		
	c. 3rd Km		599.7		
	d. 4th Km		470.4		
	e. 5th Km		389.2		
	f. 6th Km		333.7		
	g. 7th Km		292.9		
	h. 8th Km		261.8		
	i. 9th Km		237.2		
(x)	j. 10th Km		217.3		
	k. 11th Km & subsequent Kms		49.2		
	24" (600 mm) i/d pipes:-				
	a. 1st Km		1,119.9		
	b. 2nd Km		1,120.7		
	c. 3rd Km		799.5		
	d. 4th Km		627.2		
	e. 5th Km		519.0		
	f. 6th Km		444.9		
	g. 7th Km		390.5		
	h. 8th Km		349.1		
20	i. 9th Km		316.2		
	j. 10th Km		289.7		
	k. 11th Km & subsequent Kms		65.6		
	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1	
	(i) 3" (75 mm) i/d pipes:-				

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
a.	1st Km		25.6	
b.	2nd Km		25.5	
c.	3rd Km		18.5	
d.	4th Km		14.7	
e.	5th Km		12.4	
f.	6th Km		10.7	
g.	7th Km		9.5	
h.	8th Km		8.6	
i.	9th Km		7.8	
j.	10th Km		7.2	
k.	11th Km & subsequent Kms		2.2	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km		38.4	
b.	2nd Km		38.3	
c.	3rd Km		27.8	
d.	4th Km		22.1	
e.	5th Km		18.5	
f.	6th Km		16.1	
g.	7th Km		14.2	
h.	8th Km		12.8	
i.	9th Km		11.7	
j.	10th Km		10.8	
k.	11th Km & subsequent Kms		3.3	
(iii)	5" (125 mm) i/d pipes:-			
a.	1st Km		59.7	
b.	2nd Km		59.6	
c.	3rd Km		43.2	
d.	4th Km		34.4	
e.	5th Km		28.8	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
(iv)	f. 6th Km		25.0		
	g. 7th Km		22.2		
	h. 8th Km		20.0		
	i. 9th Km		18.2		
	j. 10th Km		16.8		
	k. 11th Km & subsequent Kms		5.1		
	6" (150 mm) i/d pipes:				
	a. 1st Km		83.2		
	b. 2nd Km		83.0		
	c. 3rd Km		60.2		
	d. 4th Km		47.9		
	e. 5th Km		40.2		
	f. 6th Km		34.8		
(v)	g. 7th Km		30.9		
	h. 8th Km		27.8		
	i. 9th Km		25.4		
	j. 10th Km		23.5		
	k. 11th Km & subsequent Kms		7.0		
	8" (200 mm) i/d pipes:-				
	a. 1st Km		170.6		
	b. 2nd Km		170.3		
	c. 3rd Km		123.5		
	d. 4th Km		98.3		
	e. 5th Km		82.4		
	f. 6th Km		71.4		
	g. 7th Km		63.3		
h. 8th Km		57.1			
i. 9th Km		52.1			



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
(vi)	j. 10th Km		48.1	
	k. 11th Km & subsequent Kms		14.5	
	10" (250 mm) i/d pipes:-			
	a. 1st Km		234.6	
	b. 2nd Km		234.1	
	c. 3rd Km		169.9	
	d. 4th Km		135.2	
	e. 5th Km		113.3	
	f. 6th Km		98.2	
	g. 7th Km		87.0	
	h. 8th Km		78.5	
	i. 9th Km		71.7	
	j. 10th Km		66.1	
	k. 11th Km & subsequent Kms		19.9	
(vii)	12" (300 mm) i/d pipes:-			
	a. 1st Km		320.0	
	b. 2nd Km		319.3	
	c. 3rd Km		231.6	
	d. 4th Km		184.3	
	e. 5th Km		154.5	
	f. 6th Km		133.9	
	g. 7th Km		118.7	
	h. 8th Km		107.0	
	i. 9th Km		97.7	
	j. 10th Km		90.2	
	k. 11th Km & subsequent Kms		27.1	

