

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1	
a.	1st Km	Km	135.8		
b.	2nd Km	Km	135.8		
c.	3rd Km	Km	99.2		
d.	4th Km	Km	79.5		
e.	5th Km	Km	67.1		
f.	6th Km	Km	58.6		
g.	7th Km	Km	52.3		
h.	8th Km	Km	47.6		
i.	9th Km	Km	43.8		
j.	10th Km	Km	40.7		
k.	11th Kms to 200Kms	Km	14.8		
l.	201 Kms to 250 Kms	Km	13.4		
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing, Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc. by truck or any other means owned by the contractor.			1.1	
a.	1st Km	Km	100.6		
b.	2nd Km	Km	100.3		
c.	3rd Km	Km	75.6		
d.	4th Km	Km	62.2		
e.	5th Km	Km	53.7		
f.	6th Km	Km	47.8		
g.	7th Km	Km	43.4		
h.	8th Km	Km	40.1		
i.	9th Km	Km	37.4		
j.	10th Km	Km	35.2		
k.	11th Kms to 200Kms	Km	17.0		

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	i. 201 Kms to 250 Kms	Km		16.1	1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km		51.8		
	b. 2nd Km	Km		51.3		
	c. 3rd Km	Km		37.7		
	d. 4th Km	Km		31.5		
	e. 5th Km	Km		27.9		
	f. 6th Km	Km		25.5		
	g. 7th Km	Km		23.8		
	h. 8th Km	Km		22.5		
	i. 9th Km	Km		21.5		
	j. 10th Km	Km		20.6		
	k. 11th to 200 Kms	Km		14.8		
M. 251 Kms & subsequent Kms						
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km		53.8	1.1	
	b. 2nd Km	Km		53.6		
	c. 3rd Km	Km		35.6		
	d. 4th Km	Km		27.9		
	e. 5th Km	Km		23.8		
	f. 6th Km	Km		21.2		
	g. 7th Km	Km		19.4		
	h. 8th Km	Km		18.1		
	i. 9th Km	Km		17.1		
	j. 10th Km	Km		16.3		
	k. 11th & subsequent Kms	Km		11.1		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		210.0	
b.	2nd Km	Km		123.3	
c.	3rd Km	Km		89.7	
d.	4th Km	Km		71.7	
e.	5th Km	Km		60.4	
f.	6th Km	Km		52.7	
g.	7th Km	Km		47.1	
h.	8th Km	Km		42.9	
i.	9th Km	Km		39.5	
j.	10th Km	Km		36.8	
k.	11th Kms to 200Kms	Km		13.7	
l.	201 Kms to 250 Kms	Km		12.4	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		139.0	
b.	2nd Km	Km		84.6	
c.	3rd Km	Km		63.4	
d.	4th Km	Km		52.0	
e.	5th Km	Km		44.9	
f.	6th Km	Km		40.0	
g.	7th Km	Km		36.4	
h.	8th Km	Km		33.7	
i.	9th Km	Km		31.5	
j.	10th Km	Km		29.8	
k.	11th Kms to 200Kms	Km		15.0	
l.	201 Kms to 250 Kms	Km		14.2	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		487.0	
b.	2nd Km	Km		277.0	
c.	3rd Km	Km		195.7	
d.	4th Km	Km		152.4	
e.	5th Km	Km		125.4	
f.	6th Km	Km		107.0	
g.	7th Km	Km		93.6	
h.	8th Km	Km		83.5	
i.	9th Km	Km		83.5	
j.	10th Km	Km		69.0	
k.	11th & subsequent Kms	Km		14.2	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		489.6	
b.	2nd Km	Km		279.1	
c.	3rd Km	Km		197.7	
d.	4th Km	Km		154.3	
e.	5th Km	Km		127.1	
f.	6th Km	Km		108.7	
g.	7th Km	Km		95.3	
h.	8th Km	Km		85.1	
i.	9th Km	Km		77.0	
j.	10th Km	Km		70.6	
k.	11th & subsequent Kms	Km		15.5	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	487.0		
	b. 2nd Km	Km	277.0		
	c. 3rd Km	Km	195.7		
	d. 4th Km	Km	152.4		
	e. 5th Km	Km	125.4		
	f. 6th Km	Km	107.0		
	g. 7th Km	Km	93.6		
	h. 8th Km	Km	83.5		
	i. 9th Km	Km	75.4		
	j. 10th Km	Km	69.0		
	k. 11th & subsequent Kms	Km	14.2		
	10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			
a. 1st Km		Km	243.5		
b. 2nd Km		Km	138.5		
c. 3rd Km		Km	97.9		
d. 4th Km		Km	76.2		
e. 5th Km		Km	62.7		
f. 6th Km		Km	53.5		
g. 7th Km		Km	46.8		
h. 8th Km		Km	41.7		
i. 9th Km		Km	37.7		
j. 10th Km		Km	34.5		
k. 11th & subsequent Kms		Km	7.1		
11		Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			
	a. 1st Km	Km	300.8		
	b. 2nd Km	Km	301.3		
	c. 3rd Km	Km	215.8		
	d. 4th Km and subsequent kilometers.	Km	170.0		
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
13	25 % Extra to be paid for hilly area				
	a. 1st Km	Km	5.7		
	b. 2nd Km	Km	3.2		
	c. 3rd Km	Km	2.2		
	d. 4th Km & subsequent Kms	Km	1.7		
13	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pitchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area				1.1
14	a. 1st Km	Km	210.0		
	b. 2nd Km	Km	123.3		
	c. 3rd Km	Km	89.7		
	d. 4th Km	Km	71.7		
	e. 5th Km	Km	60.4		
	f. 6th Km	Km	52.7		
	g. 7th Km	Km	47.1		
	h. 8th Km	Km	42.9		
	i. 9th Km	Km	39.5		
	j. 10th Km	Km	36.8		
	k. 11th Km & subsequent	Km	13.7		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area				1.1
14	a. 1st Km	Km	83.4		
	b. 2nd Km	Km	50.7		
	c. 3rd Km	Km	38.0		
	d. 4th Km	Km	31.2		
	e. 5th Km	Km	26.9		
	f. 6th Km	Km	24.0		
	g. 7th Km	Km	21.9		
	h. 8th Km	Km	20.2		
	i. 9th Km	Km	18.9		

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
15	j. 10th Km	Km		17.9	1.1
	k. 11th Km & subsequent	Km		9.0	
	Cooly load for distance:-				
	a. Upto 1000 ft. (300 metre)			135.4	
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)			107.6	
16	c. 1st Km	Km		92.4	1.1
	d. 2nd Km	Km		79.7	
	e. 3rd Km & subsequent			63.5	
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :				
	(i) Carriage of consignments odd jobs.				
	(a) Donkey load for distance upto 500 feet.	Each		37.9	
	(b) Upto 1000 feet	Each		26.5	
	(c) Upto ½ Mile/ 0.8 Km	Each		17.8	
	(d) Upto one Mile/ 1.6 Km	Each		14.0	
	(e) Upto three Miles/ 4.8 Km	Each		11.1	
	(f) Exceeding 3 Miles/ 16 km	Each		9.6	
17	(ii) Cart load for a distance :-				1.1
	(a) upto 4 Miles/ 6.4 Km	Each		12.5	
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		12.0	
	Hire charges of:-				
	(i) truck (10 Ton Capacity)	Per Hour		649.0	
18	(ii) tractor with trolley	Per Hour		360.6	1.1
	(iii) tractor without trolley	Per Hour		240.4	
	Carriage of bitumen, tar or other lubricants, in drums:				
19	a. 1st Km	ton		81.6	1.1
	b. 2nd Km	ton		81.8	
	c. 3rd & subsequent Km	ton		58.1	
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-				1.1

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km	84.6		
b.	2nd Km	Km	84.9		
c.	3rd Km	Km	60.0		
d.	4th Km	Km	46.8		
e.	5th Km	Km	38.5		
f.	6th Km	Km	32.8		
g.	7th Km	Km	28.7		
h.	8th Km	Km	25.6		
i.	9th Km	Km	23.1		
j.	10th Km	Km	21.1		
k.	11th Km & subsequent	Km	4.2		
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km	104.9		
b.	2nd Km	Km	105.3		
c.	3rd Km	Km	74.5		
d.	4th Km	Km	58.0		
e.	5th Km	Km	47.7		
f.	6th Km	Km	40.7		
g.	7th Km	Km	35.6		
h.	8th Km	Km	31.7		
i.	9th Km	Km	28.6		
j.	10th Km	Km	26.2		
k.	11th Km & subsequent	Km	5.2		
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km	138.8		
b.	2nd Km	Km	139.2		
c.	3rd Km	Km	98.5		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
d.	4th Km	Km	76.7	
e.	5th Km	Km	63.1	
f.	6th Km	Km	53.8	
g.	7th Km	Km	47.1	
h.	8th Km	Km	41.9	
i.	9th Km	Km	37.9	
j.	10th Km	Km	34.6	
k.	11th Km & subsequent	Km	6.9	
(iv)	9" (225 mm) i/d pipes:			
a.	1st Km	Km	226.8	
b.	2nd Km	Km	227.5	
c.	3rd Km	Km	160.9	
d.	4th Km	Km	125.4	
e.	5th Km	Km	103.1	
f.	6th Km	Km	88.0	
g.	7th Km	Km	76.9	
h.	8th Km	Km	68.5	
i.	9th Km	Km	61.9	
j.	10th Km	Km	56.6	
k.	11th Km & subsequent	Km	11.3	
(v)	12" (300 mm) i/d pipes:-			
a.	1st Km	Km	352.0	
b.	2nd Km	Km	353.1	
c.	3rd Km	Km	249.8	
d.	4th Km	Km	194.6	
e.	5th Km	Km	160.1	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	136.6		
	g. 7th Km	Km	119.4		
	h. 8th Km	Km	106.4		
	i. 9th Km	Km	96.1		
	j. 10th Km	Km	87.8		
	k. 11th Km & subsequent	Km	17.5		
(vi)	16" (400 mm) i/d pipes:-				
	a. 1st Km	Km	477.3		
	b. 2nd Km	Km	478.8		
	c. 3rd Km	Km	338.6		
	d. 4th Km	Km	263.8		
	e. 5th Km	Km	217.0		
	f. 6th Km	Km	185.2		
	g. 7th Km	Km	161.9		
	h. 8th Km	Km	144.3		
	i. 9th Km	Km	130.3		
	j. 10th Km	Km	119.1		
	k. 11th Km & subsequent	Km	23.7		
(viii)	18" (450 mm) i/d pipes:-				
	a. 1st Km	Km	693.9		
	b. 2nd Km	Km	696.1		
	c. 3rd Km	Km	492.4		
	d. 4th Km	Km	383.6		
	e. 5th Km	Km	315.5		
	f. 6th Km	Km	269.2		
	g. 7th Km	Km	235.4		
	h. 8th Km	Km	209.7		
	i. 9th Km	Km	189.4		
	j. 10th Km	Km	173.1		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
		Labour		
(ix)	k. 11th Km & subsequent	Km	34.4	
	20" (500 mm) i/d pipes:-			
	a. 1st Km	Km	761.6	
	b. 2nd Km	Km	764.0	
	c. 3rd Km	Km	540.4	
	d. 4th Km	Km	421.0	
	e. 5th Km	Km	346.3	
	f. 6th Km	Km	295.5	
	g. 7th Km	Km	258.3	
	h. 8th Km	Km	230.2	
	i. 9th Km	Km	207.9	
	j. 10th Km	Km	190.0	
	k. 11th Km & subsequent Kms	Km	37.8	
(x)	24" (600 mm) i/d pipes:-			
	a. 1st Km	Km	1,015.5	
	b. 2nd Km	Km	1,018.7	
	c. 3rd Km	Km	720.5	
	d. 4th Km	Km	561.3	
	e. 5th Km	Km	461.7	
	f. 6th Km	Km	394.0	
	g. 7th Km	Km	344.4	
	h. 8th Km	Km	306.9	
	i. 9th Km	Km	277.2	
	j. 10th Km	Km	253.4	
	k. 11th Km & subsequent Kms	Km	50.4	
	20	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-		
(i)	3" (75 mm) i/d pipes:-			

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
a.	1st Km	Km	21.7	
b.	2nd Km	Km	21.7	
c.	3rd Km	Km	15.5	
d.	4th Km	Km	12.2	
e.	5th Km	Km	10.2	
f.	6th Km	Km	8.8	
g.	7th Km	Km	7.7	
h.	8th Km	Km	6.9	
i.	9th Km	Km	6.3	
j.	10th Km	Km	5.8	
k.	11th Km & subsequent Kms	Km	1.6	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km	Km	32.5	
b.	2nd Km	Km	32.5	
c.	3rd Km	Km	23.3	
d.	4th Km	Km	18.4	
e.	5th Km	Km	15.3	
f.	6th Km	Km	13.1	
g.	7th Km	Km	11.6	
h.	8th Km	Km	10.4	
i.	9th Km	Km	9.5	
j.	10th Km	Km	8.7	
k.	11th Km & subsequent Kms	Km	2.3	
(iii)	5" (125 mm) i/d pipes:-			
a.	1st Km	Km	50.5	
b.	2nd Km	Km	50.6	
c.	3rd Km	Km	36.3	
d.	4th Km	Km	28.6	
e.	5th Km	Km	23.7	



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	20.4	
	g. 7th Km	Km	18.0	
	h. 8th Km	Km	16.2	
	i. 9th Km	Km	14.7	
	j. 10th Km	Km	13.6	
	k. 11th Km & subsequent Kms	Km	3.7	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	70.4	
	b. 2nd Km	Km	70.5	
	c. 3rd Km	Km	50.5	
	d. 4th Km	Km	39.8	
	e. 5th Km	Km	33.1	
	f. 6th Km	Km	28.5	
	g. 7th Km	Km	25.1	
	h. 8th Km	Km	22.6	
	i. 9th Km	Km	20.5	
	j. 10th Km	Km	18.9	
	k. 11th Km & subsequent Kms	Km	5.1	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	144.4	
	b. 2nd Km	Km	144.6	
	c. 3rd Km	Km	103.6	
	d. 4th Km	Km	81.6	
	e. 5th Km	Km	67.8	
	f. 6th Km	Km	58.4	
	g. 7th Km	Km	51.5	
	h. 8th Km	Km	46.3	
	i. 9th Km	Km	42.1	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	j. 10th Km	Km		38.8	
	k. 11th Km & subsequent Kms	Km		10.4	
(vi)	10" (250 mm) i/d pipes:-				
	a. 1st Km	Km		198.5	
	b. 2nd Km	Km		198.9	
	c. 3rd Km	Km		142.4	
	d. 4th Km	Km		112.2	
	e. 5th Km	Km		93.2	
	f. 6th Km	Km		80.3	
	g. 7th Km	Km		70.8	
	h. 8th Km	Km		63.6	
	i. 9th Km	Km		57.9	
	j. 10th Km	Km		53.3	
	k. 11th Km & subsequent Kms	Km		14.4	
(vii)	12" (300 mm) i/d pipes:-				
	a. 1st Km	Km		270.7	
	b. 2nd Km	Km		271.2	
	c. 3rd Km	Km		194.2	
	d. 4th Km	Km		153.0	
	e. 5th Km	Km		127.1	
	f. 6th Km	Km		109.5	
	g. 7th Km	Km		96.6	
	h. 8th Km	Km		86.8	
	i. 9th Km	Km		79.0	
	j. 10th Km	Km		72.7	
	k. 11th Km & subsequent Kms	Km		19.6	

