				Rate (Rs.)		
Sr. N	lo.	Description	Unit	Labour	Ref. Tech. Specs.	
1		Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1	
	a.	1st Km	Km	134.7		
	b.	2nd Km	Km	134.6		
	C.	3rd Km	Km	98.0		
	d.	4th Km	Km	78.3		
	e.	5th Km	Km	65.9		
	f.	6th Km	Km	57.4		
	g.	7th Km	Km	51.2		
	h.	8th Km	Km	46.4		
	i.	9th Km	Km	42.6		
	j.	10th Km	Km	39.5		
	k.	11th Kms to 200Kms	Km	13.6		
	I.	201 Kms to 250 Kms	Km	12.2		
2		Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.			1.1	
	a.	1st Km	Km	99.2		
	b.	2nd Km	Km	98.8		
	C.	3rd Km	Km	74.1		
	d.	4th Km	Km	60.8		
	e.	5th Km	Km	52.2		
	f.	6th Km	Km	46.4		
	g.	7th Km	Km	42.0		
	h.	8th Km	Km	38.7		
	i.	9th Km	Km	36.0		
	j.	10th Km	Km	33.8		
	k.	11th Kms to 200Kms	Km	15.6		

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
	I.	201 Kms to 250 Kms	Km	14.7	Сресси	
3		Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:	 -		1.1	
	a.	1st Km	Km	50.4		
	b.	2nd Km	Km	49.9		
	C.	3rd Km	Km	36.4		
	d.	4th Km	Km	30.1		
	e.	5th Km	Km	26.5		
	f.	6th Km	Km	24.1		
	g.	7th Km	Km	22.4		
	h.	8th Km	Km	21.1		
	i.	9th Km	Km	20.1		
	j.	10th Km	Km	19.3		
	k.	11th to 200 Kms	Km	13.4		
	М.	251 Kms & subsequent Kms				
4		Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-			1.1	
	a.	1st Km	Km	52.8		
		2nd Km	Km	52.6		
		3rd Km	Km	34.6		
		4th Km	Km	26.9		
		5th Km	Km	22.8		
		6th Km	Km	20.1		
		7th Km	Km	18.4		
		8th Km	Km	17.1		
		9th Km	Km	16.0		
	j.	10th Km	Km	15.3		
		11th & subsequent Kms	Km	10.1		

				Rate (Rs.)		
Sr. N	lo.	Description	Unit	Labour	Ref. Tech. Specs.	
5		Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolly 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	208.8		
	b.	2nd Km	Km	122.1	í	
	c.	3rd Km	Km	88.4		
	d.	4th Km	Km	70.4		
	e.	5th Km	Km	59.2		
	f.	6th Km	Km	51.5		
	g.	7th Km	Km	45.9		
	h.	8th Km	Km	41.6		
	i.	9th Km	Km	38.3		
	j.	10th Km	Km	35.5		
	k.	11th Kms to 200Kms	Km	12.5		
	I.	201 Kms to 250 Kms	Km	11.2		
6		Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolly. 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	137.5		
		2nd Km	Km	83.1		
		3rd Km	Km	61.9		
		4th Km	Km	50.6		
		5th Km	Km	43.4		
		6th Km	Km	38.5		
	g.	7th Km	Km	34.9		
	h.	8th Km	Km	32.2		
	i.	9th Km	Km	30.0		
	j.	10th Km	Km	28.3		
	k.	11th Kms to 200Kms	Km	13.5		
	I.	201 Kms to 250 Kms	Km	12.7		
	I.	201 Kms to 250 Kms	Km	12.7		

Sr. N	lo.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.	
7		Carriage of 100 maunds of fuel wood, by means of material trolly.			1.1	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	486.1		
	b.	2nd Km	Km	276.1		
	C.	3rd Km	Km	194.9		
	d.	4th Km	Km	151.6		
	e.	5th Km	Km	124.5		
	f.	6th Km	Km	106.2		
	g.	7th Km	Km	92.7		
	h.	8th Km	Km	82.6		
	i.	9th Km	Km	82.6		
	j.	10th Km	Km	68.1		
	k.	11th & subsequent Kms	Km	13.3		
8		Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolly. 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	488.6		
	b.	2nd Km	Km	278.1		
	c.	3rd Km	Km	196.7		
	d.	4th Km	Km	153.2		
	e.	5th Km	Km	126.1		
	f.	6th Km	Km	107.7		
	g.	7th Km	Km	94.2		
	h.	8th Km	Km	84.1		
	i.	9th Km	Km	76.0		
	j.	10th Km	Km	69.6		
	k.	11th & subsequent Kms	Km	14.5		

o .		Parameter.	11	Rate (Rs.)	Def Teel	
Sr. N	lo.	Description	Unit	Labour	Ref. Tech. Specs.	
9		Carriage of 1000 No. bricks, 9"x4½"x3"(225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	486.1		
	b.	2nd Km	Km	276.1		
	c.	3rd Km	Km	194.9		
	d.	4th Km	Km	151.6		
	e.	5th Km	Km	124.5		
	f.	6th Km	Km	106.2		
	g.	7th Km	Km	92.7		
	h.	8th Km	Km	82.6		
	i.	9th Km	Km	74.6		
	j.	10th Km	Km	68.1		
	k.	11th & subsequent Kms	Km	13.3		
10		Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	243.1		
	b.	2nd Km	Km	138.1		
	c.	3rd Km	Km	97.4		
	d.	4th Km	Km	75.8		
	e.	5th Km	Km	62.3		
	f.	6th Km	Km	53.1		
	g.	7th Km	Km	46.4		
	h.	8th Km	Km	41.3		
	i.	9th Km	Km	37.3		
	j.	10th Km	Km	34.1		
	k.	11th & subsequent Kms	Km	6.6		
11		Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	299.4		
	b.	2nd Km	Km	299.9		
	C.	3rd Km	Km	214.4		
	d.	4th Km and subsequent kilometers.	Km	168.6		
12		Carriage of 100 Nos. empty cement bags including bundling.				

Sr. N	lo.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	5.7		
	b.	2nd Km	Km	3.2		
	c.	3rd Km	Km	2.2		
	d.	4th Km & subsequent Kms	Km	1.7		
13		Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	208.8		
	b.	2nd Km	Km	122.1		
	C.	3rd Km	Km	88.4		
	d.	4th Km	Km	70.4		
	e.	5th Km	Km	59.2		
	f.	6th Km	Km	51.5		
	g.	7th Km	Km	45.9		
	h.	8th Km	Km	41.6		
	i.	9th Km	Km	38.3		
	j.	10th Km	Km	35.5		
	k.	11th Km & subsequent	Km	12.5		
14		Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Execeeding 1000 to 5000 ft (300 to 1500 metre)			1.1	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	82.5		
	b.	2nd Km	Km	49.9		
	c.	3rd Km	Km	37.1		
	d.	4th Km	Km	30.3		
	e.	5th Km	Km	26.0		
	f.	6th Km	Km	23.1		
	g.	7th Km	Km	21.0		
	h.	8th Km	Km	19.3		
	i.	9th Km	Km	18.0		

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech.	
				Labour	Specs.	
	j.	10th Km	Km	17.0		
	k.	11th Km & subsequent	Km	8.1		
15		Cooly load for distance:-			1.1	
	a.	Upto 1000 ft. (300 metre)		135.4		
	b.	Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6		
	c.	1st Km	Km	92.4		
	d.	2nd Km	Km	79.7		
	e.	3rd Km & subsequent		63.5		
16		Carriage of small consignments weighing upto 2.5 maunds (job rates) :	l		1.1	
	(i)					
	(a)	Donkey load for distance upto 500 feet.	Each	37.9		
	(b)	Upto 1000 feet	Each	26.5		
	c)	Upto ½ Mile/ 0.8 Km	Each	17.8		
	(d)	Upto one Mile/ 1.6 Km	Each	14.0		
	(e)	Upto three Miles/ 4.8 Km	Each	11.1		
	(f)	Exceeding 3 Miles/ 16 km	Each	9.6		
	(ii)	Cart load for a distance :-				
	(a)	upto 4 Miles/ 6.4 Km	Each	12.5		
	(b)	Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each	12.0		
17		Hire charges of:-			1.1	
17		truck (10 Ton Capacity)	Per Hour	649.0		
		tractor with trolly	Per Hour	360.6		
		tractor without trolly	Per Hour	240.4		
18	,	Carriage of bitumen, tar or other lubricants, in drums:			1.1	
	a.	1st Km	ton	81.3		
		2nd Km	ton	81.5		
		3rd & subsequent Km		57.9		
40	0.		ton	5.10	1.1	
19		Carriage of Cement Concrete pipes BSS Class 'B" with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech.	
			Labour	Specs.	
(i)	3" (75 mm) i/d pipes:-				
a.	1st Km	Km	84.4		
b.	2nd Km	Km	84.7		
c.	3rd Km	Km	59.8		
d.	4th Km	Km	46.6		
e.	5th Km	Km	38.3		
f.	6th Km	Km	32.6		
g.	7th Km	Km	28.5		
h.	8th Km	Km	25.4		
i.	9th Km	Km	22.9		
j.	10th Km	Km	20.9		
k.	11th Km & subsequent	Km	4.0		
(ii)	4" (100 mm) i/d pipes:-				
a.	1st Km	Km	104.7		
b.	2nd Km	Km	105.0		
C.	3rd Km	Km	74.2		
d.	4th Km	Km	57.7		
e.	5th Km	Km	47.5		
f.	6th Km	Km	40.5		
g.	7th Km	Km	35.3		
h.	8th Km	Km	31.5		
i.	9th Km	Km	28.4		
j.	10th Km	Km	25.9		
k.	11th Km & subsequent	Km	4.9		
(iii)	6" (150 mm) i/d pipes:-				
	A a t IV co	1/	138.4		
	1st Km	Km			
	2nd Km	Km	138.9		
C.	3rd Km	Km	98.1		

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	d.	4th Km	Km	76.4		
	e.	5th Km	Km	62.8		
	f.	6th Km	Km	53.5		
	g.	7th Km	Km	46.7		
	h.	8th Km	Km	41.6		
	i.	9th Km	Km	37.5		
	j.	10th Km	Km	34.3		
	k.	11th Km & subsequent	Km	6.5		
(iv)	9" (225 mm) i/d pipes:				
	a.	1st Km	Km	226.2		
	b.	2nd Km	Km	226.9		
	c.	3rd Km	Km	160.3		
	d.	4th Km	Km	124.8		
	e.	5th Km	Km	102.6		
	f.	6th Km	Km	87.4		
	g.	7th Km	Km	76.4		
	h.	8th Km	Km	68.0		
	i.	9th Km	Km	61.3		
	j.	10th Km	Km	56.0		
	k.	11th Km & subsequent	Km	10.7		
(v)		12" (300 mm) i/d pipes:-				
	a.	1st Km	Km	351.2		
	b.	2nd Km	Km	352.3		
	c.	3rd Km	Km	248.9		
	d.	4th Km	Km	193.7		
	e.	5th Km	Km	159.2		

Sr. N	lo.	Description		Rate (Rs.)	Ref. Tech.	
	f.	6th Km	Km	Labour 135.7	Specs.	
	g.	7th Km	Km	118.5		
	h.	8th Km	Km	105.5		
	i.	9th Km	Km	95.2		
	j.	10th Km	Km	86.9		
	k.	11th Km & subsequent	Km	16.6		
(vi)	16" (400 mm) i/d pipes:-				
	a.	1st Km	Km	476.1		
	b.	2nd Km	Km	477.6		
	c.	3rd Km	Km	337.4		
	d.	4th Km	Km	262.6		
	e.	5th Km	Km	215.8		
	f.	6th Km	Km	184.0		
	g.	7th Km	Km	160.7		
	h.	8th Km	Km	143.1		
	i.	9th Km	Km	129.1		
	j.	10th Km	Km	117.9		
	k.	11th Km & subsequent	Km	22.5		
(viii)		18" (450 mm) i/d pipes:-				
	a.	1st Km	Km	692.2		
	b.	2nd Km	Km	694.4		
	c.	3rd Km	Km	490.6		
	d.	4th Km	Km	381.8		
	e.	5th Km	Km	313.8		
	f.	6th Km	Km	267.5		
	g.	7th Km	Km	233.6		
	h.	8th Km	Km	208.0		
	i.	9th Km	Km	187.7		
	j.	10th Km	Km	171.4		

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	k.	11th Km & subsequent	Km	32.7		
(ix)		20" (500 mm) i/d pipes:-				
	a.	1st Km	Km	759.7		
	b.	2nd Km	Km	762.1		
	C.	3rd Km	Km	538.5		
	d.	4th Km	Km	419.1		
	e.	5th Km	Km	344.4		
	f.	6th Km	Km	293.6		
	g.	7th Km	Km	256.4		
	h.	8th Km	Km	228.3		
	i.	9th Km	Km	206.0		
	j.	10th Km	Km	188.1		
	k.	11th Km & subsequent Kms	Km	35.9		
(x)		24" (600 mm) i/d pipes:-				
	a.	1st Km	Km	1,013.0		
		2nd Km	Km	1,016.1		
		3rd Km	Km	718.0		
	d.	4th Km	Km	558.8		
		5th Km	Km	459.2		
		6th Km	Km	391.5		
	g.	7th Km	Km	341.9		
		8th Km	Km	304.4		
	i.	9th Km	Km	274.6		
	j.	10th Km	Km	250.8		
		11th Km & subsequent Kms	Km	47.8		
20	Κ.	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-	IMII		1.1	
(i)		3" (75 mm) i/d pipes:-				

Labour Specs.			Description	112	Rate (Rs.)	Def Teels	
b. 2nd Km c. 3rd Km d. 4th Km e. 5th Km f. 6th Km j. 7th Km h. 8th Km i. 9th Km km b. 2nd Km Km 5.7 km km 5.7 km km 6.2 km 6.2 km km 6.2 km 5.7 km km 1.5 4" (100 mm) Vd pipes:- a. 1st Km km km 8.7 c. 3rd Km km km 1.5 4" (100 km km 8.6 km 1.6 km 1.7 km 1.7 km 1.7 km 1.7 km 1.8	Sr. No	0.	Description	Unit	Labour	Ref. Tech. Specs.	
C. 3rd Km d. 4th Km e. 5th Km f. 6th Km g. 7th Km h. 8th Km c. 3rd Km d. 4th Km i. 9th Km j. 10th Km k. 11th Km a. 1st Km c. 3rd Km d. 4th Km i. 9th Km j. 10th Km k. 11th Km j. 10th Km j. 10th Km k. 11th Km j. 10th Km k. 11th Km j. 10th Km j. 10th Km k. 11th Km j. 10th Km k. 10th Km j. 10th Km k. 10th Km j. 10th Km k. 10th		a.	1st Km	Km	21.6		
d. 4th Km sth Km sth Km f. 6th Km K		b.	2nd Km	Km	21.6		
e. Sth Km f. 6th Km g. 7th Km h. 8th Km i. 9th Km j. 10th Km km 4" (100 mm) I/d pipes:- a. 1st Km b. 2nd Km c. 3rd Km d. 4th Km f. 6th Km f. 6th Km f. 6th Km f. 6th Km h. 8th Km		c.	3rd Km	Km	15.4		
f. 6th Km g. 7th Km h. 8th Km i. 9th Km j. 10th Km km 6.8 i. 9th Km j. 10th Km km 6.2 j. 10th Km km 5.7 k. 11th Km & subsequent Kms (ii) 4" (100 mm) i/d pipes:- a. 1st Km b. 2nd Km c. 3rd Km d. 4th Km e. 5th Km f. 6th Km g. 7th Km h. 8th Km 13.0 g. 7th Km h. 8th Km km 13.0 g. 7th Km km km 10.3 i. 9th Km j. 10th Km k. 11th Km & subsequent Kms Km 5.7 km 11.4 km km 10.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km j. 10th Km km km 5.3 i. 9th Km km km 5.4 i. 8th Km km 5.3 i. 8th Km		d.	4th Km	Km	12.1		
g. 7th Km		e.	5th Km	Km	10.1		
h. 8th Km i. 9th Km j. 10th Km k. 11th Km & subsequent Kms 4" (100 mm) i/d pipes:- a. 1st Km b. 2nd Km c. 3rd Km f. 6th Km f		f.	6th Km	Km	8.7		
i. 9th Km i. 9th Km j. 10th Km k. 11th Km & subsequent Kms 4" (100 mm) i/d pipes:- a. 1st Km b. 2nd Km c. 3rd Km d. 4th Km e. 5th Km f. 6th Km f. 6th Km km j. 10th Km km km 13.0 g. 7th Km h. 8th Km km j. 10th Km km km km 10.3 i. 9th Km km j. 10th Km km km km 50.3 k. 1st Km km km 50.4		g.	7th Km	Km	7.6		
j. 10th Km k. 11th Km & subsequent Kms 4" (100 mm) i/d pipes:- a. 1st Km b. 2nd Km c. 3rd Km d. 4th Km e. 5th Km f. 6th Km g. 7th Km h. 8th Km i. 9th Km j. 10th Km k. 11th Km & subsequent Kms (iii) 5" (125 mm) i/d pipes:- a. 1st Km km 5.7 km 5.3 km 5.4 km 5.7 km 6.7 km 6		h.	8th Km	Km	6.8		
k. 11th Km & subsequent Kms Km 1.5 4" (100 mm) i/d pipes:- Km 32.3 b. 2nd Km Km 32.4 c. 3rd Km Km 23.2 d. 4th Km Km 18.2 e. 5th Km Km 15.1 f. 6th Km Km 13.0 g. 7th Km Km 10.3 i. 9th Km Km 9.3 j. 10th Km Km 8.6 k. 11th Km & subsequent Kms Km 2.2 (iii) 5" (125 mm) i/d pipes:- a. 1st Km Km 50.3 b. 2nd Km Km 50.4		i.	9th Km	Km	6.2		
(ii) 4" (100 mm) i/d pipes:- a. 1st Km		j.	10th Km	Km	5.7		
a. 1st Km		k.	11th Km & subsequent Kms	Km	1.5		
b. 2nd Km	(ii)		4" (100 mm) i/d pipes:-				
b. 2nd Km							
c. 3rd Km		a.	1st Km	Km			
d. 4th Km		b.	2nd Km	Km	32.4		
e. 5th Km		C.	3rd Km	Km	23.2		
f. 6th Km g. 7th Km h. 8th Km i. 9th Km Km 9.3 j. 10th Km Km Km 8.6 k. 11th Km & subsequent Kms 5" (125 mm) i/d pipes:- a. 1st Km b. 2nd Km		d.	4th Km	Km	18.2		
g. 7th Km		e.	5th Km	Km	15.1		
h. 8th Km		f.	6th Km	Km	13.0		
i. 9th Km 9.3 j. 10th Km Km 8.6 k. 11th Km & subsequent Kms Km 2.2 (iii) 5" (125 mm) i/d pipes:- a. 1st Km Km 50.3 b. 2nd Km Km 50.4		g.	7th Km	Km	11.4		
j. 10th Km		h.	8th Km	Km	10.3		
k. 11th Km & subsequent Kms 5" (125 mm) i/d pipes:- a. 1st Km b. 2nd Km Km 2.2 Km 50.3 Km 50.4		i.	9th Km	Km	9.3		
(iii) 5" (125 mm) i/d pipes:- a. 1st Km		j.	10th Km	Km	8.6		
a. 1st Km Km 50.3 b. 2nd Km Km 50.4		k.	11th Km & subsequent Kms	Km	2.2		
b. 2nd Km	(iii)		5" (125 mm) i/d pipes:-				
b. 2nd Km		2	1et Km	Km	50.3		
c. 3rd Km Km 36.0							
d. 4th Km Km 28.3 e. 5th Km Km 23.5							

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	f.	6th Km	Km	20.2		
	g.	7th Km	Km	17.8		
	h.	8th Km	Km	16.0		
	i.	9th Km	Km	14.5		
	j.	10th Km	Km	13.3		
	k.	11th Km & subsequent Kms	Km	3.4		
(iv)		6" (150 mm) i/d pipes:				
	a.	1st Km	Km	70.1		
	b.	2nd Km	Km	70.2		
	c.	3rd Km	Km	50.2		
	d.	4th Km	Km	39.4		
	e.	5th Km	Km	32.7		
	f.	6th Km	Km	28.1		
	g.	7th Km	Km	24.8		
	h.	8th Km	Km	22.2		
	i.	9th Km	Km	20.2		
	j.	10th Km	Km	18.6		
	k.	11th Km & subsequent Kms	Km	4.8		
(v)		8" (200 mm) i/d pipes:-				
	a.	1st Km	Km	143.7		
	b.	2nd Km	Km	144.0		
	C.	3rd Km	Km	102.9		
	d.	4th Km	Km	80.9		
	e.	5th Km	Km	67.1		
	f.	6th Km	Km	57.7		
	g.	7th Km	Km	50.8		
	h.	8th Km	Km	45.6		
	i.	9th Km	Km	41.4		

Sr. No.		Description	Unit	Rate (Rs.)	Dof Took	
				Labour	Ref. Tech. Specs.	
	j.	10th Km	Km	38.1		
	k.	11th Km & subsequent Kms	Km	9.8		
(vi)		10" (250 mm) i/d pipes:-	1			
	a.	1st Km	Km	197.6		
	b.	2nd Km	Km	198.0		
	c.	3rd Km	Km	141.5		
	d.	4th Km	Km	111.3		
	e.	5th Km	Km	92.3		
	f.	6th Km	Km	79.4		
	g.	7th Km	Km	69.9		
	h.	8th Km	Km	62.7		
	i.	9th Km	Km	57.0		
	j.	10th Km	Km	52.4		
	k.	11th Km & subsequent Kms	Km	13.4		
(vii)		12" (300 mm) i/d pipes:-				
	a.	1st Km	Km	269.5		
	b.	2nd Km	Km	269.9		
	c.	3rd Km	Km	192.9		
	d.	4th Km	Km	151.7		
	e.	5th Km	Km	125.9		
	f.	6th Km	Km	108.2		
	g.	7th Km	Km	95.3		
	h.	8th Km	Km	85.5		
	i.	9th Km	Km	77.7		
	j.	10th Km	Km	71.4		
	k.	11th Km & subsequent Kms	Km	18.3		