				Rate (Rs.)		
Sr. N	lo.	Description	Unit	Labour	Ref. Tech. Specs.	
1		Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1	
	a.	1st Km	Km	135.8		
	b.	2nd Km	Km	135.8		
	C.	3rd Km	Km	99.2		
	d.	4th Km	Km	79.5		
	e.	5th Km	Km	67.1		
	f.	6th Km	Km	58.6		
	g.	7th Km	Km	52.3		
	h.	8th Km	Km	47.6		
	i.	9th Km	Km	43.8		
	j.	10th Km	Km	40.7		
	k.	11th Kms to 200Kms	Km	14.8		
	I.	201 Kms to 250 Kms	Km	13.4		
2		Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.			1.1	
	a.	1st Km	Km	100.6		
	b.	2nd Km	Km	100.3		
	c.	3rd Km	Km	75.6		
	d.	4th Km	Km	62.2		
	e.	5th Km	Km	53.7		
	f.	6th Km	Km	47.8		
	g.	7th Km	Km	43.4		
	h.	8th Km	Km	40.1		
	i.	9th Km	Km	37.4		
	j.	10th Km	Km	35.2		
	k.	11th Kms to 200Kms	Km	17.0		

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech.	
				Laboui	Specs.	
	I.	201 Kms to 250 Kms	Km	16.1		
3		Carriage of 100 maunds of fuel wood by truck or any other means owned by the contract <sup>or</sup> :			1.1	
	a.	1st Km	Km	51.8		
	b.	2nd Km	Km	51.3		
	c.	3rd Km	Km	37.7		
	d.	4th Km	Km	31.5		
	e.	5th Km	Km	27.9		
	f.	6th Km	Km	25.5		
	g.	7th Km	Km	23.8		
	h.	8th Km	Km	22.5		
	i.	9th Km	Km	21.5		
	j.	10th Km	Km	20.6		
	k.	11th to 200 Kms	Km	14.8		
	М.	251 Kms & subsequent Kms				
4		Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-			1.1	
	a.	1st Km	Km	53.8		
	b.	2nd Km	Km	53.6		
	c.	3rd Km	Km	35.6		
	d.	4th Km	Km	27.9		
	e.	5th Km	Km	23.8		
	f.	6th Km	Km	21.2		
	g.	7th Km	Km	19.4		
	h.	8th Km	Km	18.1		
	i.	9th Km	Km	17.1		
	j.	10th Km	Km	16.3		
	k.	11th & subsequent Kms	Km	11.1		

				Rate (Rs.)		
Sr. N	lo.	Description	Unit	Labour	Ref. Tech. Specs.	
5		Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolly 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	210.0		
	b.	2nd Km	Km	123.3	í	
	C.	3rd Km	Km	89.7		
	d.	4th Km	Km	71.7		
	e.	5th Km	Km	60.4		
	f.	6th Km	Km	52.7		
	g.	7th Km	Km	47.1		
	h.	8th Km	Km	42.9		
	i.	9th Km	Km	39.5		
	j.	10th Km	Km	36.8		
	k.	11th Kms to 200Kms	Km	13.7		
	I.	201 Kms to 250 Kms	Km	12.4		
6		Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolly.  25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	139.0		
		2nd Km	Km	84.6		
		3rd Km	Km	63.4		
		4th Km	Km	52.0		
		5th Km	Km	44.9		
		6th Km	Km	40.0		
	g.	7th Km	Km	36.4		
	h.	8th Km	Km	33.7		
	i.	9th Km	Km	31.5		
	j.	10th Km	Km	29.8		
	k.	11th Kms to 200Kms	Km	15.0		
	I.	201 Kms to 250 Kms	Km	14.2		
	I.	201 Kms to 250 Kms	Km	14.2		

Sr. N	lo.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.	
7		Carriage of 100 maunds of fuel wood, by means of material trolly.			1.1	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	487.0		
	b.	2nd Km	Km	277.0		
	c.	3rd Km	Km	195.7		
	d.	4th Km	Km	152.4		
	e.	5th Km	Km	125.4		
	f.	6th Km	Km	107.0		
	g.	7th Km	Km	93.6		
	h.	8th Km	Km	83.5		
	i.	9th Km	Km	83.5		
	j.	10th Km	Km	69.0		
	k.	11th & subsequent Kms	Km	14.2		
8		Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolly. 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	489.6		
	b.	2nd Km	Km	279.1		
	c.	3rd Km	Km	197.7		
	d.	4th Km	Km	154.3		
	e.	5th Km	Km	127.1		
	f.	6th Km	Km	108.7		
	g.	7th Km	Km	95.3		
	h.	8th Km	Km	85.1		
	i.	9th Km	Km	77.0		
	j.	10th Km	Km	70.6		
	k.	11th & subsequent Kms	Km	15.5		

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech.	
9		Carriage of 1000 No. bricks, 9"x4½"x3"(225x113x75 mm) or		Labour	Specs.	
9		8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area				
	a.	1st Km	Km	487.0		
	b.	2nd Km	Km	277.0		
	C.	3rd Km	Km	195.7		
	d.	4th Km	Km	152.4		
	e.	5th Km	Km	125.4		
	f.	6th Km	Km	107.0		
	g.	7th Km	Km	93.6		
	h.	8th Km	Km	83.5		
	i.	9th Km	Km	75.4		
	j.	10th Km	Km	69.0		
	k.	11th & subsequent Kms	Km	14.2		
10		Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	243.5		
	b.	2nd Km	Km	138.5		
	C.	3rd Km	Km	97.9		
	d.	4th Km	Km	76.2		
	e.	5th Km	Km	62.7		
	f.	6th Km	Km	53.5		
	g.	7th Km	Km	46.8		
	h.	8th Km	Km	41.7		
	i.	9th Km	Km	37.7		
	j.	10th Km	Km	34.5		
	k.	11th & subsequent Kms	Km	7.1		
11		Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	300.8		
	b.	2nd Km	Km	301.3		
	C.	3rd Km	Km	215.8		
	d.	4th Km and subsequent kilometers.	Km	170.0		
12		Carriage of 100 Nos. empty cement bags including bundling.				

Sr. N	No.	Description	Unit	Rate (Rs.) Labour	Ref. Tech. Specs.	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	5.7		
	b.	2nd Km	Km	3.2		
	c.	3rd Km	Km	2.2		
	d.	4th Km & subsequent Kms	Km	1.7		
13		Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pilchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area			1.1	
	a.	1st Km	Km	210.0		
	b.	2nd Km	Km	123.3		
	C.	3rd Km	Km	89.7		
	d.	4th Km	Km	71.7		
	e.	5th Km	Km	60.4		
	f.	6th Km	Km	52.7		
	g.	7th Km	Km	47.1		
	h.	8th Km	Km	42.9		
	i.	9th Km	Km	39.5		
	j.	10th Km	Km	36.8		
	k.	11th Km & subsequent	Km	13.7		
14		Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Execeeding 1000 to 5000 ft (300 to 1500 metre)			1.1	
		25 % Extra to be paid for hilly area				
	a.	1st Km	Km	83.4		
	b.	2nd Km	Km	50.7		
	c.	3rd Km	Km	38.0		
	d.	4th Km	Km	31.2		
	e.	5th Km	Km	26.9		
	f.	6th Km	Km	24.0		
	g.	7th Km	Km	21.9		
	h.	8th Km	Km	20.2		
	i.	9th Km	Km	18.9		

Sr. N	lo.	Description	Unit	Rate (Rs.)	Ref. Tech.	
	1			Labour	Specs.	
	j.	10th Km	Km	17.9		
	k.	11th Km & subsequent	Km	9.0		
15		Cooly load for distance:-			1.1	
	a.	Upto 1000 ft. (300 metre)		135.4		
	b.	Exceeding 1000 to 3000 ft. (300 to 900metre)		107.6		
	C.	1st Km	Km	92.4		
	d.	2nd Km	Km	79.7		
	e.	3rd Km & subsequent		63.5		
16		Carriage of small consignments weighing upto 2.5 maunds (job rates) :	] 		1.1	
	(i)					
	(a)	Donkey load for distance upto 500 feet.	Each	37.9		
	(b)	Upto 1000 feet	Each	26.5		
	c)	Upto ½ Mile/ 0.8 Km	Each	17.8		
	(d)	Upto one Mile/ 1.6 Km	Each	14.0		
	(e)	Upto three Miles/ 4.8 Km	Each	11.1		
	(f)	Exceeding 3 Miles/ 16 km	Each	9.6		
	(ii)	Cart load for a distance :-				
	(a)	upto 4 Miles/ 6.4 Km	Each	12.5		
	(b)	Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each	12.0		
17		Hire charges of:-			1.1	
	(i)	truck (10 Ton Capacity)	Per Hour	649.0		
	(ii)	tractor with trolly	Per Hour	360.6		
	(iii)	tractor without trolly	Per Hour	240.4		
18		Carriage of bitumen, tar or other lubricants, in drums:			1.1	
	a.	1st Km	ton	81.6		
	b.	2nd Km	ton	81.8		
	c.	3rd & subsequent Km	ton	58.1		
19		Carriage of Cement Concrete pipes BSS Class 'B" with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-			1.1	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech.	
			Laboui	Specs.	
(i)	3" (75 mm) i/d pipes:-				
a.	1st Km	Km	84.6		
b.	2nd Km	Km	84.9		
c.	3rd Km	Km	60.0		
d.	4th Km	Km	46.8		
e.	5th Km	Km	38.5		
f.	6th Km	Km	32.8		
g.	7th Km	Km	28.7		
h.	8th Km	Km	25.6		
i.	9th Km	Km	23.1		
j.	10th Km	Km	21.1		
k.	11th Km & subsequent	Km	4.2		
(ii)	4" (100 mm) i/d pipes:-				
a.	1st Km	Km	104.9		
b.	2nd Km	Km	105.3		
c.	3rd Km	Km	74.5		
d.	4th Km	Km	58.0		
e.	5th Km	Km	47.7		
f.	6th Km	Km	40.7		
g.	7th Km	Km	35.6		
h.	8th Km	Km	31.7		
i.	9th Km	Km	28.6		
j.	10th Km	Km	26.2		
k.	11th Km & subsequent	Km	5.2		
(iii)	6" (150 mm) i/d pipes:-				
	1st Km	Km	138.8		
			139.2		
	2nd Km	Km			
c.	3rd Km	Km	98.5		

Sr. No.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.
d.	4th Km	Km	76.7	·
e.	5th Km	Km	63.1	
f.	6th Km	Km	53.8	
g.	7th Km	Km	47.1	
h.	8th Km	Km	41.9	
i.	9th Km	Km	37.9	
j.	10th Km	Km	34.6	
k.	11th Km & subsequent	Km	6.9	
(iv)	9" (225 mm) i/d pipes:			
a.	1st Km	Km	226.8	
b.	2nd Km	Km	227.5	
c.	3rd Km	Km	160.9	
d.	4th Km	Km	125.4	
e.	5th Km	Km	103.1	
f.	6th Km	Km	88.0	
g.	7th Km	Km	76.9	
h.	8th Km	Km	68.5	
i.	9th Km	Km	61.9	
j.	10th Km	Km	56.6	
k.	11th Km & subsequent	Km	11.3	
(v)	12" (300 mm) i/d pipes:-			
a.	1st Km	Km	352.0	
b.	2nd Km	Km	353.1	
c.	3rd Km	Km	249.8	
d.	4th Km	Km	194.6	
e.	5th Km	Km	160.1	

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	f.	6th Km	Km	136.6	Specs.	
	g.	7th Km	Km	119.4		
	h.	8th Km	Km	106.4		
	i.	9th Km	Km	96.1		
	j.	10th Km	Km	87.8		
	k.	11th Km & subsequent	Km	17.5		
(vi	) 	16" (400 mm) i/d pipes:-				
	a.	1st Km	Km	477.3		
	b.	2nd Km	Km	478.8		
	c.	3rd Km	Km	338.6		
	d.	4th Km	Km	263.8		
	e.	5th Km	Km	217.0		
	f.	6th Km	Km	185.2		
	g.	7th Km	Km	161.9		
	h.	8th Km	Km	144.3		
	i.	9th Km	Km	130.3		
	j.	10th Km	Km	119.1		
	k.	11th Km & subsequent	Km	23.7		
(viii)		18" (450 mm) i/d pipes:-				
	a.	1st Km	Km	693.9		
	b.	2nd Km	Km	696.1		
	c.	3rd Km	Km	492.4		
	d.	4th Km	Km	383.6		
	e.	5th Km	Km	315.5		
	f.	6th Km	Km	269.2		
	g.	7th Km	Km	235.4		
	h.	8th Km	Km	209.7		
	i.	9th Km	Km	189.4		
	j.	10th Km	Km	173.1		

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	k.	11th Km & subsequent	Km	34.4		
(ix)		20" (500 mm) i/d pipes:-				
	a.	1st Km	Km	761.6		
	b.	2nd Km	Km	764.0		
	C.	3rd Km	Km	540.4		
	d.	4th Km	Km	421.0		
		5th Km	Km	346.3		
	f.	6th Km	Km	295.5		
	g.	7th Km	Km	258.3		
	h.	8th Km	Km	230.2		
	i.	9th Km	Km	207.9		
	j.	10th Km	Km	190.0		
	k.	11th Km & subsequent Kms	Km	37.8		
(x)		24" (600 mm) i/d pipes:-				
	a.	1st Km	Km	1,015.5		
	b.	2nd Km	Km	1,018.7		
	c.	3rd Km	Km	720.5		
	d.	4th Km	Km	561.3		
	e.	5th Km	Km	461.7		
	f.	6th Km	Km	394.0		
	g.	7th Km	Km	344.4		
	h.	8th Km	Km	306.9		
	i.	9th Km	Km	277.2		
	j.	10th Km	Km	253.4		
	k.	11th Km & subsequent Kms	Km	50.4		
20		Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-			1.1	
(i)		3" (75 mm) i/d pipes:-				

			Rate (Rs.)	D. ( T )	
Sr. No.	Description	Unit	Labour	Ref. Tech. Specs.	
а	1st Km	Km	21.7		
b		Km	21.7		
c		Km	15.5		
	4th Km	Km	12.2		
e	( ) make	Km	10.2		
f.		Km	8.8		
g	74h. Kee	Km	7.7		
h	JAMMU & KASK	Km	6.9		
i.	9th Km	Km	6.3		
j.	10th Km	Km	5.8		
k	11th Km & subsequent Kms	Km	1.6		
(ii)	4" (100 mm) i/d pipes:-				
а	1st Km	Km	32.5		
b	2nd Km	Km	32.5		
С	3rd Km	Km	23.3		
d	4th Km	Km	18.4		
е	5th Km	Km	15.3		
f.	6th Km	Km	13.1		
g	7th Km	Km	11.6		
h	8th Km	Km	10.4		
i.	9th Km	Km	9.5		
j.	10th Km	Km	8.7		
k	11th Km & subsequent Kms	Km	2.3		
(iii)	5" (125 mm) i/d pipes:-				
а	1st Km	Km	50.5		
	2nd Km	Km	50.6		
C		Km	36.3		
	4th Km	Km	28.6		
	5th Km	Km	23.7		

Sr. N	lo.	Description		Rate (Rs.) Labour	Ref. Tech. Specs.	
	f.	6th Km	Km	20.4		
	g.	7th Km	Km	18.0		
	h.	8th Km	Km	16.2		
	i.	9th Km	Km	14.7		
	j.	10th Km	Km	13.6		
	k.	11th Km & subsequent Kms	Km	3.7		
(iv)		6" (150 mm) i/d pipes:				
	a.	1st Km	Km	70.4		
	b.	2nd Km	Km	70.5		
	c.	3rd Km	Km	50.5		
	d.	4th Km	Km	39.8		
	e.	5th Km	Km	33.1		
	f.	6th Km	Km	28.5		
	g.	7th Km	Km	25.1		
	h.	8th Km	Km	22.6		
	i.	9th Km	Km	20.5		
	j.	10th Km	Km	18.9		
	k.	11th Km & subsequent Kms	Km	5.1		
(v)		8" (200 mm) i/d pipes:-				
	a.	1st Km	Km	144.4		
	b.	2nd Km	Km	144.6		
	c.	3rd Km	Km	103.6		
	d.	4th Km	Km	81.6		
	e.	5th Km	Km	67.8		
	f.	6th Km	Km	58.4		
	g.	7th Km	Km	51.5		
	h.	8th Km	Km	46.3		
	i.	9th Km	Km	42.1		

Sr. No.		Description	Unit	Rate (Rs.)	Def Teels	
				Labour	Ref. Tech. Specs.	
	j.	10th Km	Km	38.8		
	k.	11th Km & subsequent Kms	Km	10.4		
(vi)		10" (250 mm) i/d pipes:-				
	a.	1st Km	Km	198.5		
	b.	2nd Km	Km	198.9		
	c.	3rd Km	Km	142.4		
	d.	4th Km	Km	112.2		
	e.	5th Km	Km	93.2		
	f.	6th Km	Km	80.3		
	g.	7th Km	Km	70.8		
	h.	8th Km	Km	63.6		
	i.	9th Km	Km	57.9		
	j.	10th Km	Km	53.3		
	k.	11th Km & subsequent Kms	Km	14.4		
(vii)		12" (300 mm) i/d pipes:-				
	a.	1st Km	Km	270.7		
	b.	2nd Km	Km	271.2		
	c.	3rd Km	Km	194.2		
	d.	4th Km	Km	153.0		
	e.	5th Km	Km	127.1		
	f.	6th Km	Km	109.5		
	g.	7th Km	Km	96.6		
	h.	8th Km	Km	86.8		
	i.	9th Km	Km	79.0		
	j.	10th Km	Km	72.7		
	k.	11th Km & subsequent Kms	Km	19.6		