

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.			1.1	
	a. 1st Km	Km	134.7		
	b. 2nd Km	Km	134.6		
	c. 3rd Km	Km	98.0		
	d. 4th Km	Km	78.3		
	e. 5th Km	Km	66.0		
	f. 6th Km	Km	57.4		
	g. 7th Km	Km	51.2		
	h. 8th Km	Km	46.4		
	i. 9th Km	Km	42.6		
	j. 10th Km	Km	39.5		
	k. 11th Kms to 200Kms	Km	13.6		
	l. 201 Kms to 250 Kms	Km	12.2		
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing,Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc.by truck or any other means owned by the contractor.			1.1	
	a. 1st Km	Km	99.3		
	b. 2nd Km	Km	98.9		
	c. 3rd Km	Km	74.2		
	d. 4th Km	Km	60.8		
	e. 5th Km	Km	52.3		
	f. 6th Km	Km	46.4		
	g. 7th Km	Km	42.0		
	h. 8th Km	Km	38.7		
	i. 9th Km	Km	36.0		
	j. 10th Km	Km	33.8		
	k. 11th Kms to 200Kms	Km	15.6		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	i. 201 Kms to 250 Kms	Km		14.7	1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km		50.4		
	b. 2nd Km	Km		50.0		
	c. 3rd Km	Km		36.4		
	d. 4th Km	Km		30.1		
	e. 5th Km	Km		26.5		
	f. 6th Km	Km		24.2		
	g. 7th Km	Km		22.5		
	h. 8th Km	Km		21.2		
	i. 9th Km	Km		20.1		
	j. 10th Km	Km		19.3		
	k. 11th to 200 Kms	Km		13.5		
M. 251 Kms & subsequent Kms						
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km		52.8	1.1	
	b. 2nd Km	Km		52.6		
	c. 3rd Km	Km		34.6		
	d. 4th Km	Km		26.9		
	e. 5th Km	Km		22.8		
	f. 6th Km	Km		20.2		
	g. 7th Km	Km		18.4		
	h. 8th Km	Km		17.1		
	i. 9th Km	Km		16.1		
	j. 10th Km	Km		15.3		
	k. 11th & subsequent Kms	Km		10.1		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		208.8	
b.	2nd Km	Km		122.1	
c.	3rd Km	Km		88.4	
d.	4th Km	Km		70.5	
e.	5th Km	Km		59.2	
f.	6th Km	Km		51.5	
g.	7th Km	Km		45.9	
h.	8th Km	Km		41.6	
i.	9th Km	Km		38.3	
j.	10th Km	Km		35.6	
k.	11th Kms to 200Kms	Km		12.5	
l.	201 Kms to 250 Kms	Km		11.2	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		137.5	
b.	2nd Km	Km		83.1	
c.	3rd Km	Km		61.9	
d.	4th Km	Km		50.6	
e.	5th Km	Km		43.4	
f.	6th Km	Km		38.5	
g.	7th Km	Km		35.0	
h.	8th Km	Km		32.2	
i.	9th Km	Km		30.1	
j.	10th Km	Km		28.3	
k.	11th Kms to 200Kms	Km		13.5	
l.	201 Kms to 250 Kms	Km		12.7	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		486.1	
b.	2nd Km	Km		276.1	
c.	3rd Km	Km		194.9	
d.	4th Km	Km		151.6	
e.	5th Km	Km		124.5	
f.	6th Km	Km		106.2	
g.	7th Km	Km		92.8	
h.	8th Km	Km		82.6	
i.	9th Km	Km		82.6	
j.	10th Km	Km		68.2	
k.	11th & subsequent Kms	Km		13.3	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		488.6	
b.	2nd Km	Km		278.1	
c.	3rd Km	Km		196.7	
d.	4th Km	Km		153.3	
e.	5th Km	Km		126.1	
f.	6th Km	Km		107.7	
g.	7th Km	Km		94.3	
h.	8th Km	Km		84.1	
i.	9th Km	Km		76.0	
j.	10th Km	Km		69.6	
k.	11th & subsequent Kms	Km		14.5	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	486.1		
b.	2nd Km	Km	276.1		
c.	3rd Km	Km	194.9		
d.	4th Km	Km	151.6		
e.	5th Km	Km	124.5		
f.	6th Km	Km	106.2		
g.	7th Km	Km	92.8		
h.	8th Km	Km	82.6		
i.	9th Km	Km	74.6		
j.	10th Km	Km	68.2		
k.	11th & subsequent Kms	Km	13.3		
10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	243.1		
b.	2nd Km	Km	138.1		
c.	3rd Km	Km	97.4		
d.	4th Km	Km	75.8		
e.	5th Km	Km	62.3		
f.	6th Km	Km	53.1		
g.	7th Km	Km	46.4		
h.	8th Km	Km	41.3		
i.	9th Km	Km	37.3		
j.	10th Km	Km	34.1		
k.	11th & subsequent Kms	Km	6.7		
11	Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1	
a.	1st Km	Km	299.4		
b.	2nd Km	Km	300.0		
c.	3rd Km	Km	214.4		
d.	4th Km and subsequent kilometers.	Km	168.6		
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	25 % Extra to be paid for hilly area				
	a. 1st Km	Km		5.7	
	b. 2nd Km	Km		3.2	
	c. 3rd Km	Km		2.2	
	d. 4th Km & subsequent Kms	Km		1.7	
13	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pitch, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km		208.8	
	b. 2nd Km	Km		122.1	
	c. 3rd Km	Km		88.4	
	d. 4th Km	Km		70.5	
	e. 5th Km	Km		59.2	
	f. 6th Km	Km		51.5	
	g. 7th Km	Km		45.9	
	h. 8th Km	Km		41.6	
	i. 9th Km	Km		38.3	
	j. 10th Km	Km		35.6	
	k. 11th Km & subsequent	Km		12.5	
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km		82.5	
	b. 2nd Km	Km		49.9	
	c. 3rd Km	Km		37.2	
	d. 4th Km	Km		30.3	
	e. 5th Km	Km		26.1	
	f. 6th Km	Km		23.1	
	g. 7th Km	Km		21.0	
	h. 8th Km	Km		19.3	
	i. 9th Km	Km		18.0	

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
15	j. 10th Km	Km		17.0	1.1	
	k. 11th Km & subsequent	Km		8.1		
	Cooly load for distance:-					
	a. Upto 1000 ft. (300 metre)			135.4		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)			107.6		
16	c. 1st Km	Km		92.4	1.1	
	d. 2nd Km	Km		79.7		
	e. 3rd Km & subsequent			63.5		
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :					
	(i) Carriage of consignments odd jobs.					
	(a) Donkey load for distance upto 500 feet.	Each		37.9		
	(b) Upto 1000 feet	Each		26.5		
	(c) Upto ½ Mile/ 0.8 Km	Each		17.8		
	(d) Upto one Mile/ 1.6 Km	Each		14.0		
	(e) Upto three Miles/ 4.8 Km	Each		11.1		
	(f) Exceeding 3 Miles/ 16 km	Each		9.6		
17	(ii) Cart load for a distance :-				1.1	
	(a) upto 4 Miles/ 6.4 Km	Each		12.5		
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		12.0		
	Hire charges of:-					
	(i) truck (10 Ton Capacity)	Per Hour		649.0		
18	(ii) tractor with trolley	Per Hour		360.6	1.1	
	(iii) tractor without trolley	Per Hour		240.4		
	Carriage of bitumen, tar or other lubricants, in drums:					
19	a. 1st Km	ton		81.3	1.1	
	b. 2nd Km	ton		81.5		
	c. 3rd & subsequent Km	ton		57.9		
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-				1.1	

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km		84.4	
b.	2nd Km	Km		84.7	
c.	3rd Km	Km		59.8	
d.	4th Km	Km		46.6	
e.	5th Km	Km		38.3	
f.	6th Km	Km		32.6	
g.	7th Km	Km		28.5	
h.	8th Km	Km		25.4	
i.	9th Km	Km		22.9	
j.	10th Km	Km		20.9	
k.	11th Km & subsequent	Km		4.0	
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km		104.7	
b.	2nd Km	Km		105.0	
c.	3rd Km	Km		74.2	
d.	4th Km	Km		57.7	
e.	5th Km	Km		47.5	
f.	6th Km	Km		40.5	
g.	7th Km	Km		35.3	
h.	8th Km	Km		31.5	
i.	9th Km	Km		28.4	
j.	10th Km	Km		25.9	
k.	11th Km & subsequent	Km		4.9	
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km		138.4	
b.	2nd Km	Km		138.9	
c.	3rd Km	Km		98.1	



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
d.	4th Km	Km	76.4	
e.	5th Km	Km	62.8	
f.	6th Km	Km	53.5	
g.	7th Km	Km	46.7	
h.	8th Km	Km	41.6	
i.	9th Km	Km	37.5	
j.	10th Km	Km	34.3	
k.	11th Km & subsequent	Km	6.5	
(iv)	9" (225 mm) i/d pipes:			
a.	1st Km	Km	226.2	
b.	2nd Km	Km	226.9	
c.	3rd Km	Km	160.4	
d.	4th Km	Km	124.8	
e.	5th Km	Km	102.6	
f.	6th Km	Km	87.4	
g.	7th Km	Km	76.4	
h.	8th Km	Km	68.0	
i.	9th Km	Km	61.3	
j.	10th Km	Km	56.0	
k.	11th Km & subsequent	Km	10.7	
(v)	12" (300 mm) i/d pipes:-			
a.	1st Km	Km	351.2	
b.	2nd Km	Km	352.3	
c.	3rd Km	Km	248.9	
d.	4th Km	Km	193.7	
e.	5th Km	Km	159.2	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	135.7		
	g. 7th Km	Km	118.5		
	h. 8th Km	Km	105.5		
	i. 9th Km	Km	95.2		
	j. 10th Km	Km	87.0		
	k. 11th Km & subsequent	Km	16.6		
(vi)	16" (400 mm) i/d pipes:-				
	a. 1st Km	Km	476.1		
	b. 2nd Km	Km	477.6		
	c. 3rd Km	Km	337.5		
	d. 4th Km	Km	262.6		
	e. 5th Km	Km	215.8		
	f. 6th Km	Km	184.0		
	g. 7th Km	Km	160.7		
	h. 8th Km	Km	143.1		
	i. 9th Km	Km	129.1		
	j. 10th Km	Km	117.9		
	k. 11th Km & subsequent	Km	22.5		
(viii)	18" (450 mm) i/d pipes:-				
	a. 1st Km	Km	692.2		
	b. 2nd Km	Km	694.4		
	c. 3rd Km	Km	490.6		
	d. 4th Km	Km	381.9		
	e. 5th Km	Km	313.8		
	f. 6th Km	Km	267.5		
	g. 7th Km	Km	233.7		
	h. 8th Km	Km	208.0		
	i. 9th Km	Km	187.7		
	j. 10th Km	Km	171.4		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
		Labour		
(ix)	k. 11th Km & subsequent	Km	32.7	
	20" (500 mm) i/d pipes:-			
	a. 1st Km	Km	759.8	
	b. 2nd Km	Km	762.1	
	c. 3rd Km	Km	538.5	
	d. 4th Km	Km	419.1	
	e. 5th Km	Km	344.4	
	f. 6th Km	Km	293.6	
	g. 7th Km	Km	256.4	
	h. 8th Km	Km	228.3	
	i. 9th Km	Km	206.0	
	j. 10th Km	Km	188.1	
	k. 11th Km & subsequent Kms	Km	35.9	
(x)	24" (600 mm) i/d pipes:-			
	a. 1st Km	Km	1,013.0	
	b. 2nd Km	Km	1,016.2	
	c. 3rd Km	Km	718.0	
	d. 4th Km	Km	558.8	
	e. 5th Km	Km	459.2	
	f. 6th Km	Km	391.5	
	g. 7th Km	Km	341.9	
	h. 8th Km	Km	304.4	
	i. 9th Km	Km	274.7	
	j. 10th Km	Km	250.8	
	k. 11th Km & subsequent Kms	Km	47.9	
	20	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-		
(i)	3" (75 mm) i/d pipes:-			

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
a.	1st Km	Km	21.6	
b.	2nd Km	Km	21.6	
c.	3rd Km	Km	15.4	
d.	4th Km	Km	12.1	
e.	5th Km	Km	10.1	
f.	6th Km	Km	8.7	
g.	7th Km	Km	7.6	
h.	8th Km	Km	6.8	
i.	9th Km	Km	6.2	
j.	10th Km	Km	5.7	
k.	11th Km & subsequent Kms	Km	1.5	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km	Km	32.3	
b.	2nd Km	Km	32.4	
c.	3rd Km	Km	23.2	
d.	4th Km	Km	18.2	
e.	5th Km	Km	15.1	
f.	6th Km	Km	13.0	
g.	7th Km	Km	11.4	
h.	8th Km	Km	10.3	
i.	9th Km	Km	9.3	
j.	10th Km	Km	8.6	
k.	11th Km & subsequent Kms	Km	2.2	
(iii)	5" (125 mm) i/d pipes:-			
a.	1st Km	Km	50.3	
b.	2nd Km	Km	50.4	
c.	3rd Km	Km	36.0	
d.	4th Km	Km	28.3	
e.	5th Km	Km	23.5	

Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	20.2	
	g. 7th Km	Km	17.8	
	h. 8th Km	Km	16.0	
	i. 9th Km	Km	14.5	
	j. 10th Km	Km	13.3	
	k. 11th Km & subsequent Kms	Km	3.4	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	70.1	
	b. 2nd Km	Km	70.2	
	c. 3rd Km	Km	50.2	
	d. 4th Km	Km	39.4	
	e. 5th Km	Km	32.7	
	f. 6th Km	Km	28.1	
	g. 7th Km	Km	24.8	
	h. 8th Km	Km	22.2	
	i. 9th Km	Km	20.2	
	j. 10th Km	Km	18.6	
	k. 11th Km & subsequent Kms	Km	4.8	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	143.7	
	b. 2nd Km	Km	144.0	
	c. 3rd Km	Km	102.9	
	d. 4th Km	Km	80.9	
	e. 5th Km	Km	67.1	
	f. 6th Km	Km	57.7	
	g. 7th Km	Km	50.8	
	h. 8th Km	Km	45.6	
	i. 9th Km	Km	41.4	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	j. 10th Km	Km		38.1	
	k. 11th Km & subsequent Kms	Km		9.8	
(vi)	10" (250 mm) i/d pipes:-				
	a. 1st Km	Km		197.6	
	b. 2nd Km	Km		198.0	
	c. 3rd Km	Km		141.5	
	d. 4th Km	Km		111.3	
	e. 5th Km	Km		92.3	
	f. 6th Km	Km		79.4	
	g. 7th Km	Km		69.9	
	h. 8th Km	Km		62.7	
	i. 9th Km	Km		57.0	
	j. 10th Km	Km		52.4	
	k. 11th Km & subsequent Kms	Km		13.4	
(vii)	12" (300 mm) i/d pipes:-				
	a. 1st Km	Km		269.5	
	b. 2nd Km	Km		270.0	
	c. 3rd Km	Km		192.9	
	d. 4th Km	Km		151.7	
	e. 5th Km	Km		125.9	
	f. 6th Km	Km		108.2	
	g. 7th Km	Km		95.3	
	h. 8th Km	Km		85.5	
	i. 9th Km	Km		77.7	
	j. 10th Km	Km		71.4	
	k. 11th Km & subsequent Kms	Km		18.3	

