| C: No | Description | l l m i 4 | Rate | (Rs.) |
|----------|---|----------------|-----------------|-----------------|
| Sr. No. | Description | Unit | Labour | Composite |
| | STONE WORK | | | |
| 4-1 | Dismantling dry stone masonry | Cu.m. | 119.40 | 119.40 |
| | | Cu.ft | 3.40 | 3.40 |
| 4-2 | Dismantling stone masonry in mud mortar. | Cu.m. | 172.50 | 172.50 |
| 4-2 | Distributing stone masonly in mud mortar. | Cu.ft | 4.90 | 4.90 |
| | | | | |
| 4-3 | Dismantling stone masonry in lime or cement mortar. | Cu.m. Cu.ft | 384.75 10.90 | 384.75 10.90 |
| | / | Od.it.: | 10.00 | 10.00 |
| 4-4 a) | Dismantling dry stone or spawl pitching. | Cu.m. | 212.30 | 212.30 |
| | | Cu.ft | 6.00 | 6.00 |
| b) | Dismantling stone or spawl pitching (mud grouted). | Cu.m. | 252.10 | 252.10 |
| | | Cu.ft | 7.15 | 7.15 |
| 4-5 | Dismantling stone or spawl pitching and apron in silted condition. | Cu.m. | 331.70 | 331.70 |
| | Solid and Specific or Spain, proving and Specific or Solid Container. | Cu.ft | 9.40 | 9.40 |
| 4.0 | Diamonthing stone witching compart or lines are used | C: | 517.45 | F47.4F |
| 4-6 | Dismantling stone pitching, cement or lime grouted. | Cu.m. Cu.ft | 14.65 | 517.45 14.65 |
| 70 | The state of the | | 1 0 | |
| 4-7 | Dismantling stone in | | / - | |
| a) | Wooden crates | Cu.m. | 265.35 | 265.35 |
| | | Cu.ft | 7.50 | 7.50 |
| b) | Wire mesh crates | Cu.m. | 318.40 | 318.40 |
| | | Cu.ft | 9.00 | 9.00 |
| c) | Mild steel mesh crates | Cu.m. | 371.50 | 371.50 |
| ' | Va 1 | Cu.ft | 10.50 | 10.50 |
| 4-8 | Dismantling stoneware drain including base concrete | Cu.m. | 199.00 | 199.00 |
| 10 | Dismanting stoneware drain including base concrete | Cu.ft | 5.65 | 5.65 |
| | | | | |
| | BRICK WORK | _ | | |
| 4-9 | Dismantling mud/pise walling | Cu.m. Cu.ft | 66.35 1.90 | 66.35 1.90 |
| | | Ou.it | 1.50 | 1.50 |
| 4-10 | Dismantling sundried brick masonry | Cu.m. | 172.50 | 172.50 |
| | | Cu.ft | 4.90 | 4.90 |
| 4-11 a) | Dismantling dry brick masonry in ground floor | Cu.m. | 119.40 | 119.40 |
| | | Cu.ft | 3.40 | 3.40 |
| h) | Extra for first floor | Cu.m. | 18.55 | 18.55 |
| -, | | Cu.ft | 0.55 | 0.55 |
| 4.40 -: | Diamonthing brickwork in residence | C | 205 55 | 205 55 |
| 4-12 a) | Dismantling brickwork in mud mortar | Cu.m. Cu.ft | 225.55 6.40 | 225.55 6.40 |
| | | | | |
| b) | Extra for first floor | Cu.m. Cu.ft | 37.15 1.05 | 37.15 1.05 |
| | | Gu.It | 1.00 | 1.00 |
| 4-13 a) | Dismantling brickwork in lime or cement mortar upto 9" width | Cu.m. | 543.95 | 543.95 |
| | | Cu.ft | 15.40 | 15.40 |

| Sr. No | Description | Unit | Rate | (Rs.) |
|--------|---|----------------|------------------|------------------|
| or. NO | Description | Unit | Labour | Composite |
| | Dismantling brickwork in lime or cement mortar greater than 9"width | Cu.m. Cu.ft | 597.05 16.90 | 597.05 16.90 |
| | e) Extra for first floor upto 9" width | Cu.m. Cu.ft | 87.55 2.50 | 87.55 2.50 |
| | Extra for first floor greater than 9" width | Cu.m. Cu.ft | 103.50 2.95 | 103.50 2.95 |
| 4-14 | Dismantling cement block masonry upto 8" width | Cu.m. Cu.ft | 490.90 13.90 | 490.90 13.90 |
| | Dismantling cement block masonry greater than 8" width | Cu.m. Cu.ft | 543.95 15.40 | 543.95 15.40 |
| | Extra for first floor upto 8" width | Cu.m. Cu.ft | 79.60 2.25 | 79.60 2.25 |
| | Extra for first floor greater than 8" width | Cu.m. Cu.ft | 95.55 2.70 | 95.55 2.70 |
| 4-15 | Dismantling dhajji walling | Cu.m. Cu.ft | 132.70 3.75 | 132.70 3.75 |
| 1 | CONCRETE | 1 | - | |
| 4-16 | Dismantling mud concrete | Cu.m. Cu.ft | 305.15 8.65 | 305.15 8.65 |
| 4-17 | Dismantling lime concrete | Cu.m. Cu.ft | 371.50 10.50 | 427.20 12.10 |
| 4-18 | Dismantling lime or cement concrete under water. | Cu.m. Cu.ft | 1485.95 42.10 | 1708.85 48.40 |
| 4-19 | Dismantling plain cement concrete 1 : 2 : 4 & richer mixes | Cu.m. Cu.ft | 1406.35 39.85 | 1617.30 45.80 |
| | Dismantling plain cement concrete 1 : 3 : 6 | Cu.m. Cu.ft | 1194.10 33.80 | 1373.20 38.90 |
| | Dismantling plain cement concrete 1 : 4 : 8 & leaner mixes | Cu.m. Cu.ft | 716.45 20.30 | 823.90 23.35 |
| | Dismantling cement concrete with brick aggregate | Cu.m. Cu.ft | 424.55 12.00 | 488.25 13.85 |
| | Dismantling 2 inch (50 mm.) thick cement concrete D.P.C. | Cu.m. Cu.ft | 199.00 5.65 | 228.85 6.50 |
| 4-20 | Dismantling reinforced cement concrete, separating reinforcement from concrete, clearing and straightening the same | Cu.m. Cu.ft | 2335.10 66.15 | 2685.35 76.05 |
| | ROOFING | | | |
| 4-21 | Dismantling sirki, sarkanda or thached roofing, supported on battens or ballies | Sq.m. Sq.ft | 26.55 2.45 | 26.55 2.45 |
| 4-22 | Dismantling 1st class tile roofing | Sq.m. Sq.ft | 63.70 5.90 | 63.70 5.90 |

| Sr. N | _ | Description | Unit | Rate | e (Rs.) |
|-------|----|--|----------------|-----------------|-----------------|
| 31.14 | 0. | Description | Oilit | Labour | Composite |
| | b) | Dismantling 2nd class tile roofing | Sq.m. Sq.ft | 53.05 4.95 | 53.05 4.95 |
| 4-23 | | Dismantling from any height, asbestos sheets and ridge coping | Sq.m. Sq.ft | 36.15 3.35 | 36.15 3.35 |
| 4-24 | a) | Dismantling roof of wooden planks and battens from any height | Sq.m. Sq.ft | 27.15 2.50 | 27.15 2.50 |
| | b) | Dismantling wooden ceiling above 20 ft. (6 m.) height in difficult position, including lifting with care and special scaffolding along live electric wires with machines underneath | Sq.m. Sq.ft | 116.95 10.85 | 116.95 10.85 |
| 4-25 | | Dismantling jack arch roofing including removal of joints | Sq.m. Sq.ft | 79.60 7.40 | 79.60 7.40 |
| 4-26 | | Dismantling R.B. roof complete with mud and mud plaster, including separating reinforcement, clearing and straightening the same. | Sq.m. Sq.ft | 106.15 9.85 | 106.15 9.85 |
| 4-27 | a) | Stripping and stacking slate or tiles from the truss roofing | Sq.m. Sq.ft | 53.05 4.95 | 53.05 4.95 |
| | b) | Stripping and stacking G.I. sheet roof | Sq.m. Sq.ft | 47.30 4.40 | 47.30 4.40 |
| | c) | Extra for dismantling G.I. sheet roof above 20 ft. (6 m.) in difficult position, including lifting with special scaffolding along live electric wire with machine underneath | Sq.m. Sq.ft | 77.85 7.25 | 77.85 7.25 |
| | d) | Dismantling R.S. beam in ground floor and stacking lead upto 300 ft. (90m.) | Sq.m. Sq.ft | 9.45 0.90 | 9.45 0.90 |
| | e) | Dismantling planked ceiling and its supporting timber in ground floor including stacking serviceable material & disposal of unserviceable material upto 300 ft. (90 m.) | Sq.m. Sq.ft | 43.65 4.05 | 43.65 4.05 |
| 4-28 | | Dismantling slates or tiles including battens, purlins and planking. | Sq.m. Sq.ft | 92.85 8.65 | 92.85 8.65 |
| | | FLOORING | | | |
| 4-29 | | Dismantling brick or flagged flooring without concrete foundation. | Sq.m. Sq.ft | 37.15 3.45 | 37.15 3.45 |
| 4-30 | a) | Dismantling plank or wooden block flooring etc | Sq.m. Sq.ft | 53.05 4.95 | 53.05 4.95 |
| | b) | Dismantling stone or precast slab floors of any thickness in any matter including stacking serviceable material and disposing of surplus material lead upto 300 ft.(90m) | Sq.m. Sq.ft | 238.80 22.20 | 238.80 22.20 |
| | c) | Dismantling cement tiled/terrazzo floor in basement, plinth and ground floor including base mortar and staking salvaged material (serviceable) and disposing of surplus stuff as directed within 300 ft. (90 m.) | Sq.m. Sq.ft | 238.80 22.20 | 238.80 22.20 |
| | d) | Dismantling dado or skirting in basement, plinth and ground floor including base mortar and staking salvaged material (serviceable) and disposing of surplus stuff as directed within 300 ft. (90 m.) | Sq.m. Sq.ft | 238.80 22.20 | 238.80 22.20 |

| C= N | | Description | Unit | Rate (Rs.) | |
|--------|----|---|--------------------------|------------------|------------------|
| Sr. No | ο. | Description | Unit | Labour | Composite |
| 4-31 | | Disjoining RCC pipes inside the trench, dismantling and removing the pipes from the trench and stacking them outside. | | | |
| | a) | 6 inches to 12 inches (150 mm to 300 mm.) diameter | R.M. R.ft | 47.75 14.55 | 47.75 14.55 |
| | b) | Above 1 ft. to 2 ft. (300mm to 600mm.) diameter | R.M. R.ft | 79.60 24.25 | 79.60 24.25 |
| | c) | Above 2 ft to 3 ft. (600mm to 900mm) diameter | R.M. R.ft | 92.85 28.30 | 92.85 28.30 |
| | d) | Above 3 ft. (900 mm) diameter | R.M. R.ft | 132.70 40.45 | 132.70 40.45 |
| | | WOOD WORK | | \ | |
| 4-32 | a) | Removing door with chowkat | Each | 183.25 | 183.25 |
| | b) | Above 1 ft. to 2 ft. (300mm to 600mm.) diameter | Each | 139.60 | 139.60 |
| 4-33 | | Removing ventilators and wooden sunshades, etc. | Each | 81.00 | 81.00 |
| 4-34 | a) | Dismantling wooden beams upto 13 ft. (4 m.) in length | Each | 119.40 | 119.40 |
| 1 | b) | Dismantling wooden beams from 13 ft to 23 ft. (4 m. to 7 m.) length | Each | 185.75 | 185.75 |
| 4-35 | a) | Dismantling wooden partition gaffery work | Sq.m. Sq.ft | 27.15 2.50 | 27.15 2.50 |
| | b) | Dismantling wooden Trusses | %Kg. Cwt. | 692.90 352.00 | 692.90 352.00 |
| 4-36 | | Dismantling wooden palisade fencing | R.M. R.ft | 63.90 19.50 | 63.90 19.50 |
| | | IRON WORK | | | |
| 4-37 | | Dismantling iron-work of trusses, sheds, water tanks excluding cutting of rivets. | %Kg. Cwt. | 723.45 367.50 | 723.45 367.50 |
| 4-38 | | Unloading earth from B.G. trucks and clearing 5 ft. (1.5 m) from rail | %Kg. Cwt. | 318.40 161.75 | 318.40 161.75 |
| 4-39 | | Dismantling iron latrine | Unit of two seats | 723.45 | 723.45 |
| 4-40 | | Dismantling tees, bends or sluice value upto 12 inches (300 mm) bore | Each for 25mm bore | 12.80 | 12.80 |
| 4-41 | a) | Dismantling B.G. water column | Each | 5016.65 | 5016.65 |
| | b) | Dismantling M.G. or N.G. water column. | Each | 3444.05 | 3444.05 |
| 4-42 | | Dismantling all type of wire fencing including rolling wire into bundles and collecting material | R.M. R.ft | 10.60 3.25 | 10.60 3.25 |
| | | MISCELLANEOUS | | | |
| 4-43 | | Dismantling wire netting of tennis courts and frame work | Sq.m. Sq.ft | 18.55 1.70 | 18.55 1.70 |

| Sr. No | _ | Description | Unit | Rate (Rs.) | |
|--------|-----|---|----------------|-----------------|-----------------|
| Sr. No | 0. | Description | Unit | Labour | Composite |
| 4-44 | | Dismantling cloth ceiling and supporting timber | Sq.m. Sq.ft | 34.50 3.20 | 34.50 3.20 |
| 4-45 | a) | Dismantling and removing road metalling | Cu.m. Cu.ft | 299.85 8.50 | 299.85 8.50 |
| | b) | Dismantling and removing road pavement, etc. including screening and stacking of by product upto 100 ft. (30 m.) lead. | Cu.m. Cu.ft | 392.70 11.10 | 392.70 11.10 |
| 4-46 | a) | Removing mud plaster from walls (where no scaffolding is required) | Sq.m. Sq.ft | 10.60 1.00 | 10.60 1.00 |
| | b) | Removing earth, mud plaster and gobri leaping from roof including disposal up to 100 ft. (90 m) | 9 | \ | |
| | i) | 3 inches (75 mm) earth filling and mud plaster 1 inch (25 mm) thick | Sq.m. Sq.ft | 79.60 7.40 | 79.60 7.40 |
| | ii) | 4 inches (100 mm) earth filling and mud plaster 1 inch (25 mm) thick | Sq.m. Sq.ft | 106.15 9.85 | 106.15 9.85 |
| 4-47 | P | Removing cement or lime plaster from walls (where no scaffolding is required) | Sq.m. Sq.ft | 17.50 1.65 | 17.50 1.65 |
| | ٠ | SCRAPING | | | |
| 4-48 | a) | White wash or color wash from walls and ceiling | Sq.m. Sq.ft | 13.25 1.25 | 13.25 1.25 |
| | b) | Ordinary distemper, oil free distemper from walls and ceiling | Sq.m. Sq.ft | 34.50 3.20 | 34.50 3.20 |
| 4-49 | | Dismantling glazed or encaustic tiles from walls (where no scaffolding is required) | Sq.m. Sq.ft | 108.65 10.10 | 108.65 10.10 |
| 4-50 | | Scraping boulders | Cu.m. Cu.ft | 451.10 12.80 | 451.10 12.80 |
| 4-51 | | Cleaning mortar of old stones to be used in masonry | Cu.m. Cu.ft | 238.80 6.75 | 238.80 6.75 |
| 4-52 | | ELECTRICAL WIRING Dismantling light, fan and call bell point including casing and capping strip open type and making good damaged surface | Per Point | 44.85 | 49.3 |
| 4-53 | | Dismantling plug point and making good damaged surface | Per Point | 37.35 | 41.1 |
| 4-54 | | Dismantling G.I/ M.S. conduit/ G.I. flexible/ PVC pipes or conduit wiring etc. of all sizes including making good damaged surface. | | | |
| | a) | On surface | R.M. R.ft | 22.40 6.85 | 24.65 7.50 |
| | b) | Recessed in wall | R.M. R.ft | 37.35 11.40 | 48.55 14.80 |

| Sr. No. | Description | Unit | Rate (Rs.) | |
|---------|---|---------------|------------|-----------|
| 0 | | | Labour | Composite |
| | SURFACE RENDERING | | | |
| 4-55 | Scraping, rubbing and cleaning of oil bound distemper from ceiling and | Sq.m. | 15.90 | 29.50 |
| | walls including removal of rubbish in all floors. | Sq.ft | 1.50 | 2.75 |
| 4-56 | Scraping, rubbing and cleaning emulsion finish distemper, snowcem | Sq.m. | 26.55 | 36.15 |
| | and paints of all sort from walls and ceiling including removal of rubbish in all floors. | Sq.ft | 2.45 | 3.35 |
| 4-57 | Brushing and cleaning with solution of cautic soda the surface of stone | Sq.m. | 13.25 | 22.20 |
| | masonry, brick masonry and concrete including removal of rubbish in all floor. | | 1.25 | 2.05 |
| 4-58 | Removing mud plaster & disposing of the rubbish. | | \ | |
| a) | From walls | Sq.m. | 10.60 | 10.80 |
| | | Sq.ft | 1.00 | 1.00 |
| b) | From roof | Sq.m. | 7.95 | 8.15 |
| | | Sq.ft | 0.75 | 0.75 |
| 4-59 | Removing cement or lime plaster of any thickness from ceiling and | Sq.m. | 12.20 | 12.35 |
| - | disposing of the rubbish in any floor | Sq.ft | 1.15 | 1.15 |
| 4-60 | Removing stains from wood work by scraping or applying any approved | Sq.m. | 10.60 | 13.55 |
| 7 | chemical including removal of rubbish from the site | Sq.ft | 1.00 | 1.25 |
| 4-61 | Scraping old paints of all sorts with blow lamp from wood, plastered, | | - | |
| 101 | rendered and/or concrete surface including rubbing, cleaning and | Sq.m. | 12.75 | 20.65 |
| | removal of rubbish from site | Sq.ft | 1.20 | 1.90 |
| 4-62 | Scraping old paint of all sorts with blow lamp from steel and iron work | Sq.m. | 9.55 | 16.05 |
| | including rubbing, cleaning and removal of rubbish from site | Sq.ft | 0.90 | 1.50 |
| 4-63 | Removing all sorts of varnish and polishes without blow lamp from | Sq.m. | 6.35 | 8.90 |
| | wooden surface including removal of rubbish from site | Sq.ft | 0.60 | 0.85 |
| 4-64 | Dismantling from any height, fiber glass sheets roofing and ridge | Sq.m. | 38.85 | 38.85 |
| | | Sq.ft | 3.60 | 3.60 |
| 4-65 | Add extra for respective payable item of ground floor | | | |
| a) | For first floor | % increase | 10% | 10% |
| b) | For every additional floor above first floor | % increase | 7.5% | 7.5% |