

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| 1-1 | Bricks | | | | | | | | | | | | | |
| a) | 254mm x 127mm x 76mm (10" x 5" x 3") | 1300 Nos. | 1000 Nos. | 130.58 | 64.31 | 128.19 | 323.08 | 95.15 | 44.46 | 33.35 | 22.73 | 20.96 | 20.54 | 9.88 |
| b) | 229mm x 114mm x 76 mm (9" x 4.5" x 3") | 1600 Nos. | 1000 Nos. | 106.09 | 52.25 | 104.16 | 262.50 | 77.31 | 36.13 | 27.09 | 18.47 | 17.03 | 16.69 | 8.03 |
| c) | 203mm x 101mm x 101mm (8" x 4" x 4") | 1500 Nos. | 1000 Nos. | 113.17 | 55.73 | 111.10 | 280.00 | 82.47 | 38.53 | 28.90 | 19.70 | 18.17 | 17.80 | 8.57 |
| 1-2 | Tiles | | | | | | | | | | | | | |
| a) | 305mm x 152mm x 51mm (12" x 6" x 2") | 1350 Nos. | 1000 Nos. | 125.74 | 61.93 | 123.44 | 311.11 | 91.63 | 42.81 | 32.11 | 21.89 | 20.19 | 19.78 | 9.52 |
| b) | 305mm x 152mm x 32mm (12" x 6" x 1.25") | 2150 Nos. | 1000 Nos. | 78.95 | 38.88 | 77.51 | 195.35 | 57.53 | 26.88 | 20.16 | 13.74 | 12.67 | 12.42 | 5.98 |
| c) | 229mm x 114mm x 38mm (9" x 4.5" x 1.5") | 3200 Nos. | 1000 Nos. | 53.05 | 26.13 | 52.08 | 131.25 | 38.66 | 18.06 | 13.55 | 9.23 | 8.52 | 8.34 | 4.02 |
| 1-3 | Cement concrete tiles 203mm x 203mm x 19mm (8" x 5" x 0.75") | 2850 Nos. | 1000 Nos. | 59.56 | 29.33 | 58.47 | 147.37 | 43.40 | 20.28 | 15.21 | 10.37 | 9.56 | 9.37 | 4.51 |
| 1-4 | Cement concrete blocks, limestone and kankar lime (unslaked) sandstone, hard stone and marble. | | | | | | | | | | | | | |
| | Material | 75 Cu.ft. | Cu.M. | 79.92 | 39.36 | 78.46 | 197.74 | 58.24 | 27.21 | 20.41 | 13.91 | 12.83 | 12.57 | 6.05 |
| | | | Cu.ft. | 2.26 | 1.11 | 2.22 | 5.60 | 1.65 | 0.77 | 0.58 | 0.39 | 0.36 | 0.36 | 0.17 |
| 1-5 | Sand, earth, stone ballast, building rubbish, shingle & boulders | | | | | | | | | | | | | |
| | Material | 110 Cu.ft. | Cu.M. | 54.49 | 26.84 | 53.49 | 134.82 | 39.71 | 18.55 | 13.92 | 9.49 | 8.75 | 8.57 | 4.12 |
| | | | Cu.ft. | 1.54 | 0.76 | 1.52 | 3.82 | 1.12 | 0.53 | 0.39 | 0.27 | 0.25 | 0.24 | 0.12 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km | |
|---------|---|-------------------------|--------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|-------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 | 12.85 |
| 1-6 | Brick ballast, murum, manure and surkhi. | | | | | | | | | | | | | | |
| | Material | 150 Cu.ft. | Cu.M. | 39.96 | 19.68 | 39.23 | 98.87 | 29.12 | 13.61 | 10.20 | 6.96 | 6.41 | 6.29 | 3.02 | |
| | | | Cu.ft. | 1.13 | 0.56 | 1.11 | 2.80 | 0.82 | 0.39 | 0.29 | 0.20 | 0.18 | 0.18 | 0.09 | |
| 1-7 | Cement 1 Cwt (50) Kg. bag | | | | | | | | | | | | | | |
| | Material | 100 Bag | Bag | 1.70 | 0.84 | 1.67 | 4.20 | 1.24 | 0.58 | 0.43 | 0.30 | 0.27 | 0.27 | 0.13 | |
| 1-7A | Steel, C.I. pipes, G.I. pipes, M.S. bars, metal sheets, BG. rails, girders and other heavy materials. | | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 33.41 | 16.46 | 32.80 | 82.67 | 24.35 | 11.38 | 8.53 | 5.82 | 5.36 | 5.26 | 2.53 | |
| 1-8 | Delicate materials like granite, porcelene tiles, ceramic tiles, glass panes, doors, windows, paints & varnish, A.C. corrugated and plain sheets. | | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 33.41 | 16.46 | 32.80 | 82.67 | 24.35 | 11.38 | 8.53 | 5.82 | 5.36 | 5.26 | 2.53 | |
| | Extra for careful handling. | | 10% | 3.34 | 1.65 | 3.28 | 8.27 | 2.43 | 1.14 | 0.85 | 0.58 | 0.54 | 0.53 | 0.25 | |
| | Accumulative | | Tonne | 36.75 | 18.10 | 36.10 | 90.95 | 26.80 | 12.50 | 9.40 | 6.40 | 5.90 | 5.80 | 2.80 | |
| 1-9 | Timber | 250 Cu.ft. | Cu.M. | 23.98 | 11.81 | 23.54 | 59.32 | 17.47 | 8.16 | 6.12 | 4.17 | 3.85 | 3.77 | 1.81 | |
| | | | Cu.ft. | 0.68 | 0.33 | 0.67 | 1.68 | 0.49 | 0.23 | 0.17 | 0.12 | 0.11 | 0.11 | 0.05 | |
| 1-10 | Coaltar and bitumen | 5 Tons | Tonne | 33.41 | 16.46 | 32.80 | 82.67 | 24.35 | 11.38 | 8.53 | 5.82 | 5.36 | 5.26 | 2.53 | |
| 1-11 | Fuel Wood | 5 Tons | Tonne | 33.41 | 16.46 | 32.80 | 82.67 | 24.35 | 11.38 | 8.53 | 5.82 | 5.36 | 5.26 | 2.53 | |
| 1-12 | Sarkanda, pilchi, frash and brush | | | | | | | | | | | | | | |
| | Material | 350 Cu.ft. | Cu.M. | 17.13 | 8.43 | 16.81 | 42.37 | 12.48 | 5.83 | 4.37 | 2.98 | 2.75 | 2.69 | 1.30 | |
| | | | Cu.ft. | 0.49 | 0.24 | 0.48 | 1.20 | 0.35 | 0.17 | 0.12 | 0.08 | 0.08 | 0.08 | 0.04 | |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|---------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| 1-13 | Plain & reinforced cement concrete pipes of any class with collars. | | | | | | | | | | | | | |
| a) | 100 mm dia | 593 R.ft. | 10 R.M. | 9.39 | 4.63 | 9.22 | 23.24 | 6.84 | 3.20 | 2.40 | 1.63 | 1.51 | 1.48 | 0.71 |
| b) | 150 mm dia | 337 R.ft. | 10 R.M. | 16.53 | 8.14 | 16.22 | 40.89 | 12.04 | 5.63 | 4.22 | 2.88 | 2.65 | 2.60 | 1.25 |
| c) | 225 mm dia | 199 R.ft. | 10 R.M. | 27.99 | 13.78 | 27.48 | 69.25 | 20.39 | 9.53 | 7.15 | 4.87 | 4.49 | 4.40 | 2.12 |
| d) | 300 mm dia | 142 R.ft. | 10 R.M. | 39.22 | 19.32 | 38.51 | 97.04 | 28.58 | 13.36 | 10.02 | 6.83 | 6.30 | 6.17 | 2.97 |
| e) | 375 mm dia | 108 R.ft. | 10 R.M. | 51.57 | 25.40 | 50.63 | 127.59 | 37.58 | 17.56 | 13.17 | 8.98 | 8.28 | 8.11 | 3.90 |
| f) | 450 mm dia | 86 R.ft. | 10 R.M. | 64.76 | 31.89 | 63.58 | 160.23 | 47.19 | 22.05 | 16.54 | 11.27 | 10.40 | 10.19 | 4.90 |
| g) | 525 mm dia | 65 R.ft. | 10 R.M. | 85.68 | 42.20 | 84.12 | 212.00 | 62.44 | 29.18 | 21.88 | 14.92 | 13.75 | 13.48 | 6.49 |
| h) | 600 mm dia | 52 R.ft. | 10 R.M. | 107.11 | 52.75 | 105.15 | 265.00 | 78.05 | 36.47 | 27.35 | 18.64 | 17.19 | 16.85 | 8.11 |
| i) | 675 mm dia | 44 R.ft. | 10 R.M. | 126.58 | 62.34 | 124.27 | 313.19 | 92.24 | 43.10 | 32.33 | 22.03 | 20.32 | 19.91 | 9.58 |
| j) | 750 mm dia | 38 R.ft. | 10 R.M. | 146.57 | 72.18 | 143.89 | 362.64 | 106.81 | 49.91 | 37.43 | 25.51 | 23.53 | 23.05 | 11.09 |
| k) | 825 mm dia | 34 R.ft. | 10 R.M. | 163.81 | 80.67 | 160.82 | 405.30 | 119.37 | 55.78 | 41.83 | 28.52 | 26.30 | 25.77 | 12.40 |
| l) | 900 mm dia | 29 R.ft. | 10 R.M. | 192.05 | 94.58 | 188.54 | 475.18 | 139.95 | 65.39 | 49.05 | 33.43 | 30.83 | 30.21 | 14.54 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| m) | 975 mm dia | 25 R.ft. | 10 R.M. | 222.78 | 109.72 | 218.71 | 551.21 | 162.34 | 75.86 | 56.89 | 38.78 | 35.76 | 35.04 | 16.86 |
| n) | 1050 mm dia | 22 R.ft. | 10 R.M. | 253.16 | 124.68 | 248.54 | 626.37 | 184.48 | 86.20 | 64.65 | 44.07 | 40.64 | 39.82 | 19.16 |
| o) | 1125 mm dia | 19 R.ft. | 10 R.M. | 293.13 | 144.36 | 287.78 | 725.27 | 213.61 | 99.81 | 74.86 | 51.03 | 47.06 | 46.11 | 22.19 |
| p) | 1200 mm dia | 17 R.ft. | 10 R.M. | 327.62 | 161.35 | 321.63 | 810.60 | 238.74 | 111.55 | 83.67 | 57.03 | 52.59 | 51.53 | 24.80 |
| q) | 1350 mm dia | 142 R.ft. | 10 R.M. | 428.42 | 210.99 | 420.60 | 1060.02 | 312.20 | 145.88 | 109.41 | 74.58 | 68.77 | 67.39 | 32.43 |
| r) | 1500 mm dia | 142 R.ft. | 10 R.M. | 506.32 | 249.36 | 497.07 | 1252.75 | 368.96 | 172.40 | 129.30 | 88.14 | 81.28 | 79.64 | 38.33 |
| s) | 1650 mm dia | 9 R.ft. | 10 R.M. | 618.83 | 304.77 | 607.53 | 1531.13 | 450.96 | 210.71 | 158.03 | 107.73 | 99.34 | 97.34 | 46.85 |
| t) | 1800 mm dia | 7 R.ft. | 10 R.M. | 795.64 | 391.85 | 781.11 | 1968.60 | 579.80 | 270.92 | 203.19 | 138.51 | 127.72 | 125.15 | 60.23 |
| 1-14 | P.V.C pipes of any class including fittings such as sockets, tees, bends and crosses nominal diameter below 50 mm. | | | | | | | | | | | | | |
| a) | 10 mm dia | 203125 R.ft. | 1000 R.M. | 2.74 | 1.35 | 2.69 | 6.78 | 2.00 | 0.93 | 0.70 | 0.48 | 0.44 | 0.43 | 0.21 |
| b) | 15 mm dia | 130000 R.ft. | 1000 R.M. | 4.28 | 2.11 | 4.21 | 10.60 | 3.12 | 1.46 | 1.09 | 0.75 | 0.69 | 0.67 | 0.32 |
| c) | 20 mm dia | 87410 R.ft. | 1000 R.M. | 6.37 | 3.14 | 6.26 | 15.77 | 4.64 | 2.17 | 1.63 | 1.11 | 1.02 | 1.00 | 0.48 |
| d) | 25 mm dia | 51600 R.ft. | 1000 R.M. | 10.79 | 5.32 | 10.60 | 26.71 | 7.87 | 3.68 | 2.76 | 1.88 | 1.73 | 1.70 | 0.82 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| e) | 32 mm dia | 32500 R.ft. | 1000 R.M. | 17.14 | 8.44 | 16.82 | 42.40 | 12.49 | 5.84 | 4.38 | 2.98 | 2.75 | 2.70 | 1.30 |
| f) | 40 mm dia | 25170 R.ft. | 1000 R.M. | 22.13 | 10.90 | 21.72 | 54.75 | 16.12 | 7.53 | 5.65 | 3.85 | 3.55 | 3.48 | 1.68 |
| 1-15 | P.V.C. pipes of any class including fittings such as sockets, tees, bends & crosses nominal diameter 50mm and above. | | | | | | | | | | | | | |
| a) | 50 mm dia | 15925 R.ft. | 100 R.M. | 3.50 | 1.72 | 3.43 | 8.65 | 2.55 | 1.19 | 0.89 | 0.61 | 0.56 | 0.55 | 0.26 |
| b) | 65 mm dia | 10190 R.ft. | 100 R.M. | 5.47 | 2.69 | 5.37 | 13.52 | 3.98 | 1.86 | 1.40 | 0.95 | 0.88 | 0.86 | 0.41 |
| c) | 75 mm dia | 7490 R.ft. | 100 R.M. | 7.44 | 3.66 | 7.30 | 18.40 | 5.42 | 2.53 | 1.90 | 1.29 | 1.19 | 1.17 | 0.56 |
| d) | 100 mm dia | 4210 R.ft. | 100 R.M. | 13.23 | 6.52 | 12.99 | 32.73 | 9.64 | 4.50 | 3.38 | 2.30 | 2.12 | 2.08 | 1.00 |
| e) | 125 mm dia | 2925 R.ft. | 100 R.M. | 19.04 | 9.38 | 18.69 | 47.11 | 13.88 | 6.48 | 4.86 | 3.31 | 3.06 | 2.99 | 1.44 |
| f) | 150 mm dia | 1870 R.ft. | 100 R.M. | 29.78 | 14.67 | 29.24 | 73.69 | 21.70 | 10.14 | 7.61 | 5.18 | 4.78 | 4.68 | 2.25 |
| g) | 200 mm dia | 1050 R.ft. | 100 R.M. | 53.04 | 26.12 | 52.07 | 131.24 | 38.65 | 18.06 | 13.55 | 9.23 | 8.51 | 8.34 | 4.02 |
| h) | 250 mm dia | 610 R.ft. | 100 R.M. | 91.30 | 44.97 | 89.64 | 225.90 | 66.53 | 31.09 | 23.32 | 15.89 | 14.66 | 14.36 | 6.91 |
| i) | 300 mm dia | 470 R.ft. | 100 R.M. | 118.50 | 58.36 | 116.34 | 293.20 | 86.35 | 40.35 | 30.26 | 20.63 | 19.02 | 18.64 | 8.97 |
| j) | 350 mm dia | 325 R.ft. | 100 R.M. | 171.37 | 84.40 | 168.24 | 424.01 | 124.88 | 58.35 | 43.76 | 29.83 | 27.51 | 26.95 | 12.97 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| k) | 400 mm dia | 210 R.ft. | 100 R.M. | 265.21 | 130.62 | 260.37 | 656.20 | 193.27 | 90.31 | 67.73 | 46.17 | 42.57 | 41.72 | 20.08 |
| 1-16 | Asbestos cement pipes class B with comets or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 23.60 | 11.62 | 23.17 | 58.39 | 17.20 | 8.04 | 6.03 | 4.11 | 3.79 | 3.71 | 1.79 |
| b) | 100 mm dia | 1770 R.ft. | 100 R.M. | 31.47 | 15.50 | 30.89 | 77.85 | 22.93 | 10.71 | 8.04 | 5.48 | 5.05 | 4.95 | 2.38 |
| c) | 150 mm dia | 1180 R.ft. | 100 R.M. | 47.20 | 23.25 | 46.34 | 116.78 | 34.39 | 16.07 | 12.05 | 8.22 | 7.58 | 7.42 | 3.57 |
| d) | 200 mm dia | 710 R.ft. | 100 R.M. | 78.44 | 38.63 | 77.01 | 194.09 | 57.16 | 26.71 | 20.03 | 13.66 | 12.59 | 12.34 | 5.94 |
| e) | 250 mm dia | 525 R.ft. | 100 R.M. | 106.09 | 52.25 | 104.15 | 262.48 | 77.31 | 36.12 | 27.09 | 18.47 | 17.03 | 16.69 | 8.03 |
| f) | 300 mm dia | 410 R.ft. | 100 R.M. | 135.84 | 66.90 | 133.36 | 336.10 | 98.99 | 46.25 | 34.69 | 23.65 | 21.81 | 21.37 | 10.28 |
| g) | 400 mm dia | 250 R.ft. | 100 R.M. | 222.78 | 109.72 | 218.71 | 551.21 | 162.34 | 75.86 | 56.89 | 38.78 | 35.76 | 35.04 | 16.86 |
| h) | 500 mm dia | 185 R.ft. | 100 R.M. | 301.05 | 148.27 | 295.56 | 744.88 | 219.38 | 102.51 | 76.88 | 52.41 | 48.33 | 47.35 | 22.79 |
| i) | 600 mm dia | 130 R.ft. | 100 R.M. | 428.42 | 210.99 | 420.60 | 1060.02 | 312.20 | 145.88 | 109.41 | 74.58 | 68.77 | 67.39 | 32.43 |
| 1-17 | Asbestos cement pipes Class C with comete or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 23.60 | 11.62 | 23.17 | 58.39 | 17.20 | 8.04 | 6.03 | 4.11 | 3.79 | 3.71 | 1.79 |
| b) | 100 mm dia | 1420 R.ft. | 100 R.M. | 39.22 | 19.32 | 38.51 | 97.04 | 28.58 | 13.36 | 10.02 | 6.83 | 6.30 | 6.17 | 2.97 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| c) | 150 mm dia | 1010 R.ft. | 100 R.M. | 55.14 | 27.16 | 54.14 | 136.44 | 40.18 | 18.78 | 14.08 | 9.60 | 8.85 | 8.67 | 4.17 |
| d) | 200 mm dia | 685 R.ft. | 100 R.M. | 81.31 | 40.04 | 79.82 | 201.17 | 59.25 | 27.68 | 20.76 | 14.15 | 13.05 | 12.79 | 6.15 |
| e) | 250 mm dia | 460 R.ft. | 100 R.M. | 121.08 | 59.63 | 118.86 | 299.57 | 88.23 | 41.23 | 30.92 | 21.08 | 19.44 | 19.04 | 9.17 |
| f) | 300 mm dia | 370 R.ft. | 100 R.M. | 150.53 | 74.13 | 147.78 | 372.44 | 109.69 | 51.25 | 38.44 | 26.20 | 24.16 | 23.68 | 11.39 |
| g) | 400 mm dia | 170 R.ft. | 100 R.M. | 327.62 | 161.35 | 321.63 | 810.60 | 238.74 | 111.55 | 83.67 | 57.03 | 52.59 | 51.53 | 24.80 |
| h) | 500 mm dia | 130 R.ft. | 100 R.M. | 428.42 | 210.99 | 420.60 | 1060.02 | 312.20 | 145.88 | 109.41 | 74.58 | 68.77 | 67.39 | 32.43 |
| i) | 600 mm dia | 90 R.ft. | 100 R.M. | 618.83 | 304.77 | 607.53 | 1531.13 | 450.96 | 210.71 | 158.03 | 107.73 | 99.34 | 97.34 | 46.85 |
| 1-18 | Asbestos cement pipes Class D with comete or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 23.60 | 11.62 | 23.17 | 58.39 | 17.20 | 8.04 | 6.03 | 4.11 | 3.79 | 3.71 | 1.79 |
| b) | 100 mm dia | 1905 R.ft. | 100 R.M. | 29.24 | 14.40 | 28.70 | 72.34 | 21.30 | 9.95 | 7.47 | 5.09 | 4.69 | 4.60 | 2.21 |
| c) | 150 mm dia | 945 R.ft. | 100 R.M. | 58.94 | 29.03 | 57.86 | 145.82 | 42.95 | 20.07 | 15.05 | 10.26 | 9.46 | 9.27 | 4.46 |
| d) | 200 mm dia | 525 R.ft. | 100 R.M. | 106.09 | 52.25 | 104.15 | 262.48 | 77.31 | 36.12 | 27.09 | 18.47 | 17.03 | 16.69 | 8.03 |
| e) | 250 mm dia | 340 R.ft. | 100 R.M. | 163.81 | 80.67 | 160.82 | 405.30 | 119.37 | 55.78 | 41.83 | 28.52 | 26.30 | 25.77 | 12.40 |
| f) | 300 mm dia | 240 R.ft. | 100 R.M. | 232.06 | 114.29 | 227.82 | 574.18 | 169.11 | 79.02 | 59.26 | 40.40 | 37.25 | 36.50 | 17.57 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 169.75 | 83.60 | 166.65 | 420.00 | 123.70 | 57.80 | 43.35 | 29.55 | 27.25 | 26.70 |
| g) | 400 mm dia | 135 R.ft. | 100 R.M. | 412.56 | 203.18 | 405.02 | 1020.76 | 300.64 | 140.48 | 105.36 | 71.82 | 66.23 | 64.89 | 31.23 |
| h) | 500 mm dia | 90 R.ft. | 100 R.M. | 618.83 | 304.77 | 607.53 | 1531.13 | 450.96 | 210.71 | 158.03 | 107.73 | 99.34 | 97.34 | 46.85 |
| i) | 600 mm dia | 65 R.ft. | 100 R.M. | 856.85 | 421.99 | 841.20 | 2120.03 | 624.40 | 291.76 | 218.82 | 149.16 | 137.55 | 134.77 | 64.86 |
| 1-19 | Coal, white lime, and other type of material measured by weight not specified above. | 5 Tons | Tonne | 33.41 | 16.46 | 32.80 | 82.67 | 24.35 | 11.38 | 8.53 | 5.82 | 5.36 | 5.26 | 2.53 |