

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| 1-1 | Bricks | | | | | | | | | | | | | |
| a) | 254mm x 127mm x 76mm (10" x 5" x 3") | 1300 Nos. | 1000 Nos. | 189.96 | 93.58 | 186.46 | 470.00 | 138.38 | 64.65 | 48.50 | 33.08 | 30.46 | 29.88 | 14.35 |
| b) | 229mm x 114mm x 76 mm (9" x 4.5" x 3") | 1600 Nos. | 1000 Nos. | 154.34 | 76.03 | 151.50 | 381.88 | 112.44 | 52.53 | 39.41 | 26.88 | 24.75 | 24.28 | 11.66 |
| c) | 203mm x 101mm x 101mm (8" x 4" x 4") | 1500 Nos. | 1000 Nos. | 164.63 | 81.10 | 161.60 | 407.33 | 119.93 | 56.03 | 42.03 | 28.67 | 26.40 | 25.90 | 12.43 |
| 1-2 | Tiles | | | | | | | | | | | | | |
| a) | 305mm x 152mm x 51mm (12" x 6" x 2") | 1350 Nos. | 1000 Nos. | 182.93 | 90.11 | 179.56 | 452.59 | 133.26 | 62.26 | 46.70 | 31.85 | 29.33 | 28.78 | 13.81 |
| b) | 305mm x 152mm x 32mm (12" x 6" x 1.25") | 2150 Nos. | 1000 Nos. | 114.86 | 56.58 | 112.74 | 284.19 | 83.67 | 39.09 | 29.33 | 20.00 | 18.42 | 18.07 | 8.67 |
| c) | 229mm x 114mm x 38mm (9" x 4.5" x 1.5") | 3200 Nos. | 1000 Nos. | 77.17 | 38.02 | 75.75 | 190.94 | 56.22 | 26.27 | 19.70 | 13.44 | 12.38 | 12.14 | 5.83 |
| 1-3 | Cement concrete tiles 203mm x 203mm x 19mm (8" x 5" x 0.75") | 2850 Nos. | 1000 Nos. | 86.65 | 42.68 | 85.05 | 214.39 | 63.12 | 29.49 | 22.12 | 15.09 | 13.89 | 13.63 | 6.54 |
| 1-4 | Cement concrete blocks, limestone and kankar lime (unslaked) sandstone, hard stone and marble. | | | | | | | | | | | | | |
| | Material | 75 Cu.ft. | Cu.M. | 116.26 | 57.27 | 114.12 | 287.66 | 84.70 | 39.57 | 29.68 | 20.24 | 18.64 | 18.29 | 8.78 |
| | | | Cu.ft. | 3.29 | 1.62 | 3.23 | 8.15 | 2.40 | 1.12 | 0.84 | 0.57 | 0.53 | 0.52 | 0.25 |
| 1-5 | Sand, earth, stone ballast, building rubbish, shingle & boulders | | | | | | | | | | | | | |
| | Material | 110 Cu.ft. | Cu.M. | 79.27 | 39.05 | 77.81 | 196.13 | 57.75 | 26.98 | 20.24 | 13.80 | 12.71 | 12.47 | 5.99 |
| | | | Cu.ft. | 2.25 | 1.11 | 2.20 | 5.55 | 1.64 | 0.76 | 0.57 | 0.39 | 0.36 | 0.35 | 0.17 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|--------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| 1-6 | Brick ballast, murum, manure and surkhi. | | | | | | | | | | | | | |
| | Material | 150 Cu.ft. | Cu.M. | 58.13 | 28.64 | 57.06 | 143.83 | 42.35 | 19.79 | 14.84 | 10.12 | 9.32 | 9.15 | 4.39 |
| | | | Cu.ft. | 1.65 | 0.81 | 1.62 | 4.07 | 1.20 | 0.56 | 0.42 | 0.29 | 0.26 | 0.26 | 0.12 |
| 1-7 | Cement 1 Cwt (50) Kg. bag | | | | | | | | | | | | | |
| | Material | 100 Bag | Bag | 2.47 | 1.22 | 2.42 | 6.11 | 1.80 | 0.84 | 0.63 | 0.43 | 0.40 | 0.39 | 0.19 |
| 1-7A | Steel, C.I. pipes, G.I. pipes, M.S. bars, metal sheets, BG. rails, girders and other heavy materials. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 48.61 | 23.95 | 47.71 | 120.27 | 35.41 | 16.54 | 12.41 | 8.46 | 7.79 | 7.65 | 3.67 |
| 1-8 | Delicate materials like granite, porcelene tiles, ceramic tiles, glass panes, doors, windows, paints & varnish, A.C. corrugated and plain sheets. | | | | | | | | | | | | | |
| | Material | 5 Tons | Tonne | 48.61 | 23.95 | 47.71 | 120.27 | 35.41 | 16.54 | 12.41 | 8.46 | 7.79 | 7.65 | 3.67 |
| | Extra for careful handling. | | 10% | 4.86 | 2.39 | 4.77 | 12.03 | 3.54 | 1.65 | 1.24 | 0.85 | 0.78 | 0.76 | 0.37 |
| | Accumulative | | Tonne | 53.45 | 26.35 | 52.50 | 132.30 | 38.95 | 18.20 | 13.65 | 9.30 | 8.55 | 8.40 | 4.05 |
| 1-9 | Timber | 250 Cu.ft. | Cu.M. | 34.88 | 17.18 | 34.24 | 86.30 | 25.41 | 11.87 | 8.91 | 6.07 | 5.59 | 5.49 | 2.63 |
| | | | Cu.ft. | 0.99 | 0.49 | 0.97 | 2.44 | 0.72 | 0.34 | 0.25 | 0.17 | 0.16 | 0.16 | 0.07 |
| 1-10 | Coaltar and bitumen | 5 Tons | Tonne | 48.61 | 23.95 | 47.71 | 120.27 | 35.41 | 16.54 | 12.41 | 8.46 | 7.79 | 7.65 | 3.67 |
| 1-11 | Fuel Wood | 5 Tons | Tonne | 48.61 | 23.95 | 47.71 | 120.27 | 35.41 | 16.54 | 12.41 | 8.46 | 7.79 | 7.65 | 3.67 |
| 1-12 | Sarkanda, pilchi, frash and brush | | | | | | | | | | | | | |
| | Material | 350 Cu.ft. | Cu.M. | 24.91 | 12.27 | 24.45 | 61.64 | 18.15 | 8.48 | 6.36 | 4.34 | 4.00 | 3.92 | 1.88 |
| | | | Cu.ft. | 0.71 | 0.35 | 0.69 | 1.75 | 0.51 | 0.24 | 0.18 | 0.12 | 0.11 | 0.11 | 0.05 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE


| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km | |
|---------|---|-------------------------|---------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|-------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 | 18.65 |
| 1-13 | Plain & reinforced cement concrete pipes of any class with collars. | | | | | | | | | | | | | | |
| a) | 100 mm dia | 593 R.ft. | 10 R.M. | 13.66 | 6.73 | 13.41 | 33.81 | 9.95 | 4.65 | 3.49 | 2.38 | 2.19 | 2.15 | 1.03 | |
| b) | 150 mm dia | 337 R.ft. | 10 R.M. | 24.04 | 11.84 | 23.60 | 59.49 | 17.51 | 8.18 | 6.14 | 4.19 | 3.86 | 3.78 | 1.82 | |
| c) | 225 mm dia | 199 R.ft. | 10 R.M. | 40.72 | 20.06 | 39.97 | 100.74 | 29.66 | 13.86 | 10.40 | 7.09 | 6.53 | 6.41 | 3.07 | |
| d) | 300 mm dia | 142 R.ft. | 10 R.M. | 57.06 | 28.11 | 56.01 | 141.18 | 41.57 | 19.42 | 14.57 | 9.94 | 9.15 | 8.98 | 4.31 | |
| e) | 375 mm dia | 108 R.ft. | 10 R.M. | 75.02 | 36.96 | 73.64 | 185.62 | 54.65 | 25.53 | 19.15 | 13.06 | 12.03 | 11.80 | 5.67 | |
| f) | 450 mm dia | 86 R.ft. | 10 R.M. | 94.21 | 46.41 | 92.48 | 233.10 | 68.63 | 32.07 | 24.05 | 16.41 | 15.11 | 14.82 | 7.12 | |
| g) | 525 mm dia | 65 R.ft. | 10 R.M. | 124.65 | 61.41 | 122.36 | 308.41 | 90.81 | 42.43 | 31.83 | 21.71 | 19.99 | 19.61 | 9.41 | |
| h) | 600 mm dia | 52 R.ft. | 10 R.M. | 155.82 | 76.76 | 152.95 | 385.52 | 113.51 | 53.03 | 39.78 | 27.13 | 24.99 | 24.51 | 11.77 | |
| i) | 675 mm dia | 44 R.ft. | 10 R.M. | 184.15 | 90.71 | 180.75 | 455.61 | 134.15 | 62.67 | 47.02 | 32.06 | 29.53 | 28.97 | 13.91 | |
| j) | 750 mm dia | 38 R.ft. | 10 R.M. | 213.22 | 105.04 | 209.29 | 527.55 | 155.33 | 72.57 | 54.44 | 37.13 | 34.19 | 33.54 | 16.10 | |
| k) | 825 mm dia | 34 R.ft. | 10 R.M. | 238.31 | 117.39 | 233.92 | 589.62 | 173.60 | 81.11 | 60.84 | 41.50 | 38.21 | 37.49 | 18.00 | |
| l) | 900 mm dia | 29 R.ft. | 10 R.M. | 279.39 | 137.63 | 274.25 | 691.27 | 203.54 | 95.09 | 71.33 | 48.65 | 44.80 | 43.95 | 21.10 | |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| m) | 975 mm dia | 25 R.ft. | 10 R.M. | 324.10 | 159.65 | 318.13 | 801.88 | 236.10 | 110.31 | 82.75 | 56.43 | 51.97 | 50.99 | 24.48 |
| n) | 1050 mm dia | 22 R.ft. | 10 R.M. | 368.29 | 181.42 | 361.51 | 911.22 | 268.30 | 125.35 | 94.03 | 64.13 | 59.06 | 57.94 | 27.81 |
| o) | 1125 mm dia | 19 R.ft. | 10 R.M. | 426.44 | 210.07 | 418.59 | 1055.10 | 310.66 | 145.14 | 108.88 | 74.25 | 68.38 | 67.09 | 32.21 |
| p) | 1200 mm dia | 17 R.ft. | 10 R.M. | 476.61 | 234.78 | 467.83 | 1179.23 | 347.21 | 162.22 | 121.69 | 82.99 | 76.43 | 74.98 | 35.99 |
| q) | 1350 mm dia | 142 R.ft. | 10 R.M. | 623.26 | 307.03 | 611.78 | 1542.07 | 454.04 | 212.13 | 159.13 | 108.53 | 99.94 | 98.05 | 47.07 |
| r) | 1500 mm dia | 142 R.ft. | 10 R.M. | 736.58 | 362.85 | 723.01 | 1822.45 | 536.59 | 250.70 | 188.06 | 128.26 | 118.12 | 115.88 | 55.63 |
| s) | 1650 mm dia | 9 R.ft. | 10 R.M. | 900.27 | 443.48 | 883.68 | 2227.43 | 655.84 | 306.41 | 229.85 | 156.76 | 144.36 | 141.63 | 67.99 |
| t) | 1800 mm dia | 7 R.ft. | 10 R.M. | 1157.49 | 570.19 | 1136.16 | 2863.84 | 843.22 | 393.95 | 295.52 | 201.55 | 185.61 | 182.10 | 87.42 |
| 1-14 | P.V.C pipes of any class including fittings such as sockets, tees, bends and crosses nominal diameter below 50 mm. | | | | | | | | | | | | | |
| a) | 10 mm dia | 203125 R.ft. | 1000 R.M. | 3.99 | 1.96 | 3.92 | 9.87 | 2.91 | 1.36 | 1.02 | 0.69 | 0.64 | 0.63 | 0.30 |
| b) | 15 mm dia | 130000 R.ft. | 1000 R.M. | 6.23 | 3.07 | 6.12 | 15.42 | 4.54 | 2.12 | 1.59 | 1.09 | 1.00 | 0.98 | 0.47 |
| c) | 20 mm dia | 87410 R.ft. | 1000 R.M. | 9.27 | 4.57 | 9.10 | 22.93 | 6.75 | 3.15 | 2.37 | 1.61 | 1.49 | 1.46 | 0.70 |
| d) | 25 mm dia | 51600 R.ft. | 1000 R.M. | 15.70 | 7.74 | 15.41 | 38.85 | 11.44 | 5.34 | 4.01 | 2.73 | 2.52 | 2.47 | 1.19 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|-------------|-------------------------|------------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 | 18.65 |
| | | | | | | | | | | | | | | |



CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|--|-------------------------|-----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| e) | 32 mm dia | 32500 R.ft. | 1000 R.M. | 24.93 | 12.28 | 24.47 | 61.68 | 18.16 | 8.49 | 6.37 | 4.34 | 4.00 | 3.92 | 1.88 |
| f) | 40 mm dia | 25170 R.ft. | 1000 R.M. | 32.19 | 15.86 | 31.60 | 79.65 | 23.45 | 10.96 | 8.22 | 5.61 | 5.16 | 5.06 | 2.43 |
| 1-15 | P.V.C. pipes of any class including fittings such as sockets, tees, bends & crosses nominal diameter 50mm and above. | | | | | | | | | | | | | |
| a) | 50 mm dia | 15925 R.ft. | 100 R.M. | 5.09 | 2.51 | 4.99 | 12.59 | 3.71 | 1.73 | 1.30 | 0.89 | 0.82 | 0.80 | 0.38 |
| b) | 65 mm dia | 10190 R.ft. | 100 R.M. | 7.95 | 3.92 | 7.80 | 19.67 | 5.79 | 2.71 | 2.03 | 1.38 | 1.28 | 1.25 | 0.60 |
| c) | 75 mm dia | 7490 R.ft. | 100 R.M. | 10.82 | 5.33 | 10.62 | 26.76 | 7.88 | 3.68 | 2.76 | 1.88 | 1.73 | 1.70 | 0.82 |
| d) | 100 mm dia | 4210 R.ft. | 100 R.M. | 19.25 | 9.48 | 18.89 | 47.62 | 14.02 | 6.55 | 4.91 | 3.35 | 3.09 | 3.03 | 1.45 |
| e) | 125 mm dia | 2925 R.ft. | 100 R.M. | 27.70 | 13.65 | 27.19 | 68.54 | 20.18 | 9.43 | 7.07 | 4.82 | 4.44 | 4.36 | 2.09 |
| f) | 150 mm dia | 1870 R.ft. | 100 R.M. | 43.33 | 21.34 | 42.53 | 107.20 | 31.56 | 14.75 | 11.06 | 7.54 | 6.95 | 6.82 | 3.27 |
| g) | 200 mm dia | 1050 R.ft. | 100 R.M. | 77.17 | 38.01 | 75.74 | 190.92 | 56.21 | 26.26 | 19.70 | 13.44 | 12.37 | 12.14 | 5.83 |
| h) | 250 mm dia | 610 R.ft. | 100 R.M. | 132.83 | 65.43 | 130.38 | 328.64 | 96.76 | 45.21 | 33.91 | 23.13 | 21.30 | 20.90 | 10.03 |
| i) | 300 mm dia | 470 R.ft. | 100 R.M. | 172.39 | 84.92 | 169.22 | 426.53 | 125.59 | 58.67 | 44.01 | 30.02 | 27.64 | 27.12 | 13.02 |
| j) | 350 mm dia | 325 R.ft. | 100 R.M. | 249.31 | 122.81 | 244.71 | 616.83 | 181.62 | 84.85 | 63.65 | 43.41 | 39.98 | 39.22 | 18.83 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| 1-16 | k) 400 mm dia | 210 R.ft. | 100 R.M. | 385.83 | 190.06 | 378.72 | 954.61 | 281.07 | 131.32 | 98.51 | 67.18 | 61.87 | 60.70 | 29.14 |
| | Asbestos cement pipes class B with comets or gibault joint. | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 34.33 | 16.91 | 33.70 | 84.94 | 25.01 | 11.69 | 8.77 | 5.98 | 5.51 | 5.40 | 2.59 |
| | b) 100 mm dia | 1770 R.ft. | 100 R.M. | 45.78 | 22.55 | 44.93 | 113.26 | 33.35 | 15.58 | 11.69 | 7.97 | 7.34 | 7.20 | 3.46 |
| | c) 150 mm dia | 1180 R.ft. | 100 R.M. | 68.66 | 33.82 | 67.40 | 169.89 | 50.02 | 23.37 | 17.53 | 11.96 | 11.01 | 10.80 | 5.19 |
| | d) 200 mm dia | 710 R.ft. | 100 R.M. | 114.12 | 56.22 | 112.02 | 282.35 | 83.13 | 38.84 | 29.14 | 19.87 | 18.30 | 17.95 | 8.62 |
| | e) 250 mm dia | 525 R.ft. | 100 R.M. | 154.33 | 76.03 | 151.49 | 381.85 | 112.43 | 52.53 | 39.40 | 26.87 | 24.75 | 24.28 | 11.66 |
| | f) 300 mm dia | 410 R.ft. | 100 R.M. | 197.62 | 97.35 | 193.98 | 488.95 | 143.96 | 67.26 | 50.46 | 34.41 | 31.69 | 31.09 | 14.92 |
| | g) 400 mm dia | 250 R.ft. | 100 R.M. | 324.10 | 159.65 | 318.13 | 801.88 | 236.10 | 110.31 | 82.75 | 56.43 | 51.97 | 50.99 | 24.48 |
| | h) 500 mm dia | 185 R.ft. | 100 R.M. | 437.97 | 215.75 | 429.90 | 1083.62 | 319.06 | 149.06 | 111.82 | 76.26 | 70.23 | 68.90 | 33.08 |
| 1-17 | i) 600 mm dia | 130 R.ft. | 100 R.M. | 623.26 | 307.03 | 611.78 | 1542.07 | 454.04 | 212.13 | 159.13 | 108.53 | 99.94 | 98.05 | 47.07 |
| | Asbestos cement pipes Class C with comete or gibault joint. | | | | | | | | | | | | | |
| | a) 80 mm dia | 2360 R.ft. | 100 R.M. | 34.33 | 16.91 | 33.70 | 84.94 | 25.01 | 11.69 | 8.77 | 5.98 | 5.51 | 5.40 | 2.59 |
| | b) 100 mm dia | 1420 R.ft. | 100 R.M. | 57.06 | 28.11 | 56.01 | 141.18 | 41.57 | 19.42 | 14.57 | 9.94 | 9.15 | 8.98 | 4.31 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2 nd Km to 3 rd km beyond 1.0 Km. | 3 rd Km to 4 th km beyond 1.0 Km. | 4 th km to 5 th km beyond 1.0 Km. | 5 th km to 6 th km beyond 1.0 Km. | 6 th km to 7 th km beyond 1.0 Km. | For each Km beyond 8 th Km |
|---------|---|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---|---|---|---|---|---------------------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| c) | 150 mm dia | 1010 R.ft. | 100 R.M. | 80.22 | 39.52 | 78.74 | 198.48 | 58.44 | 27.30 | 20.48 | 13.97 | 12.86 | 12.62 | 6.06 |
| d) | 200 mm dia | 685 R.ft. | 100 R.M. | 118.28 | 58.27 | 116.10 | 292.66 | 86.17 | 40.26 | 30.20 | 20.60 | 18.97 | 18.61 | 8.93 |
| e) | 250 mm dia | 460 R.ft. | 100 R.M. | 176.14 | 86.77 | 172.89 | 435.80 | 128.32 | 59.95 | 44.97 | 30.67 | 28.25 | 27.71 | 13.30 |
| f) | 300 mm dia | 370 R.ft. | 100 R.M. | 218.98 | 107.87 | 214.95 | 541.81 | 159.53 | 74.53 | 55.91 | 38.13 | 35.12 | 34.45 | 16.54 |
| g) | 400 mm dia | 170 R.ft. | 100 R.M. | 476.61 | 234.78 | 467.83 | 1179.23 | 347.21 | 162.22 | 121.69 | 82.99 | 76.43 | 74.98 | 35.99 |
| h) | 500 mm dia | 130 R.ft. | 100 R.M. | 623.26 | 307.03 | 611.78 | 1542.07 | 454.04 | 212.13 | 159.13 | 108.53 | 99.94 | 98.05 | 47.07 |
| i) | 600 mm dia | 90 R.ft. | 100 R.M. | 900.27 | 443.48 | 883.68 | 2227.43 | 655.84 | 306.41 | 229.85 | 156.76 | 144.36 | 141.63 | 67.99 |
| 1-18 | Asbestos cement pipes Class D with comete or gibault joint. | | | | | | | | | | | | | |
| a) | 80 mm dia | 2360 R.ft. | 100 R.M. | 34.33 | 16.91 | 33.70 | 84.94 | 25.01 | 11.69 | 8.77 | 5.98 | 5.51 | 5.40 | 2.59 |
| b) | 100 mm dia | 1905 R.ft. | 100 R.M. | 42.53 | 20.95 | 41.75 | 105.23 | 30.98 | 14.48 | 10.86 | 7.41 | 6.82 | 6.69 | 3.21 |
| c) | 150 mm dia | 945 R.ft. | 100 R.M. | 85.74 | 42.24 | 84.16 | 212.14 | 62.46 | 29.18 | 21.89 | 14.93 | 13.75 | 13.49 | 6.48 |
| d) | 200 mm dia | 525 R.ft. | 100 R.M. | 154.33 | 76.03 | 151.49 | 381.85 | 112.43 | 52.53 | 39.40 | 26.87 | 24.75 | 24.28 | 11.66 |
| e) | 250 mm dia | 340 R.ft. | 100 R.M. | 238.31 | 117.39 | 233.92 | 589.62 | 173.60 | 81.11 | 60.84 | 41.50 | 38.21 | 37.49 | 18.00 |
| f) | 300 mm dia | 240 R.ft. | 100 R.M. | 337.60 | 166.31 | 331.38 | 835.29 | 245.94 | 114.90 | 86.19 | 58.78 | 54.14 | 53.11 | 25.50 |

CARRIAGE OF MATERIALS INCLUDING LOADING, UNLOADING AND STACKING AT SITE

| Sr. No. | Description | Truck Capacity (5 Tons) | Unit | 0.25 Km or part thereof | 0.25 Km to 0.50 Km | 0.5 Km. to 1.0 Km | Upto 1.0 Km. | 1 st Km to 2 nd km beyond 1.0 Km. | 2nd Km to 3rd km beyond 1.0 Km. | 3 rd Km to 4th km beyond 1.0 Km. | 4th km to 5th km beyond 1.0 Km. | 5th km to 6th km beyond 1.0 Km. | 6th km to 7th km beyond 1.0 Km. | For each Km beyond 8th Km |
|---------|--|-------------------------|----------|-------------------------|--------------------|-------------------|--------------|---|---------------------------------|---|---------------------------------|---------------------------------|---------------------------------|---------------------------|
| | | | | Cost (Rs.) | 246.95 | 121.65 | 242.40 | 611.00 | 179.90 | 84.05 | 63.05 | 43.00 | 39.60 | 38.85 |
| g) | 400 mm dia | 135 R.ft. | 100 R.M. | 600.18 | 295.65 | 589.12 | 1484.96 | 437.22 | 204.27 | 153.23 | 104.51 | 96.24 | 94.42 | 45.33 |
| h) | 500 mm dia | 90 R.ft. | 100 R.M. | 900.27 | 443.48 | 883.68 | 2227.43 | 655.84 | 306.41 | 229.85 | 156.76 | 144.36 | 141.63 | 67.99 |
| i) | 600 mm dia | 65 R.ft. | 100 R.M. | 1246.53 | 614.05 | 1223.56 | 3084.14 | 908.08 | 424.26 | 318.26 | 217.05 | 199.89 | 196.10 | 94.14 |
| 1-19 | Coal, white lime, and other type of material measured by weight not specified above. | 5 Tons | Tonne | 48.61 | 23.95 | 47.71 | 120.27 | 35.41 | 16.54 | 12.41 | 8.46 | 7.79 | 7.65 | 3.67 |