

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
1	Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.				1.1
a.	1st Km	Km		134.3	
b.	2nd Km	Km		134.2	
c.	3rd Km	Km		97.6	
d.	4th Km	Km		77.9	
e.	5th Km	Km		65.5	
f.	6th Km	Km		57.0	
g.	7th Km	Km		50.8	
h.	8th Km	Km		46.0	
i.	9th Km	Km		42.2	
j.	10th Km	Km		39.1	
k.	11th Kms to 200Kms	Km		13.2	
l.	201 Kms to 250 Kms	Km		11.8	
2	Carriage of 5 tons of all material like coal, stone lime(unslaked), etc. B.G. Rail fastenings, points and crossing, Bridge Girders, pipes, sheets, Rail, M.S. bars, etc. etc. by truck or any other means owned by the contractor.				1.1
a.	1st Km	Km		98.8	
b.	2nd Km	Km		98.4	
c.	3rd Km	Km		73.7	
d.	4th Km	Km		60.3	
e.	5th Km	Km		51.8	
f.	6th Km	Km		45.9	
g.	7th Km	Km		41.5	
h.	8th Km	Km		38.2	
i.	9th Km	Km		35.5	
j.	10th Km	Km		33.3	
k.	11th Kms to 200Kms	Km		15.1	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
3	i. 201 Kms to 250 Kms	Km		14.2	1.1	
	Carriage of 100 maunds of fuel wood by truck or any other means owned by the contractor:					
	a. 1st Km	Km		50.0		
	b. 2nd Km	Km		49.5		
	c. 3rd Km	Km		35.9		
	d. 4th Km	Km		29.7		
	e. 5th Km	Km		26.1		
	f. 6th Km	Km		23.7		
	g. 7th Km	Km		22.0		
	h. 8th Km	Km		20.7		
	i. 9th Km	Km		19.7		
	j. 10th Km	Km		18.9		
	k. 11th to 200 Kms	Km		13.0		
M. 251 Kms & subsequent Kms						
4	Carriage of 1000 Nos. bricks 10"x5"x3" (250x125x75 mm) or 1000 Nos. tiles 12"x6"x2" (300x150x50 mm) by truck or any other means owned by the contractor :-					
	a. 1st Km	Km		52.5	1.1	
	b. 2nd Km	Km		52.3		
	c. 3rd Km	Km		34.3		
	d. 4th Km	Km		26.6		
	e. 5th Km	Km		22.4		
	f. 6th Km	Km		19.8		
	g. 7th Km	Km		18.0		
	h. 8th Km	Km		16.7		
	i. 9th Km	Km		15.7		
	j. 10th Km	Km		14.9		
	k. 11th & subsequent Kms	Km		9.8		



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
5	Carriage of 100 cft. (2.83 cu.m) of all material like stone, aggregate, spawl, kankar lime(unslaked), surkhi, etc. or 150 cft. (4.25 cu.m) of timber, by means of material trolley 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		208.4	
b.	2nd Km	Km		121.7	
c.	3rd Km	Km		88.0	
d.	4th Km	Km		70.0	
e.	5th Km	Km		58.8	
f.	6th Km	Km		51.1	
g.	7th Km	Km		45.5	
h.	8th Km	Km		41.2	
i.	9th Km	Km		37.8	
j.	10th Km	Km		35.1	
k.	11th Kms to 200Kms	Km		12.1	
l.	201 Kms to 250 Kms	Km		10.8	
6	Carriage of 5 tons of all material like coal, stone lime (unslaked), etc. B.G. Rail fastening, points and crossing, Bridge girders, pipes, sheets, Rail, M.S. bars, etc. etc. by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		137.0	
b.	2nd Km	Km		82.6	
c.	3rd Km	Km		61.4	
d.	4th Km	Km		50.1	
e.	5th Km	Km		42.9	
f.	6th Km	Km		38.0	
g.	7th Km	Km		34.4	
h.	8th Km	Km		31.7	
i.	9th Km	Km		29.5	
j.	10th Km	Km		27.8	
k.	11th Kms to 200Kms	Km		13.0	
l.	201 Kms to 250 Kms	Km		12.2	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
7	Carriage of 100 maunds of fuel wood, by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		485.8	
b.	2nd Km	Km		275.8	
c.	3rd Km	Km		194.6	
d.	4th Km	Km		151.3	
e.	5th Km	Km		124.2	
f.	6th Km	Km		105.9	
g.	7th Km	Km		92.5	
h.	8th Km	Km		82.3	
i.	9th Km	Km		82.3	
j.	10th Km	Km		67.9	
k.	11th & subsequent Kms	Km		13.0	
8	Carriage of 1000 Nos. tiles 12"x6"x2" (300x150x50 mm), by means of material trolley. 25 % Extra to be paid for hilly area				1.1
a.	1st Km	Km		488.2	
b.	2nd Km	Km		277.8	
c.	3rd Km	Km		196.3	
d.	4th Km	Km		152.9	
e.	5th Km	Km		125.8	
f.	6th Km	Km		107.4	
g.	7th Km	Km		93.9	
h.	8th Km	Km		83.7	
i.	9th Km	Km		75.7	
j.	10th Km	Km		69.2	
k.	11th & subsequent Kms	Km		14.2	



Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
9	Carriage of 1000 No. bricks, 9"x4½"x3" (225x113x75 mm) or 8"x4"x4" (200x100x100mm) (nominal) 25 % Extra to be paid for hilly area			1.1	
	a. 1st Km	Km	485.8		
	b. 2nd Km	Km	275.8		
	c. 3rd Km	Km	194.6		
	d. 4th Km	Km	151.3		
	e. 5th Km	Km	124.2		
	f. 6th Km	Km	105.9		
	g. 7th Km	Km	92.5		
	h. 8th Km	Km	82.3		
	i. 9th Km	Km	74.3		
	j. 10th Km	Km	67.9		
	k. 11th & subsequent Kms	Km	13.0		
	10	Carriage of 1000 No. tiles 9"x4½"x1½" (225x113x38 mm). 25 % Extra to be paid for hilly area			1.1
a. 1st Km		Km	242.9		
b. 2nd Km		Km	137.9		
c. 3rd Km		Km	97.3		
d. 4th Km		Km	75.6		
e. 5th Km		Km	62.1		
f. 6th Km		Km	52.9		
g. 7th Km		Km	46.2		
h. 8th Km		Km	41.2		
i. 9th Km		Km	37.1		
j. 10th Km		Km	33.9		
k. 11th & subsequent Kms		Km	6.5		
11		Carriage of 1 Cwt. (50 Kg) cement of 100 bags. 25 % Extra to be paid for hilly area			1.1
	a. 1st Km	Km	298.9		
	b. 2nd Km	Km	299.5		
	c. 3rd Km	Km	213.9		
	d. 4th Km and subsequent kilometers.	Km	168.1		
12	Carriage of 100 Nos. empty cement bags including bundling.				



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	25 % Extra to be paid for hilly area				
	a. 1st Km	Km	5.7		
	b. 2nd Km	Km	3.2		
	c. 3rd Km	Km	2.2		
	d. 4th Km & subsequent Kms	Km	1.7		
13	Carriage of 100 (2.83 cu.m) cft. of Sarkanda or pitchi, frash or brushwood, by boat or road :- 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	208.4		
	b. 2nd Km	Km	121.7		
	c. 3rd Km	Km	88.0		
	d. 4th Km	Km	70.0		
	e. 5th Km	Km	58.8		
	f. 6th Km	Km	51.1		
	g. 7th Km	Km	45.5		
	h. 8th Km	Km	41.2		
	i. 9th Km	Km	37.8		
	j. 10th Km	Km	35.1		
	k. 11th Km & subsequent	Km	12.1		
14	Carriage of light machinery weighing upto 3 tonne upto 1000 ft. (300 metre) Exceeding 1000 to 5000 ft (300 to 1500 metre) 25 % Extra to be paid for hilly area				1.1
	a. 1st Km	Km	82.2		
	b. 2nd Km	Km	49.6		
	c. 3rd Km	Km	36.9		
	d. 4th Km	Km	30.0		
	e. 5th Km	Km	25.8		
	f. 6th Km	Km	22.8		
	g. 7th Km	Km	20.7		
	h. 8th Km	Km	19.0		
	i. 9th Km	Km	17.7		

Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.	
			Labour			
15	j. 10th Km	Km		16.7	1.1	
	k. 11th Km & subsequent	Km		7.8		
	Cooly load for distance:-					
	a. Upto 1000 ft. (300 metre)			135.4		
	b. Exceeding 1000 to 3000 ft. (300 to 900metre)			107.6		
16	c. 1st Km	Km		92.4	1.1	
	d. 2nd Km	Km		79.7		
	e. 3rd Km & subsequent			63.5		
	Carriage of small consignments weighing upto 2.5 maunds (job rates) :					
	(i) Carriage of consignments odd jobs.					
	(a) Donkey load for distance upto 500 feet.	Each		37.9		
	(b) Upto 1000 feet	Each		26.5		
	(c) Upto ½ Mile/ 0.8 Km	Each		17.8		
	(d) Upto one Mile/ 1.6 Km	Each		14.0		
	(e) Upto three Miles/ 4.8 Km	Each		11.1		
	(f) Exceeding 3 Miles/ 16 km	Each		9.6		
17	(ii) Cart load for a distance :-				1.1	
	(a) upto 4 Miles/ 6.4 Km	Each		12.5		
	(b) Exceeding 4 Miles(6.4 Km) to10 Miles(16 Km)	Each		12.0		
	Hire charges of:-					
	(i) truck (10 Ton Capacity)	Per Hour		649.0		
18	(ii) tractor with trolley	Per Hour		360.6	1.1	
	(iii) tractor without trolley	Per Hour		240.4		
	Carriage of bitumen, tar or other lubricants, in drums:					
19	a. 1st Km	ton		81.2	1.1	
	b. 2nd Km	ton		81.4		
	c. 3rd & subsequent Km	ton		57.8		
19	Carriage of Cement Concrete pipes BSS Class 'B' with comet joint and rubber ring, including loading, unloading and stacking (rate per 100 Rft. (30 m pipes):-				1.1	

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.	
			Labour		
	(i) 3" (75 mm) i/d pipes:-				
a.	1st Km	Km	84.3		
b.	2nd Km	Km	84.6		
c.	3rd Km	Km	59.8		
d.	4th Km	Km	46.5		
e.	5th Km	Km	38.2		
f.	6th Km	Km	32.6		
g.	7th Km	Km	28.4		
h.	8th Km	Km	25.3		
i.	9th Km	Km	22.8		
j.	10th Km	Km	20.8		
k.	11th Km & subsequent	Km	3.9		
	(ii) 4" (100 mm) i/d pipes:-				
a.	1st Km	Km	104.6		
b.	2nd Km	Km	104.9		
c.	3rd Km	Km	74.1		
d.	4th Km	Km	57.7		
e.	5th Km	Km	47.4		
f.	6th Km	Km	40.4		
g.	7th Km	Km	35.2		
h.	8th Km	Km	31.4		
i.	9th Km	Km	28.3		
j.	10th Km	Km	25.8		
k.	11th Km & subsequent	Km	4.9		
	(iii) 6" (150 mm) i/d pipes:-				
a.	1st Km	Km	138.3		
b.	2nd Km	Km	138.8		
c.	3rd Km	Km	98.0		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
d.	4th Km	Km	76.3	
e.	5th Km	Km	62.6	
f.	6th Km	Km	53.4	
g.	7th Km	Km	46.6	
h.	8th Km	Km	41.5	
i.	9th Km	Km	37.4	
j.	10th Km	Km	34.2	
k.	11th Km & subsequent	Km	6.4	
(iv)	9" (225 mm) i/d pipes:			
a.	1st Km	Km	226.0	
b.	2nd Km	Km	226.7	
c.	3rd Km	Km	160.2	
d.	4th Km	Km	124.6	
e.	5th Km	Km	102.4	
f.	6th Km	Km	87.2	
g.	7th Km	Km	76.2	
h.	8th Km	Km	67.8	
i.	9th Km	Km	61.1	
j.	10th Km	Km	55.8	
k.	11th Km & subsequent	Km	10.5	
(v)	12" (300 mm) i/d pipes:-			
a.	1st Km	Km	350.9	
b.	2nd Km	Km	352.0	
c.	3rd Km	Km	248.6	
d.	4th Km	Km	193.4	
e.	5th Km	Km	158.9	



Sr. No.	Description		Rate (Rs.)		Ref. Tech. Specs.
			Labour		
	f. 6th Km	Km	135.4		
	g. 7th Km	Km	118.2		
	h. 8th Km	Km	105.2		
	i. 9th Km	Km	94.9		
	j. 10th Km	Km	86.7		
	k. 11th Km & subsequent	Km	16.3		
(vi)	16" (400 mm) i/d pipes:-				
	a. 1st Km	Km	475.7		
	b. 2nd Km	Km	477.2		
	c. 3rd Km	Km	337.0		
	d. 4th Km	Km	262.2		
	e. 5th Km	Km	215.4		
	f. 6th Km	Km	183.6		
	g. 7th Km	Km	160.3		
	h. 8th Km	Km	142.7		
	i. 9th Km	Km	128.7		
	j. 10th Km	Km	117.5		
	k. 11th Km & subsequent	Km	22.1		
(viii)	18" (450 mm) i/d pipes:-				
	a. 1st Km	Km	691.6		
	b. 2nd Km	Km	693.8		
	c. 3rd Km	Km	490.0		
	d. 4th Km	Km	381.3		
	e. 5th Km	Km	313.2		
	f. 6th Km	Km	266.9		
	g. 7th Km	Km	233.0		
	h. 8th Km	Km	207.4		
	i. 9th Km	Km	187.1		
	j. 10th Km	Km	170.8		



Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
(ix)	k. 11th Km & subsequent	Km	32.1	
	20" (500 mm) i/d pipes:-			
	a. 1st Km	Km	759.1	
	b. 2nd Km	Km	761.5	
	c. 3rd Km	Km	537.8	
	d. 4th Km	Km	418.4	
	e. 5th Km	Km	343.8	
	f. 6th Km	Km	293.0	
	g. 7th Km	Km	255.8	
	h. 8th Km	Km	227.6	
	i. 9th Km	Km	205.3	
	j. 10th Km	Km	187.5	
	k. 11th Km & subsequent Kms	Km	35.2	
(x)	24" (600 mm) i/d pipes:-			
	a. 1st Km	Km	1,012.1	
	b. 2nd Km	Km	1,015.3	
	c. 3rd Km	Km	717.1	
	d. 4th Km	Km	557.9	
	e. 5th Km	Km	458.3	
	f. 6th Km	Km	390.6	
	g. 7th Km	Km	341.0	
	h. 8th Km	Km	303.5	
	i. 9th Km	Km	273.8	
	j. 10th Km	Km	250.0	
	k. 11th Km & subsequent Kms	Km	47.0	
	20	Carriage of PVC pipes B.S.S. all Classes including loading, unloading and stacking (Rate per 1000 ft.) (300 metre) :-		
(i)	3" (75 mm) i/d pipes:-			

Sr. No.	Description	Unit	Rate (Rs.)	Ref. Tech. Specs.
			Labour	
a.	1st Km	Km	21.5	
b.	2nd Km	Km	21.6	
c.	3rd Km	Km	15.4	
d.	4th Km	Km	12.1	
e.	5th Km	Km	10.0	
f.	6th Km	Km	8.6	
g.	7th Km	Km	7.6	
h.	8th Km	Km	6.8	
i.	9th Km	Km	6.2	
j.	10th Km	Km	5.7	
k.	11th Km & subsequent Kms	Km	1.4	
(ii)	4" (100 mm) i/d pipes:-			
a.	1st Km	Km	32.3	
b.	2nd Km	Km	32.3	
c.	3rd Km	Km	23.1	
d.	4th Km	Km	18.2	
e.	5th Km	Km	15.1	
f.	6th Km	Km	12.9	
g.	7th Km	Km	11.4	
h.	8th Km	Km	10.2	
i.	9th Km	Km	9.3	
j.	10th Km	Km	8.5	
k.	11th Km & subsequent Kms	Km	2.1	
(iii)	5" (125 mm) i/d pipes:-			
a.	1st Km	Km	50.2	
b.	2nd Km	Km	50.3	
c.	3rd Km	Km	35.9	
d.	4th Km	Km	28.2	
e.	5th Km	Km	23.4	

Sr. No.	Description	Rate (Rs.)		Ref. Tech. Specs.
			Labour	
	f. 6th Km	Km	20.1	
	g. 7th Km	Km	17.7	
	h. 8th Km	Km	15.9	
	i. 9th Km	Km	14.4	
	j. 10th Km	Km	13.3	
	k. 11th Km & subsequent Kms	Km	3.3	
(iv)	6" (150 mm) i/d pipes:			
	a. 1st Km	Km	69.9	
	b. 2nd Km	Km	70.1	
	c. 3rd Km	Km	50.1	
	d. 4th Km	Km	39.3	
	e. 5th Km	Km	32.6	
	f. 6th Km	Km	28.0	
	g. 7th Km	Km	24.7	
	h. 8th Km	Km	22.1	
	i. 9th Km	Km	20.1	
	j. 10th Km	Km	18.5	
	k. 11th Km & subsequent Kms	Km	4.6	
(v)	8" (200 mm) i/d pipes:-			
	a. 1st Km	Km	143.5	
	b. 2nd Km	Km	143.7	
	c. 3rd Km	Km	102.7	
	d. 4th Km	Km	80.7	
	e. 5th Km	Km	66.9	
	f. 6th Km	Km	57.5	
	g. 7th Km	Km	50.6	
	h. 8th Km	Km	45.4	
	i. 9th Km	Km	41.2	



Sr. No.	Description	Unit	Rate (Rs.)		Ref. Tech. Specs.
			Labour		
(vi)	j. 10th Km	Km		37.9	
	k. 11th Km & subsequent Kms	Km		9.5	
	10" (250 mm) i/d pipes:-				
	a. 1st Km	Km		197.3	
	b. 2nd Km	Km		197.6	
	c. 3rd Km	Km		141.2	
	d. 4th Km	Km		110.9	
	e. 5th Km	Km		92.0	
	f. 6th Km	Km		79.1	
	g. 7th Km	Km		69.6	
	h. 8th Km	Km		62.4	
	i. 9th Km	Km		56.7	
	j. 10th Km	Km		52.1	
	k. 11th Km & subsequent Kms	Km		13.1	
(vii)	12" (300 mm) i/d pipes:-				
	a. 1st Km	Km		269.0	
	b. 2nd Km	Km		269.5	
	c. 3rd Km	Km		192.5	
	d. 4th Km	Km		151.3	
	e. 5th Km	Km		125.4	
	f. 6th Km	Km		107.8	
	g. 7th Km	Km		94.9	
	h. 8th Km	Km		85.1	
	i. 9th Km	Km		77.3	
	j. 10th Km	Km		71.0	
	k. 11th Km & subsequent Kms	Km		17.9	

