

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. |
|---------|--|-----------------|-------------------|-------------------|-------------------|
| | | | Labour | Composite | |
| 26- 1 | Excavation of well in dry and under water level and disposal of soil within 100 ft. (30m or one chain) | | | | 26.4 |
| a) | In ordinary soil or sand | | | | |
| i) | Upto 5 ft. (1.5 m) depth | Cu.m. Cu.ft. | 388.15 11.00 | 388.15 11.00 | |
| ii) | Above 5 ft. to 10 ft. (1.5 m to 3 m) depth | Cu.m. Cu.ft. | 420.45 11.90 | 630.68 17.85 | |
| iii) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. Cu.ft. | 452.80 12.80 | 679.20 19.25 | |
| iv) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. Cu.ft. | 485.15 13.75 | 727.73 20.60 | |
| v) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. Cu.ft. | 517.50 14.65 | 776.25 22.00 | |
| vi) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. Cu.ft. | 582.20 16.50 | 873.30 24.75 | |
| vii) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. Cu.ft. | 646.90 18.30 | 1,293.80 36.65 | |
| viii) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. Cu.ft. | 711.55 20.15 | 1,423.10 40.30 | |
| ix) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. Cu.ft. | 776.25 22.00 | 1,552.50 43.95 | |
| x) | Above 45 ft. (13.5 m) to any depth | Cu.m. Cu.ft. | 1,035.00 29.30 | 2,070.00 58.60 | |
| xi) | Under water upto 15 ft. depth (upto 4.5 m below | Cu.m. Cu.ft. | 1,293.75 36.65 | 2,587.50 73.25 | |
| b) | In hard soil | | | | |
| i) | Upto 5 ft. (1.5 m) depth | Cu.m. Cu.ft. | 452.80 12.80 | 452.80 12.80 | |
| ii) | Above 5 ft. to 10 ft. (1.5 m to 3 m) depth | Cu.m. Cu.ft. | 485.15 13.75 | 727.73 20.60 | |
| iii) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. Cu.ft. | 517.50 14.65 | 776.25 22.00 | |
| iv) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. Cu.ft. | 549.85 15.55 | 824.78 23.35 | |
| v) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. Cu.ft. | 614.55 17.40 | 921.83 26.10 | |
| vi) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. Cu.ft. | 679.20 19.25 | 1,018.80 28.85 | |

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. | |
|---|--|--------|------------|-----------|-------------------|--|
| | | | Labour | Composite | | |
| vii) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. | 743.90 | 1,487.80 | | |
| | | Cu.ft. | 21.05 | 42.15 | | |
| viii) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. | 808.60 | 1,617.20 | | |
| | | Cu.ft. | 22.90 | 45.80 | | |
| ix) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. | 873.30 | 1,746.60 | | |
| | | Cu.ft. | 24.75 | 49.45 | | |
| x) | Above 45 ft. (13.5 m) to any depth | Cu.m. | 1,099.70 | 2,199.40 | | |
| | | Cu.ft. | 31.15 | 62.30 | | |
| xi) | Under water upto 15 ft. depth (upto 4.5 m below | Cu.m. | 1,423.15 | 2,846.30 | | |
| | | Cu.ft. | 40.30 | 95.88 | | |
| c) In hard strata including shingle, gravel or equivalent | | | | | | |
| i) | Upto 5 ft. (1.5 m) depth | Cu.m. | 840.95 | 840.95 | | |
| | | Cu.ft. | 23.80 | 23.80 | | |
| ii) | Above 5 ft. to 10 ft. (1.5 m to 3 m) depth | Cu.m. | 873.30 | 1,309.95 | | |
| | | Cu.ft. | 24.75 | 37.10 | | |
| iii) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. | 905.65 | 1,358.48 | | |
| | | Cu.ft. | 25.65 | 38.45 | | |
| iv) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. | 937.95 | 1,406.93 | | |
| | | Cu.ft. | 26.55 | 39.85 | | |
| v) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. | 1,002.65 | 1,503.98 | | |
| | | Cu.ft. | 28.40 | 42.60 | | |
| vi) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. | 1,067.35 | 1,601.03 | | |
| | | Cu.ft. | 30.25 | 45.35 | | |
| vii) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. | 1,132.05 | 2,264.10 | | |
| | | Cu.ft. | 32.05 | 64.10 | | |
| viii) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. | 1,196.70 | 2,393.40 | | |
| | | Cu.ft. | 33.90 | 67.80 | | |
| ix) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. | 1,261.40 | 2,522.80 | | |
| | | Cu.ft. | 35.70 | 71.45 | | |
| x) | Above 45 ft. (13.5 m) to any depth | Cu.m. | 1,358.45 | 2,716.90 | | |
| | | Cu.ft. | 38.45 | 76.95 | | |
| xi) | Under water upto 15 ft. depth (upto 4.5 m below | Cu.m. | 1,423.15 | 2,846.30 | | |
| | | Cu.ft. | 40.30 | 80.60 | | |
| 26- 2 | Dry sinking of well including loading and removing of excavated material within 100ft (30m.) lead. | | | | 26.4 | |
| a) In ordinary soil or sand | | | | | | |
| i) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. | 1,423.15 | 1,423.15 | 26.6 | |
| | | Cu.ft. | 40.30 | 40.30 | | |

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. |
|---------|--|-----------------|--------------------|--------------------|-------------------|
| | | | Labour | Composite | |
| ii) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. Cu.ft. | 1,814.50 51.40 | 1,814.50 51.40 | |
| iii) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. Cu.ft. | 2,205.85 62.45 | 2,205.85 62.45 | |
| iv) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. Cu.ft. | 2,597.20 73.55 | 2,597.20 73.55 | |
| v) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. Cu.ft. | 2,988.55 84.65 | 2,988.55 84.65 | |
| vi) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. Cu.ft. | 3,379.90 95.70 | 3,379.90 95.70 | |
| vii) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. Cu.ft. | 3,771.30 106.80 | 3,771.30 106.80 | |
| viii) | Above 45 ft. (13.5 m) to any depth | Cu.m. Cu.ft. | 4,162.65 117.90 | 4,162.65 117.90 | |
| b) | In hard soil | | | | |
| i) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. Cu.ft. | 1,992.40 56.40 | 1,992.40 56.40 | |
| ii) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. Cu.ft. | 2,383.75 67.50 | 2,383.75 67.50 | |
| iii) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. Cu.ft. | 2,775.10 78.60 | 2,775.10 78.60 | |
| iv) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. Cu.ft. | 3,166.45 89.65 | 3,166.45 89.65 | |
| v) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. Cu.ft. | 3,557.80 100.75 | 3,557.80 100.75 | |
| vi) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. Cu.ft. | 3,949.15 111.85 | 3,949.15 111.85 | |
| vii) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. Cu.ft. | 4,340.55 122.90 | 4,340.55 122.90 | |
| viii) | Above 45 ft. (13.5 m) to any depth | Cu.m. Cu.ft. | 4,731.90 134.00 | 4,731.90 134.00 | |
| c) | In hard strata including shingle, gravel or equivalent | | | | |
| i) | Above 10 ft. to 15 ft. (3 m to 4.5 m) depth | Cu.m. Cu.ft. | 2,775.10 78.60 | 2,775.10 78.60 | |
| ii) | Above 15 ft. to 20 ft. (4.5 m to 6 m) depth | Cu.m. Cu.ft. | 3,166.45 89.65 | 3,166.45 89.65 | |
| iii) | Above 20 ft. to 25 ft. (6 m to 7.5 m) depth | Cu.m. Cu.ft. | 3,557.80 100.75 | 3,557.80 100.75 | |

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. |
|---------|--|--------|------------|-----------|-------------------|
| | | | Labour | Composite | |
| iv) | Above 25 ft. to 30 ft. (7.5 m to 9 m) depth | Cu.m. | 3,949.15 | 3,949.15 | 26.4 26.6 |
| | | Cu.ft. | 111.85 | 111.85 | |
| v) | Above 30 ft. to 35 ft. (9 m to 10.5 m) depth | Cu.m. | 4,340.55 | 4,340.55 | |
| | | Cu.ft. | 122.90 | 122.90 | |
| vi) | Above 35 ft. to 40 ft. (10.5 m to 12 m) depth | Cu.m. | 4,731.90 | 4,731.90 | |
| | | Cu.ft. | 134.00 | 134.00 | |
| vii) | Above 40 ft. to 45 ft. (12 m to 13.5 m) depth | Cu.m. | 5,123.25 | 5,123.25 | |
| | | Cu.ft. | 145.10 | 145.10 | |
| viii) | Above 45 ft. (13.5 m) to any depth | Cu.m. | 5,514.60 | 5,514.60 | |
| | | Cu.ft. | 156.15 | 156.15 | |
| 26- 3 | Wet sinking of well in ordinary soil (value of 'c' upto 5) for depth below spring level including charges of machinery, shoring, kentledge and removal of excavated material within 100 ft. (30m.) lead. | | | | |
| i) | Upto 10 ft (3 m) depth | Cu.m. | 457.05 | 1,378.85 | |
| | | Cu.ft. | 12.95 | 39.05 | |
| ii) | Above 10 ft. to 20 ft. (3 m to 6 m) depth | Cu.m. | 968.95 | 2,923.15 | |
| | | Cu.ft. | 27.45 | 82.80 | |
| iii) | Above 20 ft. to 30 ft. (6 m to 9 m) depth | Cu.m. | 1,188.35 | 3,585.00 | |
| | | Cu.ft. | 33.65 | 101.50 | |
| iv) | Above 30 ft. to 40 ft. (9 m to 12 m) depth | Cu.m. | 1,558.15 | 4,685.39 | |
| | | Cu.ft. | 44.10 | 132.70 | |
| v) | Above 40 ft. to 50 ft. (12 m to 15 m) depth | Cu.m. | 1,725.45 | 5,196.63 | |
| | | Cu.ft. | 48.85 | 147.15 | |
| vi) | Above 50 ft. to 60 ft. (15 m to 18 m) depth | Cu.m. | 1,944.89 | 5,845.68 | |
| | | Cu.ft. | 55.10 | 165.55 | |
| vii) | Above 60 ft. to 70 ft. (18 m to 21 m) depth | Cu.m. | 1,991.58 | 5,994.99 | |
| | | Cu.ft. | 56.40 | 169.75 | |
| viii) | Above 70 ft. to 80 ft. (21 m to 24 m) depth | Cu.m. | 2,043.13 | 6,155.56 | |
| | | Cu.ft. | 57.85 | 174.30 | |
| ix) | Above 80 ft. (24 m) to any depth | Cu.m. | 2,215.31 | 6,683.16 | |
| | | Cu.ft. | 62.75 | 189.25 | |
| 26- 4 | Wet sinking of well in cohesive soil (value of 'C' more than 5) for depth below spring level including charges of machinery, shoring, kentledge and removal of excavated material within 30m lead. | | | | |
| i) | Upto 10 ft (3 m) depth | Cu.m. | 690.20 | 2,068.25 | |
| | | Cu.ft. | 19.55 | 58.55 | |
| ii) | Above 10 ft. to 20 ft. (3 m to 6 m) depth | Cu.m. | 865.15 | 2,602.23 | |
| | | Cu.ft. | 24.50 | 87.55 | |
| iii) | Above 20 ft. to 30 ft. (6 m to 9 m) depth | Cu.m. | 1,028.39 | 3,117.39 | |
| | | Cu.ft. | 29.10 | 109.00 | |

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. |
|---------|--|-----------------|-------------------|-----------------------|-------------------|
| | | | Labour | Composite | |
| iv) | Above 30 ft. to 40 ft. (9 m to 12 m) depth | Cu.m. Cu.ft. | 1,380.24 39.10 | 4,146.37 139.00 | |
| v) | Above 40 ft. to 50 ft. (12 m to 15 m) depth | Cu.m. Cu.ft. | 1,591.11 45.05 | 4,724.21 158.00 | |
| vi) | Above 50 ft. to 60 ft. (15 m to 18 m) depth | Cu.m. Cu.ft. | 1,722.84 48.80 | 5,157.94 173.00 | |
| vii) | Above 60 ft. to 70 ft. (18 m to 21 m) depth | Cu.m. Cu.ft. | 1,882.78 53.30 | 5,673.50 181.00 | |
| viii) | Above 70 ft. to 80 ft. (21 m to 24 m) depth | Cu.m. Cu.ft. | 1,956.19 55.40 | 5,918.81 195.00 | |
| ix) | Above 80 ft. (24 m) to any depth | Cu.m. Cu.ft. | 2,068.23 58.55 | 6,226.55 210.00 | |
| 26- 5 | Wet sinking of well in shingle or gravel for depth below spring level including charges for machinery, shoring, kentledge and removal of excavated material within 100 ft. (30 m.) lead. | | | | 26.4 26.6 |
| i) | Upto 10 ft (3 m) depth | Cu.m. Cu.ft. | 920.23 26.05 | 2,757.70 78.10 | |
| ii) | Above 10 ft. to 20 ft. (3 m to 6 m) depth | Cu.m. Cu.ft. | 1,151.68 32.60 | 3,469.61 98.25 | |
| iii) | Above 20 ft. to 30 ft. (6 m to 9 m) depth | Cu.m. Cu.ft. | 1,376.47 39.00 | 4,156.52 117.70 | |
| iv) | Above 30 ft. to 40 ft. (9 m to 12 m) depth | Cu.m. Cu.ft. | 1,884.86 53.40 | 5,679.27 160.85 | |
| v) | Above 40 ft. to 50 ft. (12 m to 15 m) depth | Cu.m. Cu.ft. | 2,070.54 58.65 | 6,242.19 176.75 | |
| vi) | Above 50 ft. to 60 ft. (15 m to 18 m) depth | Cu.m. Cu.ft. | 2,301.66 65.20 | 6,938.49 196.50 | |
| vii) | Above 60 ft. to 70 ft. (18 m to 21 m) depth | Cu.m. Cu.ft. | 2,409.16 68.20 | 7,244.68 205.15 | |
| viii) | Above 70 ft. to 80 ft. (21 m to 24 m) depth | Cu.m. Cu.ft. | 2,465.56 69.80 | 7,425.27 210.25 | |
| ix) | Above 80 ft. (24 m) to any depth | Cu.m. Cu.ft. | 2,723.73 77.15 | 8,207.77 232.45 | |
| 26- 6 | Making and supplying at site of work Kikar or Chalghoza wood well curb. | Cu.m. Cu.ft. | ##### 952.35 | 46,639.80 1,320.75 | 26.4 26.6 |
| 26- 7 | Laying well curb in position only. | Each job | 550.00 | 550.00 | |

| Sr. No. | Description | Unit | Rate (Rs.) | | Ref. Tech. Specs. |
|---------|---|-----------------|--------------------|-----------------------|-------------------|
| | | | Labour | Composite | |
| 26- 8 | Providing, making and laying R.C.C. well curb in position using 3/4" (19mm) and down gauge crushed aggregate and coarse sand including formwork, moulds, shuttering, rendering the exposed surface including curing. The reinforcement will be paid separately. | | | | 5.3 |
| a) | 1 : 1.5 : 3 | Cu.m. Cu.ft. | 2,466.70 69.85 | 19,001.30 538.10 | |
| b) | 1 : 2 : 4 | Cu.m. Cu.ft. | 2,466.70 69.85 | 16,950.85 480.00 | |
| 26- 9 | Providing and fixing structural steel for cutting edge. | % Kg. % Lb. | 1,710.00 775.65 | 10,657.50 4,834.20 | 26.4 |
| 26- 10 | Making and removing false masonry on well including its dismantling and cost of scraping bricks. | Cu.m. Cu.ft. | 2,190.30 62.00 | 14,880.00 421.35 | 4.1 |

